

Pro Form Products Ltd. 604 McGeachie Drive Milton, Ontario, L9T 3Y5 Canada 905-878-4990

PRODUCT: PF 725-1 INSTA WELD ADHESIVE

SECTION 01: IDENTIFICATION

Initial supplier identifier..... Pro Form Products Ltd. 604 McGeachie Drive

Milton, Ontario L9T3Y5 Tel (905) 878-4990 Fax (905) 878-1189 PF 725-1 INSTA WELD ADHESIVE

Product identifier..... Adhesive applications.

Recommended use and restrictions on ...

Chemical family.....

NFPA rating..... HMIS..... Health: 2 fire: 2 reactivity: 1.

H: 2 F: 2 R: 1.

For transportation emergencies (in Canada) call CANUTEC 1-888-226-8832 (CAN-UTEC); IN THE UNITED STATES CALL CHEMTREC 1-800-424-9300.

** For medical emergencies contact your local poison control centre **. 24 hour emergency number:.....

SECTION 02: HAZARD IDENTIFICATION



Signal Word..... WARNING. Hazard Classification..... Flammable Liquid 4. Skin Irritation — Category 2. Eye Irritation — Category 2A. Specific Target Organ Toxicity — Single Exposure — Category 3. (respiratory system). H227 Combustible liquid. H315 Causes skin irritation. H319 Causes serious eye irritation. Hazard Description..... H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. P210 Keep away from heat, sparks, open flames and hot surfaces. No smoking. P261 Avoid breathing mists, vapours and sprays. P264 Wash thoroughly after handling. P271 Prevention..... Use only outdoors or in a well ventilated area. P280 Wear protective gloves and eye protectión. P305 + P351 + P338 If in eyes rinse cautiously with water for several minutes. Remove Response contact lenses, if present and easy to do. Continue rinsing until medical help arrives. P337 + P313 - If eye irritation persists get medical attention. P370 + P378 In case of fire - use dry chemical powder, CO2 or foam to extinguish. P302 + P352 - If on skin: wash with plenty of water. P321 - For specific treatment see section 4 on this SDS. P332 + P313 - If skin irritation occurs get medical attention or advice. P362 + P364 - Take off contaminated clothing and wash before reuse. P304 + P340 - If inhaled remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/doctor if you feel unwell. P403 Store in a well ventilated area. P403 + P233 Store in a well ventilated area. Keep Storage..... container tightly closed. P405 Store locked up. P501 Dispose all unused, waste or empty containers in accordance with local regulations. Disposal.....

SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS					
CHEMICAL NAME AND SYNONYMS	CAS#	WT. %			
2-Propenoic acid, 2-cyano-, ethyl ester	7085-85-0	50-100			

SECTION 04: FIRST-AID MEASURES

Eve contact..... In case of contact, immediately flush eyes, keeping eyelids open, with plenty of water for at least 15 minutes. Obtain medical attention. Cyanoacrylate will bond to the eye protein and causes a lachrymatory effect which will help de-bond the adhesive. Keep eyes covered until de-bonding is completed (usually 1-4 days). .



PRODUCT: PF 725-1 INSTA WELD ADHESIVE

SECTION 04: FIRST-AID MEASURES

center immediately. If spontaneous vomiting occurs have victim lean forward with head down to prevent aspiration of fluid into the lungs. Never give anything by mouth to an unconscious person.

May cause breathing difficulty.

Most important symptoms and effects, whether acute or delayed Additional information......

Treat victims symptomatically. In the event of an incident involving this product ensure that medical authorities are provided a copy of this safety data sheet.

SECTION 05: FIRE-FIGHTING MEASURES

Suitable and unsuitable extinguishing media Specific hazards arising from the

Specific hazards arising from thehazardous product, such as the nature of any hazardous combustion products Special protective equipment andprecautions for fire-fighters

"Alcohol" foam, CO2, dry chemical. In cases of larger fires, water spray should be used. Do not use water in a jet.

Oxides of carbon (CO, CO2). Nitrogen compounds.

Polymerized by water, avoid use. Firefighter should be equipped with self-contained breathing apparatus and full protective clothing to protect against potentially toxic and irritating fumes. Cool fire-exposed containers with cold water spray. Heat will cause pressure buildup and may cause explosive rupture. Keep run-off water from entering sewers and other waterways. Dike for water control.

SECTION 06: ACCIDENTAL RELEASE MEASURES

Leak/spill.....

Ventilate. Eliminate all sources of ignition. Contain the spill. Avoid all personal contact. Evacuate all non-essential personnel. Prevent runoff into drains, sewers, and other waterways. Allow to solidify. Take up mechanically, fill into labelled, closable containers. Do not use cotton or natural fiber cloths for clean up.

SECTION 07: HANDLING AND STORAGE

Precautions for safe handling.....

Keep away from heat, sparks, and open flame. Avoid all skin contact and ventilate adequately, otherwise wear an appropriate breathing apparatus. Always adopt precautionary measures against build-up of static which may arise from appliances, handling and the containers in which product is packed. Ground handling equipment. Avoid breathing vapours or mist. Handle and open container with care. Employees should wash hands and face before eating or drinking.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks, and open flames. Keep container closed when not in use. Store away from strong oxidizers. Store away from sunlight.

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	TWA	GIH TLV STEL	PEL OSHA	A PEL STEL	NIOSH REL
2-Propenoic acid, 2-cyano-, ethyl ester	1 mg/m³, 0.2 ppm (TLV)	Not established	Not established	Not established	Not established
Personal Protective Equi Respiratory/type Eye/type	controls	when contaminant levels exceed the recommended exposure limits. Liquid chemical goggles. Chemical resistant gloves. Do not use:. Cotton or natural fibre gloves. PVC. Wear adequate protective clothes. Safety boots per local regulations. Local exhaust at points of emission.			

PRODUCT: PF 725-1 INSTA WELD ADHESIVE

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical state..... Liquid. Colour..... Colourless. OdourOdour threshold (ppm)..... Odour..... Characteristic odour. No data. Vapour pressure (mm Hg)..... 0.27 hPa. @ 20°C. Vapour density (air=1)..... No data. pH.....Relative Density (Specific Gravity)...... Not applicable. 8.762 lbs/USG; 1.05. Melting / Freezing point (deg C)..... Not available. Initial boiling point / boiling range (deg C). >150. Polymerizes. Not miscible. Solubility..... Evaporation rate.....Flash point (deg C), method..... Not available. 87° C. Auto ignition temperature (deg C)..... Not available. Upper flammable limit (% vol)..... Lower flammable limit (% vol)..... Partition coefficient — n-octanol/water..... Not available. Not available. Not available. % Volatile by volume..... VOC (less water)..... 0 lb/usg - 0 g/mL.

SECTION 10: STABILITY AND REACTIVITY

SECTION 11: TOXICOLOGICAL INFORMATION

2-Propenoic acid, 2-cyano-, ethyl ester	:	21.11 mg/L (1 hr/14days) rat	5000 mg/kg rat oral 2000 mg/kg rabbit dermal			
Route of exposure Effects of chronic exposure						
Skin contact	Can cause moderate irritation, defatting and dermatitis. Immediate bonding of skin and					
Eye contact	eyes. Causes eye irritation. Contact with vapours can cause excessive tearing. Eyelids may bond closed.					
Inhalation (acute)						
Inhalation (chronic)	vomiting and unconsciousness. Asthmatic symptoms. Prolonged and repeated exposure to vapors may produce allergic reactions with asthma-like symptoms in sensitive individuals.					
Ingestion	Will polymerize rapidly ad	lhesring to the mouth.				
Carcinogenicity of material	. No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC or ACGIH.					
Reproductive effects	None known.	3 ,				

LC50

SECTION 12: ECOLOGICAL INFORMATION

SECTION 13: DISPOSAL CONSIDERATIONS

Information on safe handling for disposal . and methods of disposal, including any contaminated packaging

INGREDIENTS

Dispose of waste in accordance with all applicable Federal, Provincial/State and local regulations. Avoid release into the environment.

LD50



PRODUCT: PF 725-1 INSTA WELD ADHESIVE

SECTION 14: TRANSPORT INFORMATION

Not regulated. Not regulated. IATA Classification (Air)....IMDG Classification (Marine).... Not regulated. Not regulated. Marine Pollutant.....

Proof of Classification.....

In accordance with Part 2.2.1 of the Transportation of Dangerous Goods Regulations (July 2, 2014) - we certify that classification of this product is correct. .

SECTION 15: REGULATORY INFORMATION

Not determined. CEPA status.....

TSCA inventory status..... All components are listed.

This product is considered hazardous under the OSHA Hazard Communication Standard. OSHA.....

SARA Title III

Section 302 - extremely hazardous Chloroacetic acid.

substances

Immediate health, delayed health, fire hazard. Reactive. Section 311/312 - hazard categories......

Section 313..... Chloroacetic acid. EPA hazardous air pollutants (HAPS)

40CFR63

California Proposition 65.....

Hydroquinone.

This product does not contain any chemical(s) known to the State of California to cause cancer or reproductive toxicity.

SECTION 16: OTHER INFORMATION

REGULATORY AFFAIRS. Trivalent Data Systems Ltd. www.trivalent.com. Prepared by:

(800) 387-7981. Telephone number:.....

DISCLAIMER: All information appearing herein is based upon data obtained from experience and recognized technical sources. To the best of our knowledge, it is believed to be correct as of the date of issue but we make no representations as to its accuracy or Disclaimer:.... sufficiency and do not suggest or guarantee that any hazards listed herein are the only ones which exist. The hazard information contained herein is offered solely for the consideration of the user, subject to his own investigation and verification of compliance with applicable regulations, including the safe use of the product under every foreseeable condition. The information relates only to the product designated herein, and does not

relate to its use in combination with any other material or in any other process.

Date of the latest revision of the safety

data sheet

2021-11-10. 2017-11-27

