

SAFETY DATA SHEET

1. Product and Company Identification

Product identifier Hydraulic - All

Other means of identification HYD32189 HYD32205 HYD32B HYD22189 HYD22205 HYD46189 HYD46205 HYD46B HYD68189 HYD68205 HYD32B

Recommended use Lubricant
Recommended restrictions None known.

Manufacturer information Coastal Blending & Packaging PO Box 1169

Saint John, NB E2L 4E6 CA Phone: 1.800.574.5823 Emergency Phone: 1.506.648.3060

See above.

Supplier

2. Hazards Identification

Physical hazards Not classified.
Health hazards Not classified.
Environmental hazards Not classified.
WHMIS 2015 defined hazards Not classified

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

WHMIS 2015: Health Hazard(s)

not otherwise classified

(HHNOC)

None known

WHMIS 2015: Physical Hazard(s) not otherwise

classified (PHNOC)

None known

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Not applicable.

3. Composition/Information on Ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), hydrotreated heavy paraffinic		64742-54-7	30-100
Paraffin Oils (petroleum), Catalytic Dewaxed Heavy		64742-70-7	10-75

4. First Aid Measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if symptoms develop or persist.

Skin contact Rinse skin with water/shower. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.

Most important

symptoms/effects, acute and

delayed

Direct contact with eyes may cause temporary irritation.

#26146 Page: 1 of 10 Issue date 04-May-2016

Indication of immediate medical attention and special treatment needed

General information

Treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire Fighting Measures	5.	Fire	Fighting	Measures
---------------------------	----	------	-----------------	----------

Suitable extinguishing media Unsuitable extinguishing

Specific hazards arising from

the chemical

Special protective equipment and precautions for firefighters

Fire-fighting equipment/instructions

Specific methods General fire hazards

Hazardous combustion products

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

Not available

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up Keep out of low areas. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.

Stop the flow of material, if this is without risk.

Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Avoid discharge into drains, water courses or onto the ground.

7. Handling and Storage

Precautions for safe handling

Avoid prolonged exposure. Use care in handling/storage. Avoid contact with eyes, skin and clothing.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure Controls/Personal Protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form	
Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)	PEL	400 mg/m3		
		100 ppm		
Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)	PEL	5 mg/m3	Mist.	
US. ACGIH Threshold Limit Values				
Components	Туре	Value	Form	

Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	TWA	5 mg/m3	Inhalable fraction.
Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)	TWA	5 mg/m3	Inhalable fraction.

#26146 Page: 2 of 10 Issue date 04-May-2016 **US. NIOSH: Pocket Guide to Chemical Hazards Form** Components Value Type Naphtha (petroleum), **TWA** 400 mg/m3 hydrotreated heavy (CAS 64742-48-9) 100 ppm Paraffin Oils (petroleum), STEL 10 mg/m3 Mist. Catalytic Dewaxed Heavy (CAS 64742-70-7) TWA 5 mg/m3 Mist.

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines

Canada - Alberta OELs: Skin designation

1,4-Dioxane (CAS 123-91-1)

Can be absorbed through the skin.

Canada - British Columbia OELs: Skin designation

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

Canada - Manitoba OELs: Skin designation

1,4-Dioxane (CAS 123-91-1)

Can be absorbed through the skin.

Canada - Ontario OELs: Skin designation

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

Canada - Quebec OELs: Skin designation

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

Canada - Saskatchewan OELs: Skin designation

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

1,4-Dioxane (CAS 123-91-1)

Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

1,4-Dioxane (CAS 123-91-1)

Can be absorbed through the skin.

Ethyl acrylate (CAS 140-88-5)

Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical goggles are recommended.

Skin protection

Hand protection Wear protective gloves.

Other Wear appropriate chemical resistant clothing.

Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators.

Thermal hazards

General hygiene considerations

Not applicable.

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and Chemical Properties

Appearance Liquid Liquid. Physical state **Form** Liquid. Amber Color Odor Petroleum Not available. Odor threshold рH Not available. Not available. Melting point/freezing point Initial boiling point and boiling Not available. range

Not available.

Pour point Not availabl Specific gravity 0.85 - 0.87

#26146 Page: 3 of 10 Issue date 04-May-2016

Partition coefficient Not available.

(n-octanol/water)

Flash point 388.4 - 415.4 °F (198.0 - 213.0 °C) Pensky-Martens Closed Cup

Not available.

Not available. **Evaporation rate** Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Flammability limit - upper Not available.

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%)

Vapor pressure < 0.1 mm Hg @ 20°C

Vapor density Not available. Not available. Relative density Solubility(ies) Negligible **Auto-ignition temperature** Not available. **Decomposition temperature** Not available. 22.6 - 69.6 @ 40°C **Viscosity**

10. Stability and Reactivity

Reactivity This product may react with strong oxidizing agents.

Possibility of hazardous

reactions

products

No dangerous reaction known under conditions of normal use.

Chemical stability Material is stable under normal conditions. Conditions to avoid Avoid temperatures exceeding the flash point.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

May include and are not limited to: Hydrogen sulphide. Oxides of carbon. Oxides of nitrogen.

Oxides of sulfur. Oxides of phosphorus.

11. Toxicological Information

Inhalation. Ingestion. Skin contact. Eye contact. Routes of exposure

Information on likely routes of exposure

Ingestion Expected to be a low ingestion hazard. Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Test Results Components **Species**

Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)

Acute Dermal

LD50 Rabbit > 2000 mg/kg

Inhalation

Not available LC50

Oral

LD50 Rat 5000 mg/kg

Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)

Acute

Inhalation

Not available LC50

Components Species Test Results

Oral

LD50 Not available

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Exposure minutesNot available.Erythema valueNot available.Oedema valueNot available.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Corneal opacity value Not available.

Iris lesion value Not available.

Conjunctival reddening Not available.

value

Conjunctival oedema value Not available.

Recover days Not available.

Respiratory or skin sensitization

ACGIH sensitization

Propylene oxide (CAS 75-56-9)

Dermal sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Contains < 3% (w/w) DMSO-extract

Risk of cancer cannot be excluded with prolonged exposure.

IARC Monographs. Overall Evaluation of Carcinogenicity

1,4-Dioxane (CAS 123-91-1) Volume 11, Supplement 7, Volume 71 - 2B Possibly carcinogenic

o humans.

Arsenic (CAS 7440-38-2) Volume 23, Supplement 7, Volume 100C 1 Carcinogenic to

humans.

Cadmium (CAS 7440-43-9) Volume 58, Volume 100C 1 Carcinogenic to humans.

Ethyl acrylate (CAS 140-88-5) Volume 39, Supplement 7, Volume 71 - 2B Possibly carcinogenic

to humans.

Lead (CAS 7439-92-1) Volume 23, Supplement 7 - 2B Possibly carcinogenic to humans.

Oxirane (CAS 75-21-8) Volume 97, Volume 100F 1 Carcinogenic to humans. Propylene oxide (CAS 75-56-9) Volume 60 - 2B Possibly carcinogenic to humans.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

1,4-Dioxane (CAS 123-91-1) Arsenic (CAS 7440-38-2) Cadmium (CAS 7440-43-9) Ethyl acrylate (CAS 140-88-5) Lead (CAS 7439-92-1) Oxirane (CAS 75-21-8) Propylene oxide (CAS 75-56-9)

US NTP Report on Carcinogens: Anticipated carcinogen

1,4-Dioxane (CAS 123-91-1)Reasonably Anticipated to be a Human Carcinogen.Lead (CAS 7439-92-1)Reasonably Anticipated to be a Human Carcinogen.Propylene oxide (CAS 75-56-9)Reasonably Anticipated to be a Human Carcinogen.

US NTP Report on Carcinogens: Known carcinogen

Arsenic (CAS 7440-38-2)

Cadmium (CAS 7440-43-9)

Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)

Known To Be Human Carcinogen.

Known To Be Human Carcinogen.

Oxirane (CAS 75-21-8)

Known To Be Human Carcinogen.
Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS Known To Be Human Carcinogen.

64742-70-7)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Arsenic (CAS 7440-38-2)
Cadmium (CAS 7440-43-9)
Cancer
Oxirane (CAS 75-21-8)
Cancer

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Teratogenicity Not available.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not available.

Chronic effects

Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

12. Ecological Information

Ecotoxicity See below

Ecotoxicological data

Components Species Test Results

Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)

Crustacea EC50 Daphnia 1000 mg/L, 48 Hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potentialNo data available.Mobility in soilNo data available.Mobility in generalNot available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport Information

Transport of Dangerous Goods (TDG) Proof of Classification

In accordance with Part 2.2.1 (SOR/2014-152) of the Transportation of Dangerous Goods Regulations, we certify that the classification of this product is correct as of the SDS date of issue.

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Canada CEPA Schedule I: Listed substance

 Arsenic (CAS 7440-38-2)
 Listed.

 Cadmium (CAS 7440-43-9)
 Listed.

 Lead (CAS 7439-92-1)
 Listed.

 Oxirane (CAS 75-21-8)
 Listed.

 Propylene oxide (CAS 75-56-9)
 Listed.

Canada NPRI VOCs with Additional Reporting Requirements: Listed substance/Identification Number

Naphtha (petroleum), hydrotreated heavy (CAS

Listed

64742-48-9)

Canada Priority Substances List (Second List): Listed substance

Oxirane (CAS 75-21-8) Listed

Canada SNAc Reporting Requirements: Listed substance/Publication date

Propylene oxide (CAS 75-56-9) 12/21/2011 LISTED

Export Control List (CEPA 1999, Schedule 3)

Oxirane (CAS 75-21-8) Substance subject to notification or consent.

Greenhouse Gases

Not listed.

#26146 Page: 6 of 10 Issue date 04-May-2016

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions Not applicable

US federal regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

1,4-Dioxane (CAS 123-91-1)Listed.Arsenic (CAS 7440-38-2)Listed.Cadmium (CAS 7440-43-9)Listed.Ethyl acrylate (CAS 140-88-5)Listed.Lead (CAS 7439-92-1)Listed.Oxirane (CAS 75-21-8)Listed.Propylene oxide (CAS 75-56-9)Listed.

US EPCRA Section 304 Extremely Haz. Subs. & CERCLA Haz. Subs.: Section 304 EHS reportable quantity

 Oxirane (CAS 75-21-8)
 10 LBS

 Propylene oxide (CAS 75-56-9)
 100 LBS

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Arsenic (CAS 7440-38-2) Cancer Cadmium (CAS 7440-43-9) Cancer

Lead (CAS 7439-92-1) Reproductive toxicity

 Oxirane (CAS 75-21-8)
 Cancer

 Arsenic (CAS 7440-38-2)
 Liver

 Cadmium (CAS 7440-43-9)
 Lung

Lead (CAS 7439-92-1) Central nervous system
Oxirane (CAS 75-21-8) Reproductive toxicity

Arsenic (CAS 7440-38-2)
Cadmium (CAS 7440-43-9)
Lead (CAS 7439-92-1)
Oxirane (CAS 75-21-8)
Arsenic (CAS 7440-38-2)
Cadmium (CAS 7440-43-9)

Skin
Kidney
Kidney
Mutagenicity
Respiratory irritation
Acute toxicity

Lead (CAS 7439-92-1)BloodOxirane (CAS 75-21-8)Central nervous systemArsenic (CAS 7440-38-2)Nervous systemLead (CAS 7439-92-1)Acute toxicityOxirane (CAS 75-21-8)Skin sensitizationArsenic (CAS 7440-38-2)Acute toxicityOxirane (CAS 75-21-8)Skin irritation

Eye irritation

respiratory tract irritation

Acute toxicity Flammability

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely No

hazardous substance

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

1,4-Dioxane (CAS 123-91-1) Arsenic (CAS 7440-38-2) Cadmium (CAS 7440-43-9) Ethyl acrylate (CAS 140-88-5)

Lead (CAS 7439-92-1)

Oxirane (CAS 75-21-8)

Propylene oxide (CAS 75-56-9)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Oxirane (CAS 75-21-8)

Safe Drinking Water Act

(SDWA)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

Not listed.

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Not regulated.

DEA Exempt Chemical Mixtures Code Number

Not regulated.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Ethyl acrylate (CAS 140-88-5) High priority

Not regulated.

Oxirane (CAS 75-21-8) Other Flavoring Substances with OSHA PEL's

Food and Drug

Administration (FDA)

US state regulations

US - California Hazardous Substances (Director's): Listed substance

Not regulated.

1,4-Dioxane (CAS 123-91-1)Listed.Arsenic (CAS 7440-38-2)Listed.Cadmium (CAS 7440-43-9)Listed.Ethyl acrylate (CAS 140-88-5)Listed.Lead (CAS 7439-92-1)Listed.Naphtha (CAS 7420-48-8)Listed.

64742-48-9)

Oxirane (CAS 75-21-8) Listed.

Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS Listed. 64742-70-

7)

Propylene oxide (CAS 75-56-9) Listed.

US - Illinois Chemical Safety Act: Listed substance

1,4-Dioxane (CAS 123-91-1) Arsenic (CAS 7440-38-2) Cadmium (CAS 7440-43-9) Ethyl acrylate (CAS 140-88-5) Lead (CAS 7439-92-1) Oxirane (CAS 75-21-8) Propylene oxide (CAS 75-56-9)

US - Louisiana Spill Reporting: Listed substance

 1,4-Dioxane (CAS 123-91-1)
 Listed.

 Arsenic (CAS 7440-38-2)
 Listed.

 Cadmium (CAS 7440-43-9)
 Listed.

 Ethyl acrylate (CAS 140-88-5)
 Listed.

 Lead (CAS 7439-92-1)
 Listed.

 Oxirane (CAS 75-21-8)
 Listed.

 Propylene oxide (CAS 75-56-9)
 Listed.

US - Michigan Critical Materials Register: Parameter number

 Arsenic (CAS 7440-38-2)
 ARSENIC

 Cadmium (CAS 7440-43-9)
 CADMIUM

 Lead (CAS 7439-92-1)
 LEAD

US - Minnesota Haz Subs: Listed substance

1,4-Dioxane (CAS 123-91-1)

Arsenic (CAS 7440-38-2)

Cadmium (CAS 7440-43-9)

Ethyl acrylate (CAS 140-88-5)

Lead (CAS 7439-92-1)

Naphtha (petroleum), hydrotreated heavy (CAS

Listed.

64742-48-9)

Oxirane (CAS 75-21-8) Listed.

Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS Listed. 64742-70-

7)

Propylene oxide (CAS 75-56-9) Listed.

US - New Jersey RTK - Substances: Listed substance

1,4-Dioxane (CAS 123-91-1) Arsenic (CAS 7440-38-2) Cadmium (CAS 7440-43-9) Ethyl acrylate (CAS 140-88-5) Lead (CAS 7439-92-1)

Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)

#26146 Page: 8 of 10 Issue date 04-May-2016

Oxirane (CAS 75-21-8)

Propylene oxide (CAS 75-56-9)

US - North Carolina Toxic Air Pollutants: Listed substance

1,4-Dioxane (CAS 123-91-1)

Arsenic (CAS 7440-38-2)

Cadmium (CAS 7440-43-9)

Oxirane (CAS 75-21-8)

US - Texas Effects Screening Levels: Listed substance

1,4-Dioxane (CAS 123-91-1)Listed.Arsenic (CAS 7440-38-2)Listed.Cadmium (CAS 7440-43-9)Listed.Distillates (petroleum), hydrotreated heavy paraffinicListed.

(CAS 64742-54-7)

Ethyl acrylate (CAS 140-88-5)
Lead (CAS 7439-92-1)
Naphtha (petroleum), hydrotreated heavy (CAS
Listed.
Listed.

64742-48-9)

Oxirane (CAS 75-21-8) Listed.

Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS Listed. 64742-70-

7)

Propylene oxide (CAS 75-56-9) Listed.

US - Washington Chemical of High Concern to Children: Listed substance

1,4-Dioxane (CAS 123-91-1)

Arsenic (CAS 7440-38-2)

Cadmium (CAS 7440-43-9)

US. Massachusetts RTK - Substance List

1,4-Dioxane (CAS 123-91-1)

Arsenic (CAS 7440-38-2)

Cadmium (CAS 7440-43-9)

Ethyl acrylate (CAS 140-88-5)

Lead (CAS 7439-92-1)

Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)

Oxirane (CAS 75-21-8)

Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)

Propylene oxide (CAS 75-56-9)

US. New Jersey Worker and Community Right-to-Know Act

1,4-Dioxane (CAS 123-91-1)

Arsenic (CAS 7440-38-2)

Cadmium (CAS 7440-43-9)

Ethyl acrylate (CAS 140-88-5)

Lead (CAS 7439-92-1)

Oxirane (CAS 75-21-8)

Propylene oxide (CAS 75-56-9)

US. Pennsylvania RTK - Hazardous Substances

1,4-Dioxane (CAS 123-91-1)

Arsenic (CAS 7440-38-2)

Cadmium (CAS 7440-43-9)

Ethyl acrylate (CAS 140-88-5)

Lead (CAS 7439-92-1)

Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)

Oxirane (CAS 75-21-8)

Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)

Propylene oxide (CAS 75-56-9)

US. Rhode Island RTK

1,4-Dioxane (CAS 123-91-1)

Arsenic (CAS 7440-38-2)

Cadmium (CAS 7440-43-9)

Ethyl acrylate (CAS 140-88-5)

Lead (CAS 7439-92-1)

Oxirane (CAS 75-21-8)

Propylene oxide (CAS 75-56-9)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

 1,4-Dioxane (CAS 123-91-1)
 Listed: January 1, 1988

 Arsenic (CAS 7440-38-2)
 Listed: February 27, 1987

 Cadmium (CAS 7440-43-9)
 Listed: October 1, 1987

#26146 Page: 9 of 10 Issue date 04-May-2016

 Ethyl acrylate (CAS 140-88-5)
 Listed: July 1, 1989

 Lead (CAS 7439-92-1)
 Listed: October 1, 1992

 Oxirane (CAS 75-21-8)
 Listed: July 1, 1987

 Propylene oxide (CAS 75-56-9)
 Listed: October 1, 1988

US - California Proposition 65 - CRT: Listed date/Developmental toxin

Cadmium (CAS 7440-43-9)
Lead (CAS 7439-92-1)
Oxirane (CAS 75-21-8)
Listed: February 27, 1987
Listed: August 7, 2009
US - California Proposition 65 - CRT: Listed date/Female reproductive toxin

Lead (CAS 7439-92-1) Listed: February 27, 1987 Oxirane (CAS 75-21-8) Listed: February 27, 1987

US - California Proposition 65 - CRT: Listed date/Male reproductive toxin

 Cadmium (CAS 7440-43-9)
 Listed: May 1, 1997

 Lead (CAS 7439-92-1)
 Listed: February 27, 1987

 Oxirane (CAS 75-21-8)
 Listed: August 7, 2009

Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0





Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date 04-May-2016

Version # 01

Effective date 04-May-2016

Prepared by Coastal Blending & Packaging Telephone: (800-587-5823)

Other information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.