# **SAFETY DATA SHEET**

#### 1. Identification

Product identifier

Rain-X Headlight Restoration

Other means of identification

Synonyms

09228

Recommended use

Cleaner

Recommended restrictions

None known.

Manufacturer/Importer/Supplier/Distributor Information

Manufacturer

Company name

ITW Permatex Canada

**Address** 

35 Brownridge Road, Unit 1 Halton Hills, ON L7G 0C6

Canada

Telephone

1-905-693-8900

e-mail

Not available.

**Emergency phone number** Supplier

1-877-504-9352 See above.

#### 2. Hazard identification

Physical hazards

Health hazards

Not classified.

Specific target organ toxicity following single

Category 3 narcotic effects

exposure

Aspiration hazard

Category 1

**Environmental hazards** 

Not classified.

Label elements



Signal word

Hazard statement

May be fatal if swallowed and enters airways.

May cause drowsiness or dizziness.

Precautionary statement

Prevention

Avoid breathing mist or vapour.

Use only outdoors or in a well-ventilated area.

Response

IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. IF INHALED: remove person to fresh air and keep comfortable for breathing. Call a POISON

CENTER/doctor if you feel unwell.

Storage

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards

Combustible.

Supplemental information

None

# 3. Composition/information on ingredients

#### **Mixtures** Chemical name Common name and synonyms **CAS number** Distillates (petroleum), light 64742-47-8 25 hydrotreated Alcohols, C10-12, ethoxylated 68154-97-2 3 propoxylated

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

IF INHALED: remove person to fresh air and keep comfortable for breathing. Call a POISON Inhalation

CENTER/doctor if you feel unwell.

Skin contact Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists. Eye contact

Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain

medical attention if irritation persists.

IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician. Do NOT induce

vomiting.

Not available.

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

General information

Ingestion

Aspiration may cause pulmonary oedema and pneumonitis.

May cause drowsiness and dizziness. Headache. Nausea, vomiting. Diarrhoea.

Symptoms may be delayed.

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire-fighting measures Alcohol resistant foam. Powder. Dry chemicals. Carbon dioxide.

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Hazardous combustion products

Special protective equipment and precautions for firefighters

Fire fighting

Specific methods General fire hazards

equipment/instructions

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Cool containers exposed to heat with water spray and remove container, if no risk is involved.

Use standard firefighting procedures and consider the hazards of other involved materials.

Combustible. No unusual fire or explosion hazards noted.

During fire, gases hazardous to health may be formed.

May include and are not limited to: Oxides of carbon.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapour. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8.

Methods and materials for containment and cleaning up

Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Never return spills in original containers for re-use. Following product recovery, flush area with water. Clean surface thoroughly to remove residual contamination. Prevent entry into waterways, sewer, basements or confined areas. For waste disposal, see section 13 of the SDS.

Environmental precautions

Do not discharge into lakes, streams, ponds or public waters.

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes, skin and clothing. Wear appropriate personal protective equipment.

Avoid breathing mist or vapour. Use only in well-ventilated areas.

Observe good industrial hygiene practices.

Wash thoroughly after handling. When using do not eat or drink.

Conditions for safe storage, including any incompatibilities

Store locked up.

Keep away from heat and sources of ignition.

Store away from incompatible materials (see Section 10 of the SDS).

Keep out of reach of children.

	8. Exposure cont	rols/Personal prote	ction	
Occupational exposure limits				
Canada. Alberta OELs (Od Components	ccupational Health & Safety C Type		2) Value	Form
Distillates (petroleum), light hydrotreated (CAS 64742-47-8)	TWA		200 mg/m3	Vapor.
, a	OELs. (Occupational Exposu as amended)	re Limits for Chemical	Substances, O	ccupational Health and
Components	Туре		Value	Form
Distillates (petroleum), light hydrotreated (CAS 64742-47-8)	TWA	:	200 mg/m3	Non-aerosol.
Biological limit values	No biological exposure limit	s noted for the ingredient	(e)	
Exposure guidelines		and migrounding	.(0).	
Canada - Alberta OELs: SI	(in designation			
Distillates (petroleum), I 64742-47-8)	ight hydrotreated (CAS	Can be absorbed thro	ough the skin.	
Canada - British Columbia	OELs: Skin designation			
Distillates (petroleum), I 64742-47-8)	•	Can be absorbed thro	ough the skin.	
Canada - Saskatchewan O Distillates (petroleum), I 64742-47-8)	ight hydrotreated (CAS	Can be absorbed thro	ough the skin.	
Appropriate engineering controls	Ensure adequate ventilation	l <b>.</b>		
Individual protection measures Eye/face protection	s, such as personal protective Wear safety glasses with sig	e equipment		
Skin protection	Wear safety glasses with Sic	ie snieids.		
Hand protection	Natural or butyl rubber pitril	0 05 nooneen e elever - 0	<b>5</b>	
Other	Natural or butyl rubber, nitril As required by employer coo	e or neoprene gloves. Co	ntirm with a rep	utable supplier first.
Respiratory protection	Where exposure guideline le Respirator should be selecte professional following requir CAN/CSA-Z94.4 and ANSI's	evels may be exceeded, used by and used under the	direction of a tra	ained health and safety
Thermal hazards	Not applicable.	standard for respiratory	protection (288.	2).
General hygiene considerations	Handle in accordance with g and immediately after handli	ood industrial hygiene an	d safety practice	e. Wash hands before break
		chemical properties		initik of smoke.
Appearance	Gel.	chemical properties	<u> </u>	
Physical state	Liquid.			
form	Gel			
Colour	White			
Odour	Cherry			
Odour threshold	· · · · · · · · · · · · · · · · · · ·			
H	Not available.			
	7-9			
leiting point/freezing point	Not available.			
nitial boiling point and boiling ange	Not available.			
lash point	> 95.0 °C (> 203.0 °F)			
vaporation Rate	< 1 (Butyl acetate = 1)			
lammability (solid, gas)	Not applicable.			
pper/lower flammability or exp	losive limits			
Flammability limit - lower (%)	Not available.			
Flammability limit - upper (%)	Not available.			

Explosive limit - lower (%) Not available. Explosive limit - upper Not available.

(%)

Vapour pressure Not available. Vapour density Not available. Relative density Not available.

Solubility(ies)

Solubility (Water) Not available. Partition coefficient Not available.

(n-octanol/water)

**Auto-Ignition temperature** Not available. **Decomposition temperature** Not available.

Viscosity

Not available.

Other information

**Explosive properties** Not explosive. **Oxidizing properties** Not oxidising.

Specific gravity

# 10. Stability and reactivity

Reactivity May react with incompatible materials.

1 .

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerisation does not occur.

reactions

Conditions to avoid Do not mix with other chemicals. Incompatible materials

Hazardous decomposition

products

Acids. Strong oxidizing agents. Fluorine.

May include and are not limited to: Oxides of carbon.

### 11. Toxicological information

# Information on likely routes of exposure

Inhalation

May cause drowsiness and dizziness. Headache. Nausea, vomiting. Prolonged inhalation may be

harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

Ingestion

Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious

chemical pneumonia. May cause stomach distress, nausea or vomiting.

Symptoms related to the

Aspiration may cause pulmonary oedema and pneumonitis.

physical, chemical and toxicological characteristics May cause drowsiness and dizziness. Headache. Nausea, vomiting. Diarrhoea.

#### Information on toxicological effects

Acute toxicity

May be fatal if swallowed and enters airways. Narcotic effects.

Components **Species** Alcohols, C10-12, ethoxylated propoxylated (CAS 68154-97-2)

Acute

Dermal

LD50

Not available

Inhalation

LC50

Not available

Oral

LD50

Rat

4140 mg/kg

**Test results** 

Distillates (petroleum), light hydrotreated (CAS 64742-47-8)

Acute

Dermal

LD50

Rabbit

> 2000 mg/kg

> 2000 mg/kg, 24 Hours

Components	Species	Test results			
Inhalation LC50	Cat				
LOGU	Cat	> 6.4 mg/L, 6 Hours			
	Rat	> 7.5 mg/L, 6 Hours			
		> 4.3 mg/L, 4 Hours			
		> 0.1 mg/L, 8 Hours			
		5.2 mg/l/4h			
Oral		- · <del>-</del> · · · · · · · · · · · ·			
LD50	Rat	> 20000 mg/kg			
		> 5000 mg/kg			
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.				
Exposure minutes	Not available.				
Erythema value	Not available.				
Oedema value	Not available.				
Serious eye damage/eye					
Irritation	Direct contact with eyes may cause temporary irrit	ation.			
Corneal opacity value	Not available.				
Iris lesion value	Not available.				
Conjunctival reddening value	Not available.				
Conjunctival oedema value	Not available				
Recover days	Not available.				
Respiratory or skin sensitisation					
Respiratory sensitisation	Not a respiratory sensitizer.				
Skin sensitisation					
Germ cell mutagenicity	This product is not expected to cause skin sensitisation.  No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.				
Carcinogenicity	Not classified.				
Reproductive toxicity	· · · · · · · · · · · · · · · · · · ·				
Specific target organ toxicity - single exposure	This product is not expected to cause reproductive May cause drowsiness and dizziness.	or developmental effects.			
Specific target organ toxicity - repeated exposure	Not classified.				
Aspiration hazard	May be fatal if swallowed and antennal				
Chronic effects	May be fatal if swallowed and enters airways.				
Further Information	Prolonged inhalation may be harmful.				
artifer information	Not available.				
Ecotoxicity	12. Ecological information See below				
Ecotoxicological data Components	Species	Testanovil			
Distillates (petroleum), light hydrotro		Test results			
Aquatic	( <del></del>				
- ·	C50 Rainbow trout,donaldson trout (Oncorhynchus mykiss)	2.9 mg/L, 96 hours			
Persistence and degradability	No data is available on the degradability of this prod	L			
Bioaccumulative potential	No data available.	iuct.			
Mobility in soil	No data available.				
Mobility in general	Not available.				
Other adverse effects	No other adverse environmental effects (e.g. ozone potential, endocrine disruption, global warming poter	depletion, photochemical ozone creation			
	13. Disposal considerations	niar, are expected from this component.			
Disposal Instructions	Dispose of contents/container in accordance with loc	-1/			
	www.voc.or.comems/container in accordance with lov	sal/regional/notional/intermeticus 1 1 .:			

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

а

Waste from residues / unused

products

Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### 14. Transport information

General

Canada: TDG Proof of Classification: In accordance with Part 2.2.1 (SOR/2014-152) of the Transportation of Dangerous Goods Regulations, we certify that the classification of this product is correct as of the SDS date of issue. If applicable, the technical name and the classification of the product will appear below.

#### U.S. Department of Transportation (DOT)

Basic shipping requirements:

**UN number** 

UN3082

Proper shipping name

Environmentally hazardous substances, liquid, n.o.s.

Technical name Hazard class

Distillates (petroleum), light hydrotreated

Packing group

III

Special provisions

8, 146, 335, IB3, T4, TP1, TP29

Packaging exceptions

155

### Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

**UN number** 

UN3082

Proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Distillates (petroleum). light hydrotreated

Technical name Hazard class

9

Packing group

Ш

Special provisions

16, 99

#### DOT; TDG



#### 15. Regulatory information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

# Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number

Distillates (petroleum), light hydrotreated (CAS 64742-47-8)

1 TONNES

Export Control List (CEPA 1999, Schedule 3)

Not listed.

**Greenhouse Gases** 

Not listed.

**Precursor Control Regulations** 

Not regulated.

WHMIS status

Controlled

International regulations

**Inventory Status** 

Country(s) or region

**Inventory Name** 

On Inventory (Yes/No)\*

Canada

Domestic Substances List (DSL)

Yes

Canada

Non-Domestic Substances List (NDSL)

No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

#### 16. Other information

LEGEND			
Severe	4		
Serious	3		
Moderate	2		
Slight	1		
Minimal	0		

Issue date Revision date Version#

Other information

Disclaimer

Prepared by

HEALTH		*	2	1
FLAMMABIL	JTY	4	0	Sec. Accountation
PHYSICAL I	łaza	RD	0	]
PERSONAL PROTECTIO	N		х	

08-February-2017 08-February-2017



Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

0

Dell Tech Laboratories Ltd. Phone: (519) 858-5021