

# Permatex O-Ring Lubricant

## Safety Data Sheet

According to the Hazardous Products Regulation (February 11, 2015)  
Issue date: 8/1/2024 Revision date: 8/1/2024 Version: 1.0

### SECTION 1: Identification

#### 1.1. Product identifier

Product name : Permatex O-Ring Lubricant  
Product code : 31834

#### 1.2. Recommended use and restrictions on use

Recommended use : Lubricant

#### 1.3. Supplier

ITW Permatex Canada  
c/o ITW Global Brands Canada  
2360 Bristol Circle, Suite 101  
Oakville, ON L6H 6M5  
T (905) 693-8900  
[CanadaCS@itwgb.com](mailto:CanadaCS@itwgb.com)

#### 1.4. Emergency telephone number

Emergency number : 800-255-3924 (Chem-Tel)

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

##### Classification (GHS CA)

Carcinogenicity, Category 1B

May cause cancer.

#### 2.2. GHS Label elements, including precautionary statements

##### GHS CA labelling

Hazard pictograms (GHS CA)



Signal word (GHS CA)

: Danger

Hazard statements (GHS CA)

: May cause cancer.

Precautionary statements (GHS CA)

: Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves, protective clothing, eye protection, face protection.

IF exposed or concerned: Get medical advice or attention.

Store locked up.

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Supplementary information

: Exempt - Consumer product, This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure. This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations.

#### 2.3. Other hazards

No additional information available

# Permatex O-Ring Lubricant

## Safety Data Sheet

According to the Hazardous Products Regulation (February 11, 2015)

### 2.4. Unknown acute toxicity (GHS CA)

Not applicable

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%
Distillates, petroleum, hydrotreated heavy naphthenic	Petroleum distillates, hydrotreated heavy naphthenic / Distillates (petroleum), hydrotreated heavy naphthenic / Distillates (petroleum) hydrotreated heavy naphthenic / Distillates, petroleum, hydrotreated heavy naphthenic (A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20-50 and produces a finished oil of at least 100 SUS at 100°F (19cSt at 40°C). It contains relatively few normal paraffins.) / Petroleum distillate hydrotreated heavy naphthenic / Naphtha, hydrotreated heavy distillate / Hydrotreated heavy alkanes	CAS-No.: 64742-52-5	1 - 5

Comments : CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with the amended HPR as of April 2018.

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Wash skin with plenty of water. Obtain medical attention if irritation persists.
First-aid measures after eye contact	: Rinse eyes with water as a precaution. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation persists.
First-aid measures after ingestion	: Do not induce vomiting. If vomiting occurs have person lean forward. Never give anything by mouth to an unconscious person. Call a poison center or a doctor if you feel unwell.
First-aid measures general	: IF exposed or concerned: Get medical advice or attention. If you feel unwell, seek medical advice (show the label where possible). Medical personnel should be made aware of substance(s) involved and take measures for self protection. Show this safety data sheet to the doctor in attendance. Avoid contact with skin and eyes. Keep out of the reach of children.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation	: Prolonged inhalation may be harmful.
Symptoms/effects after skin contact	: Prolonged or repeated contact may dry skin and cause irritation.

# Permatex O-Ring Lubricant

## Safety Data Sheet

According to the Hazardous Products Regulation (February 11, 2015)

Symptoms/effects after eye contact	: Direct contact with eyes may cause temporary irritation.
Symptoms/effects after ingestion	: May cause stomach distress, nausea or vomiting.
Chronic symptoms	: May cause cancer.

### 4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment	: Symptoms may be delayed. Treat symptomatically.
-----------------------------------	---

## SECTION 5: Fire-fighting measures

### 5.1. Suitable extinguishing media

Suitable extinguishing media	: Water spray. Foam. Dry chemical. Carbon dioxide.
------------------------------	--

### 5.2. Unsuitable extinguishing media

Unsuitable extinguishing media	: Do not use a water jet since it may cause the fire to spread.
--------------------------------	---

### 5.3. Specific hazards arising from the hazardous product

Fire hazard	: During fire, gases hazardous to health may be formed. In case of fire or explosion do not breathe fumes.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: May include and are not limited to: oxides of carbon.

### 5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Move containers from fire area if it can be done without personal risk.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. In the event of a significant spillage : Notify authorities if product enters sewers or public waters.
------------------	--

### 6.2. Methods and materials for containment and cleaning up

For containment	: Stop leaks if it can be done without personal risk. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	: Notify authorities if product enters sewers or public waters. Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. Clean contaminated surfaces with an excess of water.
Other information	: This material and its container must be disposed of in a safe way, and as per local legislation.

### 6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling	: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Avoid breathing vapours, fume. Do not taste or swallow. Provide local exhaust or general room ventilation. Wear personal protective equipment. Ensure good ventilation of the work station. Handle and open container with care.
-------------------------------	--

# Permatex O-Ring Lubricant

## Safety Data Sheet

According to the Hazardous Products Regulation (February 11, 2015)

Hygiene measures : Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Keep out of reach of children. Store tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Wear protective gloves. Confirm with a reputable supplier first.

#### Eye protection:

Wear eye protection

#### Skin and body protection:

Wear suitable protective clothing. As required by employer code.

#### Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection. Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Appearance : Paste. Gel.  
Colour : Clear  
Odour : Mild odor  
Odour threshold : No data available  
pH : No data available  
Relative evaporation rate (butylacetate=1) : No data available  
Relative evaporation rate (ether=1) : No data available  
Melting point : Not applicable  
Freezing point : No data available  
Boiling point : No data available  
Flash point : 298.9 °C (570 °F)

# Permatex O-Ring Lubricant

## Safety Data Sheet

According to the Hazardous Products Regulation (February 11, 2015)

Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Density	: 1.247 g/ml
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive.
Oxidising properties	: Not oxidising.
Explosive limits	: No data available

### 9.2. Other information

VOC content	: 0 %
-------------	-------

## SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: Keep away from heat and direct sunlight. Do not mix with other chemicals.
Incompatible materials	: Strong oxidizing agents.
Hazardous decomposition products	: May include and are not limited to: oxides of carbon.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Unknown acute toxicity (GHS CA)	Not applicable
---------------------------------	----------------

#### Distillates, petroleum, hydrotreated heavy naphthenic (64742-52-5)

LD50 oral rat	> 5000 mg/kg (Source: EPA_HP V)
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Likely routes of exposure	: Skin and eyes contact. Ingestion. Inhalation.
Symptoms/effects after inhalation	: Prolonged inhalation may be harmful.
Symptoms/effects after skin contact	: Prolonged or repeated contact may dry skin and cause irritation.
Symptoms/effects after eye contact	: Direct contact with eyes may cause temporary irritation.
Symptoms/effects after ingestion	: May cause stomach distress, nausea or vomiting.
Chronic symptoms	: May cause cancer.

# Permatex O-Ring Lubricant

## Safety Data Sheet

According to the Hazardous Products Regulation (February 11, 2015)

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : See below for route-specific details.  
Unknown hazards to the aquatic environment (GHS CA) : Contains 0.03 % of components with unknown hazards to the aquatic environment  
Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Not classified

Distillates, petroleum, hydrotreated heavy naphthenic (64742-52-5)	
LC50 - Fish [1]	> 5000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID)
EC50 - Crustacea [1]	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Ozone : Not classified

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Waste treatment methods : Dispose of the material collected according to regulations.  
Sewage disposal recommendations : Disposal must be done according to official regulations.  
Product/Packaging disposal recommendations : Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling, disposal or collection.

### SECTION 14: Transport information

TDG	
14.1. UN number	Not regulated
14.2. Proper Shipping Name	Not regulated
14.3. Transport hazard class(es)	Not regulated
14.4. Packing group	Not regulated

# Permatex O-Ring Lubricant

## Safety Data Sheet

According to the Hazardous Products Regulation (February 11, 2015)

TDG	
<b>14.5. Environmental hazards</b>	
	Not regulated
No supplementary information available	

### 14.6. Special precautions for user

#### TDG

Not regulated

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. National regulations

All components of this product are present on DSL, except for:
Dolomite (CaMg(CO <sub>3</sub> ) <sub>2</sub> ) (16389-88-1)
Listed on the Canadian NDSL (Non-Domestic Substances List)

## SECTION 16: Other information

Issue date : 08/01/2024

Revision date : 08/01/2024

Other information : For an updated SDS, please contact the supplier or manufacturer listed on the first page of the document.

The information in the safety data sheet was written by Dell Tech Laboratories Ltd. ([www.delltech.com](http://www.delltech.com)) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.