# **Permatex**

# SAFETY DATA SHEET

May Also Be Distributed by:

**ITW Permatex Canada** 

Revision Date 29-Oct-2018 Version 5

# 1. IDENTIFICATION

**Product identifier** 

Product Name PC ULTRA BOND SUPER GLUE 28 GR

Other means of identification

Product Code 49512

Recommended use of the chemical and restrictions on use

**Recommended Use**This product is a cyanoacrylate-based adhesive

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address
ITW Permatex
6875 Parkland Blvd.

6875 Parkland Blvd. 101-2360 Bristol Circle
Solon, OH 44139 USA Oakville, ON Canada L6H 6M5
Telephone: (800) 924-6994

24-hour emergency phone number

Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585

Contract Number: MIS0003453

E-mail address: mail@permatex.com

# 2. HAZARDS IDENTIFICATION

# Classification

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 4

# Label elements

# **Emergency Overview**

# Signal word Warning

Causes skin irritation
Causes serious eye irritation
May cause respiratory irritation
May cause an allergic skin reaction
Combustible liquid



Appearance Clear Physical state Liquid Odor Irritating

# **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

### **Precautionary Statements - Response**

Specific treatment (see supplemental first aid instructions on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

# **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Not applicable

### Other Information

- Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children

Unknown acute toxicity 29.91 % of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

# Substance(s)

Chemical Name	CAS No	Weight-%
ETHYL-2-CYANOACRYLATE	7085-85-0	60 - 100
HYDROQUINONE	123-31-9	<0.1

# 4. FIRST AID MEASURES

### Description of first aid measures

General advice Get medical advice/attention if you feel unwell. If symptoms persist, call a physician.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eyelids are bonded closed, release eyelashes with warm water by covering with a wet pad. Keep eye wide open while rinsing. If

symptoms persist, call a physician.

Revision Date 29-Oct-2018

**Skin contact** IF ON SKIN:. Wash with soap and water. Allow warm water to penetrate the bond and

gently attempt to move bonded areas without pulling the skin away from bonded area. If

skin irritation persists, call a physician.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If symptoms persist, call a physician.

**Ingestion** Not an expected route of exposure.

**Self-protection of the first aider**Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

**Symptoms** May cause allergic skin reaction.

Indication of any immediate medical attention and special treatment needed

# 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable extinguishing media

None

Specific hazards arising from the chemical

Combustible material. Keep product and empty container away from heat and sources of ignition.

**Explosion data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin.

Use personal protective equipment as required.

Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Eliminate all ignition sources if safe to do so. Ensure adequate ventilation. Flood with water

to complete polymerization and scrape off floor. Sweep up and shovel into suitable

containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid breathing

vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place.

Incompatible materials Water, Alcohols, Amines, Alkalis

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

**Exposure Guidelines** 

	Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ſ	ETHYL-2-CYANOACRYLATE	TWA: 0.2 ppm	-	-
	7085-85-0			
ſ	HYDROQUINONE	TWA: 1 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	IDLH: 50 mg/m <sup>3</sup>
	123-31-9		(vacated) TWA: 2 mg/m <sup>3</sup>	Ceilina: 2 ma/m <sup>3</sup> 15 min

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

Engineering Controls Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

**Skin and body protection** Do not use PVC, nylon or cotton. Wear protective nitrile rubber gloves.

Respiratory protection Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as

appropriate.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of

equipment, work area and clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceClearOdorIrritatingOdor threshold1 ppm

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No information available
Melting point / freezing point
Boiling point / boiling range
Flash point
No information available
No information available
> 150 °C / >302 °F
80-93.4 °C / 176-200 °F

Evaporation rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:No information availableLower flammability limit:No information available

Tag Closed Cup

Solidifies

Vapor pressure <0.2 mm Hg

Vapor density No information available

Relative density 1.06

Water solubility Insoluble in water

Solubility(ies)

Partition coefficient
Autoignition temperature

Decomposition temperature

No information available
No information available

485 °C / 905 °F
No information available

Kinematic viscosity 30-70

Dynamic viscosityNo information availableExplosive propertiesNo information availableOxidizing propertiesNo information available

Other Information

Softening pointNo information availableMolecular weightNo information available

VOC Content (%) <20 g/l

DensityNo information availableBulk densityNo information available

# 10. STABILITY AND REACTIVITY

### Reactivity

Stable under normal conditions

# Chemical stability

Stable under recommended storage conditions

### Possibility of Hazardous Reactions

None under normal processing.

# **Conditions to avoid**

Heat, flames and sparks.

# Incompatible materials

Water, Alcohols, Amines, Alkalis

# **Hazardous Decomposition Products**

Carbon oxides

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

**Inhalation** May cause irritation of respiratory tract.

**Eye contact** Contact with eyes may cause irritation. May cause redness and tearing of the eyes.

**Skin contact** Will bond to skin. May cause sensitization by skin contact.

**Ingestion** Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
ETHYL-2-CYANOACRYLATE	> 5 mL/kg (Rat)	=	-
7085-85-0	- , ,		
HYDROQUINONE	= 298 mg/kg (Rat)	= 74800 mg/kg ( Rabbit )	-
123-31-9			

# Information on toxicological effects

**Symptoms** No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** May cause sensitization by skin contact.

Germ cell mutagenicity No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
HYDROQUINONE	A3	Group 3	-	-
123-31-9				

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen

**STOT - single exposure** May cause respiratory irritation.

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 4996 mg/kg

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

99.91 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

### Persistence and degradability

No information available.

# **Bioaccumulation**

No information available.

### Mobility

No information available.

Chemical Name	Partition coefficient
HYDROQUINONE	0.5
123-31-9	

### Other adverse effects

No information available

# 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number Not applicable

# 14. TRANSPORT INFORMATION

DOT

Proper shipping name: Not regulated

<u>IATA</u>

Proper shipping name: Not regulated

<u>IMDG</u>

Proper shipping name: Not regulated

# 15. REGULATORY INFORMATION

**International Inventories** 

**TSCA** Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies Complies **ENCS** Complies **IECSC KECL** Complies **PICCS** Complies Complies **AICS** 

# Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# **US Federal Regulations**

# **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

# SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard No
Fire hazard Yes
Sudden release of pressure hazard No
Reactive Hazard No

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
HYDROQUINONE	100 lb	100 lb	RQ 100 lb final RQ
123-31-9			RQ 45.4 kg final RQ

# **US State Regulations**

# **California Proposition 65**

This product does not contain any Proposition 65 chemicals

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ETHYL-2-CYANOACRYLATE	X	-	-
7085-85-0			
HYDROQUINONE	X	X	X
123-31-9			

# **U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

# **WHMIS Hazard Class**

B3 - Combustible liquid, D2B - Toxic materials

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 2 Flammability 2 Instability 1

HMIS Health hazards 1 2 Flammability 2 Physical hazards 1 Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 29-Oct-2018

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

\_\_\_\_