



# SAFETY DATA SHEET

Revision Date 23-May-2017

Version 4

## 1. IDENTIFICATION

### Product identifier

**Product Name** 84125 PC PERMA POXY 5 MINUTE PLASTIC WELD (ACTIVATOR)

### Other means of identification

**Product Code** PTX203012C

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** Activator

**Uses advised against** No information available

### Details of the supplier of the safety data sheet

#### Manufacturer Address

ITW Permatex  
6875 Parkland Blvd.  
Solon, OH 44139 USA

#### May Also Be Distributed by:

ITW Permatex Canada  
35 Brownridge Road, Unit 1  
Halton Hills, ON Canada L7G 0C6  
Telephone: (800) 924-6994

**24 Hour Emergency Phone Number** Chem-Tel: 800-255-3924  
International Emergency:  
00+1+ 813-248-0585  
Contract Number: MIS0003453

**E-mail address** mail@permatex.com

## 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

|                                   |             |
|-----------------------------------|-------------|
| Skin corrosion/irritation         | Category 2  |
| Serious eye damage/eye irritation | Category 2B |
| Skin sensitization                | Category 1  |
| Flammable liquids                 | Category 2  |

### Label elements

#### Emergency Overview

#### **Signal word**

**Danger**

Causes skin irritation  
Causes serious eye irritation  
May cause an allergic skin reaction  
Highly flammable liquid and vapor



**Appearance** White

**Physical state** Viscous liquid

**Odor** Methyl methacrylate

**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling  
Wear protective gloves/protective clothing/eye protection/face protection  
Do not eat, drink or smoke when using this product  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Contaminated work clothing should not be allowed out of the workplace  
Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
Keep container tightly closed  
Use only non-sparking tools  
Take precautionary measures against static discharge

**Precautionary Statements - Response**

Specific treatment (see supplemental first aid instructions on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
If eye irritation persists: Get medical advice/attention  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
Take off contaminated clothing and wash before reuse  
If skin irritation or rash occurs: Get medical advice/attention

**Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Not applicable

**Other Information**

- Not applicable

Unknown acute toxicity

20 % of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Substance(s)**

| Chemical Name       | CAS No  | Weight-% | Trade Secret |
|---------------------|---------|----------|--------------|
| METHYL METHACRYLATE | 80-62-6 | 60 - 100 | *            |

### 4. FIRST AID MEASURES

**Description of first aid measures**

**General advice**

Get medical advice/attention if you feel unwell.

**Eye contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

|   |  |
|---|--|
| <b>Skin contact</b>                       | IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. |
| <b>Inhalation</b>                         | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.  |
| <b>Ingestion</b>                          | IF SWALLOWED: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.   |
| <b>Self-protection of the first aider</b> | Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.  |

**Most important symptoms and effects, both acute and delayed**

**Symptoms** See section 2 for more information.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media**

Carbon dioxide (CO<sub>2</sub>), Dry chemical, Foam

**Unsuitable extinguishing media**

None.

**Specific hazards arising from the chemical**

Highly flammable. Vapors may travel to source of ignition and flash back.

**Explosion data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Remove all sources of ignition. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas.

**Environmental precautions**

**Environmental precautions** Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Eliminate all ignition sources if safe to do so. Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required. Remove all sources of ignition. Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

**Incompatible materials** Strong oxidizing agents, Reducing agents

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Guidelines

| Chemical Name                  | ACGIH TLV                    | OSHA PEL   | NIOSH IDLH   |
|--------------------------------|------------------------------|--|--|
| METHYL METHACRYLATE<br>80-62-6 | STEL: 100 ppm<br>TWA: 50 ppm | TWA: 100 ppm<br>TWA: 410 mg/m <sup>3</sup><br>(vacated) TWA: 100 ppm<br>(vacated) TWA: 410 mg/m <sup>3</sup> | IDLH: 1000 ppm<br>TWA: 100 ppm<br>TWA: 410 mg/m <sup>3</sup> |

*NIOSH IDLH Immediately Dangerous to Life or Health*

**Other Information** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

### Appropriate engineering controls

**Engineering Controls** Showers  
Eyewash stations  
Ventilation systems

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.

**Respiratory protection** Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

**Physical state** Viscous liquid  
**Appearance** White  
**Odor** Methyl methacrylate  
**Odor threshold** 0.75 ppm

| <u>Property</u>                | <u>Values</u>            | <u>Remarks • Method</u> |
|--------------------------------|--------------------------|-------------------------|
| pH                             | No information available |                         |
| Melting point / freezing point | No information available |                         |
| Boiling point / boiling range  | 101 °C / 214 °F          |                         |
| Flash point                    | 12 °C / 54 °F            | Tag Closed Cup          |
| Evaporation rate               | >1                       | Butyl acetate = 1       |
| Flammability (solid, gas)      | No information available |                         |
| Flammability Limit in Air      |                          |                         |
| Upper flammability limit:      | 12.5%                    |                         |
| Lower flammability limit:      | 1.6%                     |                         |
| Vapor pressure                 | 28 mmHg @ 68°F           |                         |
| Vapor density                  | >3                       | Air = 1                 |
| Relative density               | 0.95                     |                         |
| Water solubility               | Slightly soluble         |                         |
| Solubility in other solvents   | No information available |                         |
| Partition coefficient          | No information available |                         |
| Autoignition temperature       | 421°C (789.8°F)          |                         |
| Decomposition temperature      | No information available |                         |
| Kinematic viscosity            | No information available |                         |
| Dynamic viscosity              | No information available |                         |
| Explosive properties           | No information available |                         |
| Oxidizing properties           | No information available |                         |

#### Other Information

|                  |                          |
|------------------|--------------------------|
| Softening point  | No information available |
| Molecular weight | No information available |
| VOC Content (%)  | <50 g/L                  |
| Density          | No information available |
| Bulk density     | No information available |

## 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### Chemical stability

Stable under recommended storage conditions

#### Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to avoid

Heat, flames and sparks.

#### Incompatible materials

Strong oxidizing agents, Reducing agents

#### Hazardous Decomposition Products

Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

|             |  |
|-------------|--|
| Inhalation  | May cause irritation of respiratory tract.   |
| Eye contact | Contact with eyes may cause irritation. May cause redness and tearing of the eyes. |

**Skin contact** May cause skin irritation and/or dermatitis. May cause sensitization by skin contact.

**Ingestion** Ingestion may cause irritation to mucous membranes.

| Chemical Name                  | Oral LD50                                    | Dermal LD50         | Inhalation LC50        |
|--------------------------------|--|---------------------|------------------------|
| METHYL METHACRYLATE<br>80-62-6 | = 7900 mg/kg ( Rat ) = 7872 mg/kg<br>( Rat ) | > 5 g/kg ( Rabbit ) | = 4632 ppm ( Rat ) 4 h |

#### Information on toxicological effects

**Symptoms** No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name                  | ACGIH | IARC    | NTP | OSHA |
|--------------------------------|-------|---------|-----|------|
| METHYL METHACRYLATE<br>80-62-6 | -     | Group 3 | -   | -    |

*IARC (International Agency for Research on Cancer)*

*Not classifiable as a human carcinogen*

**Target Organ Effects** Eyes, Respiratory system, Skin.

The following values are calculated based on chapter 3.1 of the GHS document .

**ATEmix (oral)** 7872 mg/kg

**ATEmix (dermal)** 5005 mg/kg

**ATEmix (inhalation-vapor)** 4632 mg/l

## 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

20 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

#### Persistence and degradability

No information available.

#### Bioaccumulation

No information available.

#### Mobility

No information available.

| Chemical Name                  | Partition coefficient |
|--------------------------------|-----------------------|
| METHYL METHACRYLATE<br>80-62-6 | 0.7                   |

#### Other adverse effects

No information available

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

**Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** Do not reuse container.

**US EPA Waste Number** D001

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name                  | California Hazardous Waste Status |
|--------------------------------|-----------------------------------|
| METHYL METHACRYLATE<br>80-62-6 | Toxic<br>Ignitable                |

#### 14. TRANSPORT INFORMATION

##### DOT

UN/ID no 1133  
 Proper shipping name: Adhesives, Limited Quantity (LQ)  
 Hazard Class 3  
 Packing Group II  
 Emergency Response Guide Number 128

##### IATA

UN/ID no ID 8000  
 Proper shipping name: Consumer commodity  
 Hazard Class 9  
 ERG Code 9L

##### IMDG

UN/ID no 1133  
 Proper shipping name: Adhesives, Limited Quantity (LQ)  
 Hazard Class 3  
 Packing Group II  
 EmS-No F-E, S-D

#### 15. REGULATORY INFORMATION

##### International Inventories

TSCA Complies  
 DSL/NDL Complies  
 EINECS/ELINCS Complies  
 ENCS Complies  
 IECSC Complies  
 KECL Complies  
 PICCS Complies  
 AICS Complies

##### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
 DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List  
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
 ENCS - Japan Existing and New Chemical Substances  
 IECSC - China Inventory of Existing Chemical Substances  
 KECL - Korean Existing and Evaluated Chemical Substances  
 PICCS - Philippines Inventory of Chemicals and Chemical Substances  
 AICS - Australian Inventory of Chemical Substances

##### US Federal Regulations

##### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | SARA 313 - Threshold Values % |
|---------------|-------------------------------|
|---------------|-------------------------------|

|                               |     |
|-------------------------------|-----|
| METHYL METHACRYLATE - 80-62-6 | 1.0 |
|-------------------------------|-----|

**SARA 311/312 Hazard Categories**

|                                   |     |
|-----------------------------------|-----|
| Acute health hazard               | Yes |
| Chronic Health Hazard             | No  |
| Fire hazard                       | Yes |
| Sudden release of pressure hazard | No  |
| Reactive Hazard                   | No  |

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name                  | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|--------------------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| METHYL METHACRYLATE<br>80-62-6 | 1000 lb                     | -                      | -                         | X                          |

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name                  | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ)                  |
|--------------------------------|--------------------------|----------------|---|
| METHYL METHACRYLATE<br>80-62-6 | 1000 lb                  | -              | RQ 1000 lb final RQ<br>RQ 454 kg final RQ |

**US State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals

**U.S. State Right-to-Know Regulations**

| Chemical Name                  | New Jersey | Massachusetts | Pennsylvania |
|--------------------------------|------------|---------------|--------------|
| METHYL METHACRYLATE<br>80-62-6 | X          | X             | X            |

**U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable

**WHMIS Hazard Class**

B2 - Flammable liquid, D2B - Toxic materials

**16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION**

|                    |                         |                       |                           |                              |
|--------------------|-------------------------|-----------------------|---------------------------|------------------------------|
| <b><u>NFPA</u></b> | <b>Health hazards 2</b> | <b>Flammability 3</b> | <b>Instability 0</b>      | <b>-</b>                     |
| <b><u>HMIS</u></b> | <b>Health hazards 2</b> | <b>Flammability 3</b> | <b>Physical hazards 0</b> | <b>Personal protection B</b> |

NFPA (National Fire Protection Association)  
HMIS (Hazardous Material Information System)

**Revision Date** 23-May-2017

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**