

## SAFETY DATA SHEET

Revision Date 18-Apr-2017 Version 5

## 1. IDENTIFICATION

Product identifier

Product Name 84162 PERMA POXY 1 MINUTE CLEAR EPOXY (HARDENER)

Other means of identification

Product Code 1007B Synonyms None

Recommended use of the chemical and restrictions on use
Recommended Use Epoxy curing agent
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer AddressMay Also Be Distributed by:ITW PermatexITW Permatex Canada6875 Parkland Blvd.35 Brownridge Road, Unit 1Solon, OH 44139 USAHalton Hills, ON Canada L7G 0C6Telephone: (800) 924-6994

24 Hour Emergency Phone Number Chem-Tel: 800-255-3924

International Emergency: 00+1+ 813-248-0585

Contract Number: MIS0003453

E-mail address mail@permatex.com

## 2. HAZARDS IDENTIFICATION

#### Classification

## **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

#### Label elements

#### **Emergency Overview**

#### Danger

Causes severe skin burns and eye damage



Appearance Amber Physical state Liquid Odor Mercaptan

#### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Do not eat, drink or smoke when using this product

#### **Precautionary Statements - Response**

Specific treatment (see supplemental first aid instructions on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Call a POISON CENTER or doctor/physician if you feel unwell

Remove/Take off immediately all contaminated clothing

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

## **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

## Other Information

- Not applicable

Unknown acute toxicity 97 % of the mixture consists of ingredient(s) of unknown toxicity

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance(s)

Chemical Name	CAS No	Weight-%	Trade Secret
POLYAMINE-POLYMERCAPTAN BLEND	_	60 - 100	*
2,2-OXYBIS (N,N-DIMETHYLETHANAMINE)	3033-62-3	1 - 5	*

## 4. FIRST AID MEASURES

#### Description of first aid measures

**General advice** Get medical advice/attention if you feel unwell.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Immediately call a POISON CENTER or doctor/physician. Wash

contaminated clothing before reuse.

**Inhalation** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If symptoms persist, call a physician.

Ingestion IF SWALLOWED:. Rinse mouth. Do NOT induce vomiting. Call a physician or poison

control center immediately.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved and take precautions to

protect themselves.

Most important symptoms and effects, both acute and delayed

**Symptoms** See section 2 for more information.

Indication of any immediate medical attention and special treatment needed

## 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable extinguishing media

None.

Specific hazards arising from the chemical

None in particular.

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin.

Use personal protective equipment as required.

Environmental precautions

Environmental precautions Do not flush into surface water or sanitary sewer system. See Section 12 for additional

ecological Information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel

into suitable containers for disposal. Use personal protective equipment as required.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid breathing

vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.

## Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials Strong oxidizing agents

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2,2-OXYBIS	STEL: 0.15 ppm	-	-
(N,N-DIMETHYLETHANAMINE)	TWA: 0.05 ppm		
3033-62-3	S*		

#### **Appropriate engineering controls**

**Engineering Controls** Use exhaust ventilation to keep airborne concentrations below exposure limits

#### Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.

Respiratory protection Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as

appropriate.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of

equipment, work area and clothing is recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Liquid Amber **Appearance** Mercaptan Odor

**Odor threshold** No information available

Property Values Remarks • Method

No information available pН No information available Melting point / freezing point Boiling point / boiling range No information available Flash point > 93 °C / > 200 °F **Evaporation rate** No information available Flammability (solid, gas) No information available Flammability Limit in Air

Upper flammability limit:

No information available Lower flammability limit: No information available Vapor pressure No information available No information available Vapor density

Relative density 1.12

Water solubility No information available Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available No information available **Decomposition temperature** 

## 1007B - 84162 PERMA POXY 1 MINUTE CLEAR EPOXY (HARDENER)

Kinematic viscosity 80-150 cm2/s

Dynamic viscosityNo information availableExplosive propertiesNo information availableOxidizing propertiesNo information available

**Other Information** 

Softening pointNo information availableMolecular weightNo information available

VOC Content (%) 0

Density

No information available

Bulk density

No information available

## 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

## **Chemical stability**

Stable under recommended storage conditions

#### Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to avoid

Excessive heat.

## Incompatible materials

Strong oxidizing agents

## **Hazardous Decomposition Products**

Carbon oxides Nitrogen oxides (NOx) Oxides of sulfur

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation Causes burns.

**Eye contact** Severely irritating to eyes. May cause burns.

**Skin contact** Corrosive. Contact causes severe skin irritation and possible burns.

**Ingestion** Can burn mouth, throat, and stomach.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2,2-OXYBIS	= 910 mg/kg (Rat) = 1045 mg/kg (	= 280 μL/kg (Rabbit) = 238 mg/kg	= 117 ppm (Rat) 6 h
(N,N-DIMETHYLETHANAMINE)	Rat )	(Rabbit)	
3033-62-3	·		

#### Information on toxicological effects

**Symptoms** No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.

# 1007B - 84162 PERMA POXY 1 MINUTE CLEAR EPOXY (HARDENER)

Target Organ Effects Eyes, Peripheral Nervous System (PNS), Skin, Urinary Tract.

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 2836.6 mg/kg ATEmix (dermal) 10000 mg/kg

ATEmix (inhalation-vapor) 366.7

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

100 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

## Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

#### **Mobility**

No information available.

#### Other adverse effects

No information available

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number Not applicable

## 14. TRANSPORT INFORMATION

DOT

**UN/ID no** 3267

Proper shipping name: Corrosive liquid, basic, organic, n.o.s, (Mercaptan mixture), Limited Quantity (LQ)

Hazard Class 8
Packing Group III
Emergency Response Guide 153

Number

IATA

UN/ID no 3267

Proper shipping name: Corrosive liquid, basic, organic, n.o.s, (Mercaptan mixture), Limited Quantity (LQ)

Hazard Class8Packing GroupIIIERG Code8L

**IMDG** 

**UN/ID no** 3267

Proper shipping name: Corrosive liquid, basic, organic, n.o.s, (Mercaptan mixture), Limited Quantity (LQ)

Hazard Class 8
Packing Group III
EmS-No F-A, S-B

15. REGULATORY INFORMATION

#### **International Inventories**

Complies **TSCA** Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies **ENCS** Complies **IECSC** Complies **KECL PICCS** Complies **AICS** Complies

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

## **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### **US State Regulations**

#### **California Proposition 65**

This product is not known to contain any chemicals listed as carcinogens or reproductive toxins.

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2,2-OXYBIS	X	-	-
(N,N-DIMETHYLETHANAMINE)			
3033-62-3			

#### U.S. EPA Label Information

#### EPA Pesticide Registration Number Not applicable

#### **WHMIS Hazard Class**

E - Corrosive material

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 3 Flammability 1 Instability 0

HMIS Health hazards 3 Flammability 1 Physical hazards 0 Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 18-Apr-2017

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**