SECTION 1. IDENTIFICATION

Product identifier used on the label

: HONDA POWER STEERING FLUID

Product Code(s) : M2714HC

Recommended use of the chemical and restrictions on use

Power Steering Fluid

No restrictions on use known.

Chemical family : Mixture

Name, address, and telephone number of

the supplier:

Name, address, and telephone number of

the manufacturer:

Refer to supplier

Radiator Specialty Co., of Canada

1711 Aimco Blvd.

Mississauga, ON, Canada

L4W 1H7

Supplier's Telephone # : (905) 625-9117 (Mon. - Fri., 8 am - 4 pm)

24 Hr. Emergency Tel # : (613) 996-6666 (CANUTEC)

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Clear yellow liquid. Petroleum odour.

Most important hazards:

Occupational exposure to the substance or mixture may cause adverse effects. For further information, please refer to section 11 of the SDS.

Avoid release to the environment. See Section 12 for more environmental information.

This material is not classified under Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Label elements

Hazard pictogram(s)

None required according to Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Signal Word

None required according to Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard statement(s)

None required according to Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Precautionary statement(s)

None required according to Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Other hazards

Other hazards which do not result in classification:

Toxic fumes may be released during a fire. May cause slight eye and skin irritation. Mild respiratory irritant. May cause gastrointestinal irritation. In extremely high concentrations, may cause symptoms of central nervous system depression. Prolonged overexposure may cause slight liver and kidney effects, such as increased organ weights.

Environmental precautions:

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Avoid release to the environment. See ECOLOGICAL INFORMATION, Section 12.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	Common name and synonyms	CAS#	Concentration (% by weight)
Distillates (petroleum), hydrotreated heavy naphthenic	Mineral oil	64742-52-5	85.52%
Solvent naphtha (petroleum), light aromatic	Aromatic naphtha	64742-95-6	1.38%

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

Ingestion : If ingested, do not induce vomiting. Never give anything by mouth to an unconscious person.

Call a physician.

Inhalation : If inhaled, move to fresh air. If breathing has stopped, give artificial respiration. If breathing is

difficult, give oxygen by qualified medical personnel only. If irritation or symptoms develop,

seek medical attention.

Skin contact : In case of contact with skin, wash with mild soap and plenty of water. Remove contaminated

clothing and shoes. If irritation or symptoms develop, seek medical attention.

: Immediately flush eyes with running water for at least 5 to 10 minutes. If irritation occurs or persists, seek medical attention.

Most important symptoms and effects, both acute and delayed

: Direct skin contact may cause slight or mild, transient irritation. Direct skin contact may cause temporary redness.

Direct eye contact may cause slight or mild, transient irritation. Symptoms may include

stinging and tearing.

Mild respiratory irritant. May cause coughing and breathing difficulties. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

In extremely high concentrations, may also cause nausea, vomiting, dizziness, drowsiness

and other symptoms of central nervous system depression.

Prolonged overexposure may cause slight liver and kidney effects, such as increased organ

weights.

Indication of any immediate medical attention and special treatment needed

: Provide general supportive measures and treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Eye contact

Suitable extinguishing media

Use media suitable to the surrounding fire such as water fog or fine spray, alcohol foams, carbon dioxide and dry chemical.

Unsuitable extinguishing media

: Do not use water jet, as this may spread burning material.

Special hazards arising from the substance or mixture / Conditions of flammability

Not flammable under normal conditions of use. However, may burn if exposed to extreme heat and flame. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.

Hazardous combustion products

Carbon oxides; Nitrogen oxides (NOx); Sulfur oxides; Phosphorus oxides; Aldehydes;
 Hydrocarbons; Polycyclic aromatic hydrocarbons; Hydrogen chloride; Chlorine; Phosgene;
 Other unidentified organic compounds.

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Special fire-fighting procedures

Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame. Do not allow run-off from fire fighting to enter drains or water courses. Dike for water control.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: All persons dealing with the clean-up should wear the appropriate chemically protective equipment. Keep all other personnel upwind and away from the spill/release. Restrict access to area until completion of clean-up. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. Avoid release to the environment.

Methods and material for containment and cleaning up

: Ventilate the area. Prevent further leakage or spillage if safe to do so. Eliminate all ignition sources. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand). Pick up and transfer to properly labeled containers. Refer to Section 13 for disposal of contaminated material. Contact the proper local authorities.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

: Use with adequate ventilation. Avoid breathing vapours, fumes, or mists. Wear protective equipment during handling. Avoid contact with skin, eyes and clothing. Keep away from extreme heat and direct flame. Keep away from incompatibles. Keep container tightly closed when not in use. Wash thoroughly after handling. Empty containers retain residue (liquid and/or vapour) and can be dangerous.

Conditions for safe storage

Store in a cool, dry, well-ventilated area. Store away from incompatibles and out of direct sunlight. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks.

Incompatible materials : Oxidizing agents; Reducing agents

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:						
Chemical Name	ACGIH TLV OSHA PEL					
	TWA	STEL	<u>PEL</u>	STEL		
Distillates (petroleum), hydrotreated heavy naphthenic	5 mg/m³ (As 'Oil mist, mineral') (inhalable)	N/Av	5 mg/m³ (As 'Oil mist, mineral')	N/Av		
Solvent naphtha (petroleum), light aromatic	N/Av	N/Av	N/Av	N/Av		

Exposure controls

Ventilation and engineering measures

: Use with adequate local or mechanical ventilation to meet TLV requirements.

Respiratory protection : If airbourne concentrations are above the permissible exposure limit or are not known, use

NIOSH-approved respirators. Respirators should be selected based on the form and

concentration of contaminants in air, and in accordance with CSA Z94.4-02.

Skin protection : Gloves impervious to the material are recommended. The suitability for a specific workplace

should be discussed with the producers of the protective gloves. Wear sufficient clothing to

prevent skin contact.

Eye / face protection : Wear as appropriate: Safety glasses with side shields; Tightly fitting safety goggles.

Other protective equipment : An eyewash station and safety shower should be made available in the immediate working

area. Other equipment may be required depending on workplace standards.

General hygiene considerations

: Avoid breathing vapours, fumes, or mists. Avoid contact with skin, eyes and clothing. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Clear yellow liquid.

Odour : Petroleum odour.

Odour threshold : N/Ap
pH : N/Av
Melting/Freezing point : N/Av
Initial boiling point and boiling range

: 360°C (680°F)

Flash point : > 96.1°C (205°F)
Flashpoint (Method) : Tag closed cup

Evaporation rate (BuAe = 1) : N/Av

Flammability (solid, gas) : Not applicable.

Lower flammable limit (% by vol.)

: N/Av

Upper flammable limit (% by vol.)

: N/Av

Oxidizing properties : None known.

Explosive properties : Not explosive

Vapour pressure: N/AvVapour density: N/Av

Relative density / Specific gravity

: 0.89

Solubility in water : Insoluble.

Other solubility(ies) : N/Av

Partition coefficient: n-octanol/water or Coefficient of water/oil distribution

: N/Av

Auto-ignition temperature : N/Av
Decomposition temperature : N/Av
Viscosity : N/Av
Volatiles (% by weight) : N/Av
Volatile organic Compounds (VOC's)

: N/Av

Absolute pressure of container

: N/Ap

Flame projection length : N/Ap
Other physical/chemical comments

: No additional information.

SECTION 10. STABILITY AND REACTIVITY

Reactivity: Not normally reactive.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions

: Hazardous polymerization does not occur.

Conditions to avoid : Ensure adequate ventilation, especially in confined areas. Avoid contact with incompatible

materials. Avoid heat and open flame.

Incompatible materials : Oxidizing agents; Reducing agents

Hazardous decomposition products

: None known, refer to hazardous combustion products in Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation : YES
Routes of entry skin & eye : YES
Routes of entry Ingestion : YES
Routes of exposure skin absorption

: NO

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

Mild respiratory irritant. May cause coughing and breathing difficulties. In extremely high concentrations, may also cause nausea, vomiting, dizziness, drowsiness and other symptoms of central nervous system depression.

Sign and symptoms ingestion

: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Sign and symptoms skin : Direct skin contact may cause slight or mild, transient irritation. Direct skin contact may

cause temporary redness.

Sign and symptoms eyes Direct eye contact may cause slight or mild, transient irritation. Symptoms may include

stinging and tearing.

Potential Chronic Health Effects

Prolonged overexposure may cause slight liver and kidney effects, such as increased organ

Mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not expected to have carcinogenic effects.

No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects & Teratogenicity

: This product is not expected to cause reproductive or developmental effects.

Sensitization to material No data available to indicate product or components may be skin sensitizers.

No data available to indicate product or components may be respiratory sensitizers.

Specific target organ effects According to the classification criteria of Canadian WHMIS regulations (Hazardous Products

Regulations) (WHMIS 2015), this product is not expected to cause specific target organ

toxicity (STOT) through single or repeated exposures.

Medical conditions aggravated by overexposure

: Pre-existing skin, eye and respiratory disorders.

Synergistic materials : No information available.

Toxicological data : Not classified for acute toxicity based on available data. The calculated ATE values for this

mixture are:

ATE dermal = 229,818 mg/kg

ATE inhalation (vapours) = 1287 mg/L/4H ATE inhalation (dust/mist) = 42.2 mg/L/4H

See below for individual ingredient acute toxicity data.

	LC ₅₀ (4hr)	LD ₅₀		
Chemical name	inh, rat	(Oral, rat)	(Rabbit, dermal)	
Distillates (petroleum), hydrotreated heavy naphthenic	> 5 mg/L (mist)	> 5000 mg/kg	> 2000 mg/kg	
Solvent naphtha (petroleum), light aromatic	> 17.7 mg/L (vapour)	8400 mg/kg	> 3160 mg/kg	

Other important toxicological hazards

: None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

: No data is available on the product itself. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

See the following tables for individual ingredient ecotoxicity data.

Ecotoxicity data:

In and disease	0.40.11		Toxicity to Fish			
<u>Ingredients</u>	CAS No	LC50 / 96h	NOEC / 21 day M Factor N/Av None.			
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	> 5000 mg/L (Rainbow trout)	N/Av	None.		
Solvent naphtha (petroleum), light aromatic	64742-95-6	9.2 mg/L (Rainbow trout)	N/Av	None.		

<u>Ingredients</u>	CAS No	Toxi	city to Daphnia	
		EC50 / 48h	NOEC / 21 day	M Factor
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	> 1000 mg/L (Daphnia magna)	N/Av	None.
Solvent naphtha (petroleum), light aromatic	64742-95-6	6.16 mg/L (Daphnia magna)	N/Av	None.

<u>Ingredients</u>	CAS No	То	xicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor	
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	> 1000 mg/L/96hr (Green algae)	N/Av	None.	
Solvent naphtha (petroleum), light aromatic	64742-95-6	N/Av	N/Av	None.	

Persistence and degradability

: No data is available on the product itself.

Contains the following chemicals which are considered to be inherently biodegradable: Distillates (petroleum), hydrotreated heavy naphthenic; Solvent naphtha (petroleum), light aromatic.

Bioaccumulation potential

: No data is available on the product itself. See the following data for ingredient information.

Components	Partition coefficient n-octanol/water (log Kow)	Bioconcentration factor (BCF)
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	> 20	N/Av
Solvent naphtha (petroleum), light aromatic (CAS 64742-95-6)	2.1 - 6 (calculated)	10 - 2500 (calculated)

Mobility in soil

: No data is available on the product itself.

Other Adverse Environmental effects

: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal

: Handle waste according to recommendations in Section 7. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Methods of Disposal

: Dispose in accordance with all applicable federal, state, provincial and local regulations.

SECTION 14. TRANSPORTATION INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
TDG	None.	Not regulated.	Not regulated	None	\otimes
TDG Additional information	None.				
ICAO/IATA	None.	Not regulated.	Not regulated	None	\otimes
ICAO/IATA Additional information	None.				
IMDG	None.	Not regulated.	Not regulated	None	\otimes
IMDG Additional information	None.				

Special precautions for user : Appropriate advice on safety must accompany the package. Avoid release to the

environment.

Environmental hazards

: This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See Section 12 for more environmental information.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

SECTION 15 - REGULATORY INFORMATION

Canadian Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

Canadian National Pollutant Release Inventory (NPRI): This product contains the following substances listed on the NPRI: Solvent naphtha (petroleum), light aromatic (Part 5: Other groups and mixtures)

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

US Federal Information:

TSCA: All listed ingredients appear on the Toxic Substances Control Act (TSCA) inventory.

International Information:

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	CAS#	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	New Zealand IOC
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	265-155-0	Present	Present	(9)-1689	KE-12543	Present	May be used as a single component chemical under an appropriate group standard.
Solvent naphtha (petroleum), light aromatic	64742-95-6	265-199-0	Present	Present	(9)-1698	KE-31662	Present	May be used as a single component chemical under an appropriate group standard.

SECTION 16. OTHER INFORMATION

Legend

: ACGIH: American Conference of Governmental Industrial Hygienists

AICS: Australian Inventory of Chemical Substances

ATE: Acute Toxicity Estimate
CAS: Chemical Abstract Services

ENCS: Existing and New Chemical Substances HSDB: Hazardous Substances Data Bank

IARC: International Agency for Research on Cancer IATA: International Air Transport Association ICAO: International Civil Aviation Organisation IMDG: International Maritime Dangerous Goods

Inh: Inhalation

IOC: Inventory of Chemicals

IUCLID: International Uniform Chemical Information Database

KECI: Korean Existing Chemicals Inventory KECL: Korean Existing Chemicals List

LC: Lethal Concentration

LD: Lethal Dose

MSHA: Mine Safety and Health Administration

N/Ap: Not Applicable N/Av: Not Available

NFPA: National Fire Protection Association

NIOSH: National Institute of Occupational Safety and Health

NOEC: No observable effect concentration

OECD: Organisation for Economic Co-operation and Development

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PEL: Permissible exposure limit

PICCS: Philippine Inventory of Chemicals and Chemical Substances

RTECS: Registry of Toxic Effects of Chemical Substances

SDS: Safety Data Sheet

STEL: Short Term Exposure Limit

TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values
TWA: Time Weighted Average
TSCA: Toxic Substance Control Act

WHMIS: Workplace Hazardous Materials Identification System

References : 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2016.

- 2. International Agency for Research on Cancer Monographs, searched 2016.
- Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, 2016 (Chempendium, HSDB and RTECs).
- 4. Material Safety Data Sheets from manufacturer.
- 5. OECD The Global Portal to Information on Chemical Substances eChemPortal, 2016.

Preparation Date (mm/dd/yyyy): 08/13/2007

SDS Revision Date (mm/dd/yyyy): 11/29/2016

SAFETY DATA SHEET

Reviewed Date SDS (dd/mm/yyyy)

: 29/11/2016

Revision No. : 6

Revision Information: All sections modified.

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

Prepared for:

Radiator Specialty Co. of Canada

1711 Aimco Blvd.

Mississauga, ON, Canada, L4W 1H7

Telephone: 905-625-9117 (Mon. - Fri., 8 AM - 4 PM) Please direct all enquiries to Radiator Specialty.

Prepared by:

ICC The Compliance Center Inc.

Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada)

http://www.thecompliancecenter.com



DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Radiator Specialty Co. of Canada and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Radiator Specialty Co. of Canada expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Radiator Specialty Co. of Canada.

END OF DOCUMENT