SAFETY DATA SHEET

1. Identification

Product identifier Disc Brake Quiet - 118 mL

Other means of identification

No. 75016 (Item# 1006286) **Product Code**

Recommended use Apply to brakes to decrease noise

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufactured or sold by:

CRC Canada Co. Company name 83 Galaxy Blvd **Address**

Unit 35 - 37

Toronto, ON M9W 5X6

Canada

Telephone

General Information 416-847-7750

24-Hour Emergency

800-424-9300 (Canada)

(CHEMTREC)

Website www.crc-canada.ca

Support.CA@crcindustries.com E-mail

2. Hazard identification

Physical hazards Not classified.

Health hazards Sensitization, skin Category 1

Carcinogenicity Category 2

Specific target organ toxicity, single exposure

Category 1 (central nervous system, kidney)

Category 2 (kidney)

Specific target organ toxicity, repeated

exposure (oral)

Environmental hazards Not classified.

Label elements





Signal word Danger

May cause an allergic skin reaction. Suspected of causing cancer. Causes damage to organs **Hazard statement**

(central nervous system, kidney) by ingestion. May cause damage to organs (kidney) through

prolonged or repeated exposure by ingestion.

Precautionary statement

Response

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe vapors. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical

advice/attention. Take off contaminated clothing and wash it before reuse. IF exposed or

concerned: Call a POISON CENTER/doctor.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
water		7732-18-5	30 - 60
ethylene glycol		107-21-1	1 - 5
triethanolamine		102-71-6	0.5 - 1.5
diethanolamine		111-42-2	0.1 - 1

The exact percentage (concentration) of composition has been withheld as a trade secret.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and

symptoms/effects, acute and delayed

Dermatitis. Rash. Edema. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Narcosis. Behavioral changes. Decrease in motor functions. May cause an allergic skin reaction.

General informationIF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

During fire, gases hazardous to health may be formed.

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Lies water array to goal unananed containers

Fire fighting equipment/instructions

Specific methods
General fire hazards

Use water spray to cool unopened containers.

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is miscible in water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	Form
diethanolamine (CAS 111-42-2)	TWA	1 mg/m3	Inhalable fraction and vapor.
ethylene glycol (CAS 107-21-1)	STEL	10 mg/m3	Aerosol, inhalable.
		50 ppm	Vapor fraction
	TWA	25 ppm	Vapor fraction
triethanolamine (CAS 102-71-6)	TWA	5 mg/m3	

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Туре	Value
diethanolamine (CAS 111-42-2)	TWA	2 mg/m3
ethylene glycol (CAS 107-21-1)	Ceiling	100 mg/m3
triethanolamine (CAS 102-71-6)	TWA	5 mg/m3

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Туре	Value	Form
diethanolamine (CAS 111-42-2)	TWA	2 mg/m3	
ethylene glycol (CAS 107-21-1)	Ceiling	100 mg/m3	Aerosol.
		50 ppm	Vapor.
	STEL	20 mg/m3	Particulate.
	TWA	10 mg/m3	Particulate.
triethanolamine (CAS 102-71-6)	TWA	5 mg/m3	

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Туре	Value	Form
diethanolamine (CAS 111-42-2)	TWA	1 mg/m3	Inhalable fraction and vapor.
ethylene glycol (CAS 107-21-1)	STEL	10 mg/m3	Aerosol, inhalable.
		50 ppm	Vapor fraction
	TWA	25 ppm	Vapor fraction
triethanolamine (CAS 102-71-6)	TWA	5 mg/m3	

Canada, Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Туре	Value	Form
diethanolamine (CAS 111-42-2)	TWA	1 mg/m3	Inhalable fraction and vapor.

Material name: Disc Brake Quiet - 118 mL

SDS CANADA

No. 75016 (Item# 1006286) Version #: 01 Issue date: 04-02-2019

3/9

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) **Form** Components Value Type ethylene glycol (CAS Ceiling 100 mg/m3 Aerosol. 107-21-1) triethanolamine (CAS **TWA** 3.1 ma/m3 102-71-6) 0.5 ppm Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety) **Form** Components Type Value diethanolamine (CAS **TWA** 13 mg/m3 111-42-2) 3 ppm ethylene glycol (CAS Ceiling 127 mg/m3 Vapor and mist. 107-21-1) 50 ppm Vapor and mist. triethanolamine (CAS **TWA** 5 mg/m3 102-71-6) Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) **Form** Components **Type** Value diethanolamine (CAS 15 minute 4 ma/m3 111-42-2) 8 hour 2 mg/m3 ethylene glycol (CAS 100 mg/m3 Aerosol. Ceiling 107-21-1) triethanolamine (CAS 15 minute 10 mg/m3 102-71-6) 8 hour 5 mg/m3 **Biological limit values** No biological exposure limits noted for the ingredient(s). **Exposure guidelines** Canada - Alberta OELs: Skin designation diethanolamine (CAS 111-42-2) Can be absorbed through the skin. Canada - British Columbia OELs: Skin designation diethanolamine (CAS 111-42-2) Can be absorbed through the skin. Canada - Manitoba OELs: Skin designation diethanolamine (CAS 111-42-2) Can be absorbed through the skin. Canada - Ontario OELs: Skin designation diethanolamine (CAS 111-42-2) Can be absorbed through the skin. Canada - Quebec OELs: Skin designation diethanolamine (CAS 111-42-2) Can be absorbed through the skin. Canada - Saskatchewan OELs: Skin designation diethanolamine (CAS 111-42-2) Can be absorbed through the skin. **US ACGIH Threshold Limit Values: Skin designation** diethanolamine (CAS 111-42-2) Can be absorbed through the skin. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates controls should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Eye wash fountain and emergency showers are recommended. Individual protection measures, such as personal protective equipment

Appropriate engineering

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

Wear protective gloves such as: Neoprene. Nitrile. **Hand protection** Other Wear appropriate chemical resistant clothing.

Respiratory protection If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a

NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to

determine actual employee exposure levels.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Solid, Liquid. Semi-solid paste. **Form**

Color Red. Odor Acrylic.

Odor threshold Not available. Not available. рH

9 °F (-12.8 °C) estimated Melting point/freezing point Initial boiling point and boiling range

212 °F (100 °C) estimated

None. Flash point **Evaporation rate** Slow.

Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

2.6 % estimated

(%)

Flammability limit - upper

15.3 % estimated

(%)

Vapor pressure 9.4 hPa estimated Vapor density Not available.

1.03 Relative density

Solubility(ies)

Dispersible. Solubility (water) Not available. Partition coefficient

(n-octanol/water)

Auto-ignition temperature 748.4 °F (398 °C) estimated

Decomposition temperature Not available. Not available. **Viscosity**

Other information

39.1 % estimated Percent volatile

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials. Protect from freezing.

Strong oxidizing agents. Incompatible materials **Hazardous decomposition** Acrylic monomers.

products

No. 75016 (Item# 1006286) Version #: 01 Issue date: 04-02-2019

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause damage to organs by inhalation. May cause damage to organs through prolonged or

repeated exposure by inhalation.

May cause an allergic skin reaction. Skin contact

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

Direct contact with eyes may cause temporary irritation. Eye contact

Ingestion Causes damage to organs by ingestion. May cause damage to organs through prolonged or

repeated exposure by ingestion.

Symptoms related to the physical, chemical and toxicological characteristics Narcosis. Behavioral changes. Decrease in motor functions. May cause an allergic skin reaction.

4190 mg/kg

Dermatitis, Rash, Edema,

Information on toxicological effects

Not known. Acute toxicity

Components	Species	Test Results
diethanolamine (CAS 111-4	42-2)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	8180 mg/kg
Oral		
LD50	Rat	680 mg/kg
ethylene glycol (CAS 107-2	21-1)	
<u>Acute</u>		
Dermal		
LD50	Rat	> 5000 mg/kg
Oral		
LD50	Rat	> 5000 mg/kg
triethanolamine (CAS 102-	71-6)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Oral		

^{*} Estimates for product may be based on additional component data not shown.

Rat

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation. Serious eye damage/eye

irritation

Respiratory or skin sensitization

LD50

Canada - Alberta OELs: Irritant

ethylene glycol (CAS 107-21-1) Irritant triethanolamine (CAS 102-71-6) Irritant

Canada - Quebec OELs: Sensitizer

triethanolamine (CAS 102-71-6) Sensitizer.

Not a respiratory sensitizer. Respiratory sensitization

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Suspected of causing cancer. Carcinogenicity

Material name: Disc Brake Quiet - 118 mL

No. 75016 (Item# 1006286) Version #: 01 Issue date: 04-02-2019

ACGIH Carcinogens

diethanolamine (CAS 111-42-2) A3 Confirmed animal carcinogen with unknown relevance to

humans.

ethylene glycol (CAS 107-21-1) A4 Not classifiable as a human carcinogen.

Canada - Manitoba OELs: carcinogenicity

diethanolamine (CAS 111-42-2) Confirmed animal carcinogen with unknown relevance to humans.

ethylene glycol (CAS 107-21-1) Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

diethanolamine (CAS 111-42-2) 2B Possibly carcinogenic to humans.

triethanolamine (CAS 102-71-6) 3 Not classifiable as to carcinogenicity to humans.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Causes damage to organs (central nervous system, kidney) by ingestion.

Specific target organ toxicity -

repeated exposure

May cause damage to organs (kidney) through prolonged or repeated exposure by ingestion.

Aspiration hazard Not an aspiration hazard.

May cause damage to organs through prolonged or repeated exposure. May be harmful if **Chronic effects**

absorbed through skin. Prolonged inhalation may be harmful.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
diethanolamine (CAS	111-42-2)		
Aquatic			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	61.8 - 86.04 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	100 mg/l, 96 hours
ethylene glycol (CAS	107-21-1)		
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	41000 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	22810 mg/l, 96 hours
triethanolamine (CAS	102-71-6)		
Aquatic			
Acute			
Fish	LC50	Bluegill (Lepomis macrochirus)	450 - 1000 mg/l, 96 hours

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

diethanolamine -1.43 ethylene glycol -1.36triethanolamine -1

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Toisson	Taiwan Chamical Substance Inventory (TCSI)	No

Taiwan Chemical Substance Inventory (TCSI) Taiwan Nο United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

16. Other information

Issue date 04-02-2019

Version #

Material name: Disc Brake Quiet - 118 mL SDS CANADA

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Further information CRC # 562C/1002580

Disclaimer The information contained in this document applies to this specific material as supplied. It may not

be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety

professional, or CRC Canada Co..

Revision information This document has undergone significant changes and should be reviewed in its entirety.

Material name: Disc Brake Quiet - 118 mL SDS CANADA