Section 1: Product & Company Identification

Product Name: Air Brake Anti-Freeze & Conditioner

Product Number (s): 75528, 75532

Product Use: Air brake anti-freeze

Manufacturer / Supplier Contact Information:

In United States:In Canada:CRC Industries, Inc.CRC Canada Co.885 Louis Drive2-1246 Lorimar Drive

Warminster, PA 18974 Mississauga, Ontario L5S 1R2

www.crcindustries.com 1-215-674-4300 (General) (800) 521-3168 (Technical)

(800) 272-4620 (Customer Service)

24-Hr Emergency - CHEMTREC: (800) 424-9300 or (703) 527-3887

Section 2: Hazards Identification

Emergency Overview

www.crc-canada.ca

1-905-670-2291

DANGER: Poison. May be Fatal or Cause Blindness if Swallowed.

Flammable. Vapor Harmful.

Appearance & Odor: Colorless liquid, characteristic pungent odor

Potential Health Effects:

ACUTE EFFECTS:

EYE: May cause mild irritation. Symptoms include stinging, tearing, and redness.

SKIN: May cause mild skin irritation. Prolonged or repeated contact may dry the skin. Symptoms may

include redness, burning, drying and cracking of skin, and skin burns. Passage of this material into the

body through the skin is possible, and may add to toxic effects from breathing or swallowing.

INHALATION: Breathing small amounts of this material during normal handling is not likely to cause harmful effects.

Breathing large amounts may be harmful, and may cause irritation of airways, dizziness, drowsiness,

nausea, and vomiting.

INGESTION: Swallowing this material may be harmful. Symptoms may include nausea, vomiting, dizziness, leg

cramps, pain in the abdomen or lower back, blurred vision, shortness of breath, visual impairment

(including blindness), coma, and death.

CHRONIC EFFECTS: Overexposure to this material may cause liver abnormalities, central nervous system damage,

and visual impairment.

TARGET ORGANS: Liver, kidneys, pancreas, heart, lungs, and brain

Medical Conditions Aggravated by Exposure: Preexisting disorders of the following organs: Skin, lung, liver, kidney,

central nervous system, pancreas, and heart.

Product Number (s): 75528, 75532

See Section 11 for toxicology and carcinogenicity information on product ingredients.

Section 3: Composition/Information on Ingredients

COMPONENT	CAS NUMBER	% by Wt.	
Methanol	67-56-1	> 99	
Oxazoline additive	Proprietary		

Section 4: First Aid Measures

Eye Contact: Immediately flush with plenty of water for 15 minutes. Call a physician if irritation persists.

Skin Contact: Remove contaminated clothing and wash affected area with soap and water. Call a physician if

irritation persists. Wash contaminated clothing prior to re-use.

Inhalation: Remove person to fresh air. Keep person calm. If not breathing, give artificial respiration. If

breathing is difficult give oxygen. Call a physician.

Ingestion: Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth;

place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual

unattended.

Note to Physicians: Methanol is metabolized to formic acid and formaldehyde. These metabolites can cause metabolic

acidosis, visual disturbances and blindness. Since metabolism is required for these toxic

symptoms, their onset may be delayed from 6 to 30 hours following ingestion. Ethanol competes for the same metabolic pathway and has been used to prevent methanol metabolism. Ethanol administration is indicated in symptomatic patients or at blood methanol concentrations above 20 ug/dl. Methanol is effectively removed by hemodialysis. Fomepizole (4-methylpyrazole) is an effective antagonist of alcohol dehydrogenase, and may be used as an antidote in the treatment of

methanol poisoning.

Section 5: Fire-Fighting Measures

Flammable Properties: This product is a flammable liquid.

Flash Point: 54°F / 12°C (TCC) Upper Explosive Limit: 36
Autoignition Temperature: 725°F / 385°C Lower Explosive Limit: 7.3

Fire and Explosion Data:

Suitable Extinguishing Media: Dry chemical, alcohol-resistant foam, carbon dioxide (CO2)

Products of Combustion: Carbon dioxide and carbon monoxide.

Explosion Hazards: Containers, when exposed to heat from fire, may build pressure and rupture.

Protection of Fire-Fighters: Firefighters should wear self-contained, NIOSH-approved breathing apparatus for

protection against suffocation and possible toxic decomposition products. Proper eye and skin protection should be provided. Use water spray to keep fire-exposed containers cool

and to knock down vapors which may result from product decomposition.

Product Number (s): 75528, 75532

Section 6: Accidental Release Measures

Personal Precautions: Use personal protection recommended in Section 8.

Environmental Precautions: Take precautions to prevent contamination of ground and surface waters. Do not flush into

sewers or storm drains. If run-off occurs, notify the proper authorities as required, that a

spill has occurred.

Methods for Containment & Clean-up: Eliminate all ignition sources. Dike area to contain spill. Ventilate the area with

fresh air. If in confined space or limited air circulation area, clean-up workers should wear appropriate respiratory protection. Recover or absorb spilled material using an absorbent designed for chemical spills. Place used absorbents

into proper waste containers.

Section 7: Handling and Storage

Handling Procedures: Avoid contact with skin and eyes. Do not use near sources of ignition or energized equipment.

Static ignition hazard can result from handling and use. Electrically bond and ground all containers and equipment before transfer or use of material. For product use instructions,

please see the product label.

Storage Procedures: Store in a cool dry area out of direct sunlight. Keep containers closed when not in use. Keep

out of reach of children and pets.

Aerosol Storage Level: NA

Section 8: Exposure Controls/Personal Protection

Exposure Guidelines:

	OSHA		ACGIH		OTHER		
COMPONENT	TWA	STEL	TWA	STEL	TWA	SOURCE	UNIT
Methanol	200	NE	200 (s)	250 (s)	NE		ppm
Oxazoline additive	25	NE	10	NE	NE		ppm
N.E. – Not Established (c) – ceiling (s) – skin (v) – vacated							

Controls and Protection:

Engineering Controls: Area should have ventilation to provide fresh air. Local exhaust ventilation is generally

preferred because it can control the emissions of the contaminant at the source, preventing dispersion into the general work area. Use mechanical means if necessary to maintain vapor levels below the exposure guidelines. If working in a confined space, follow applicable OSHA

regulations.

Respiratory Protection: None required for normal work where adequate ventilation is provided. If engineering controls

are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with organic vapor cartridge. Air monitoring is needed to determine actual employee exposure levels. Use a self-contained breathing apparatus in confined spaces and

for emergencies.

Eye/face Protection: For normal conditions, wear safety glasses. Where there is reasonable probability of liquid

contact, wear splash-proof goggles.

Skin Protection: Use protective gloves such as nitrile or natural rubber. Also, use full protective clothing if there

is prolonged or repeated contact of liquid with skin.

Product Number (s): 75528, 75532

Section 9: Physical and Chemical Properties

Physical State: liquid Color: colorless

Odor: characteristic pungent odor

Odor Threshold: ND
Specific Gravity: 0.792
Initial Boiling Point: 148°F / 64°C

Freezing Point: ND

Vapor Pressure: 16.93 kPa @ 77°F / 25°C Vapor Density: 1.1 (air = 1)

Evaporation Rate: fast

Solubility: completely soluble in water Coefficient of water/oil distribution: ND

pH: NA

Volatile Organic Compounds: wt %: 100 g/L: 792 lbs./gal: 6.6

Section 10: Stability and Reactivity

Stability: Stable

Conditions to Avoid: Sources of ignition.

Incompatible Materials: Hypochlorites, peroxides, reactive metals such as aluminum and magnesium, sodium, strong

acids, strong bases, strong oxidizing agents, zinc

Hazardous Decomposition Products: Carbon dioxide and carbon monoxide

Possibility of Hazardous Reactions: No

Section 11: Toxicological Information

Long-term toxicological studies have not been conducted for this product. The following information is available for components of this product.

Acute Toxicity:

<u>Component</u>	Oral LD50 (rat)	Dermal LD50 (rabbit)	Inhalation LC50 (rat)
Methanol	5628 mg/kg	15,800 mg/kg	64,000 ppm/4H
Oxazoline additive	725 mg/kg	> 2000 mg/kg	400 ppm/6H

Chronic Toxicity:

	OSHA	IARC	NTP		
Component	Carcinogen	Carcinogen	Carcinogen	<u>Irritant</u>	<u>Sensitizer</u>
Methanol	No	No	No	eye, skin	Unknown
Oxazoline additive	No	No	No	No	No

Reproductive Toxicity: No information available

<u>Teratogenicity</u>: Methanol has produced fetotoxicity in rats and teratogenicity in mice exposed by

inhalation to high concentrations of methanol vapors.

Mutagenicity: No information available

Product Number (s): 75528, 75532

Synergistic Effects: High concentrations of methanol can increase the toxicity of other chemicals,

particularly liver toxins.

Section 12: Ecological Information

Ecological studies have not been conducted for this product. The following information is available for components of this product.

Ecotoxicity: No information available

Persistence / Degradability: No information available Bioaccumulation / Accumulation: No information available No information available No information available

Section 13: Disposal Considerations

<u>Waste Classification</u>: This product is a hazardous waste for the characteristic of ignitability with the following potential

waste codes: D001, F003, U154. Empty containers may be recycled.

All disposal activities must comply with federal, state, provincial and local regulations. Local regulations may be more stringent than state, provincial or national requirements.

Section 14: Transport Information

DOT (ground): 75532 UN1230, Methanol, 3, PGII, Limited Quantity

75528 UN1230, Methanol, 3, PG II

ICAO/IATA (air): 75532 UN1230, Methanol, 3 (6.1), PG II, Limited Quantity

75528 UN1230, Methanol, 3 (6.1), PGII

IMO/IMDG (water): 75532 UN1230, Methanol, 3 (6.1), PG II, Limited Quantity

75528 UN1230, Methanol, 3 (6.1), PGII

Special Provisions: None

Section 15: Regulatory Information

U.S. Federal Regulations:

Toxic Substances Control Act (TSCA):

All ingredients are either listed on the TSCA inventory or are exempt.

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

Reportable Quantities (RQ's) exist for the following ingredients: Methanol (5000 lbs)

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Superfund Amendments Reauthorization Act (SARA) Title III:

Section 302 Extremely Hazardous Substances (EHS): None

Section 311/312 Hazard Categories: Fire Hazard Yes

Reactive Hazard No

Product Number (s): 75528, 75532

Release of Pressure No Acute Health Hazard Yes Chronic Health Hazard No

Section 313 Toxic Chemicals: This product contains the following substances subject to the reporting requirements

of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of

1986 and 40 CFR Part 372:

Methanol (> 99%)

Clean Air Act:

Section 112 Hazardous Air Pollutants (HAPs): Methanol

Canadian Regulations:

Controlled Products Regulations:

This product has been classified in accordance with the hazard criteria of the Controlled Product Regulation and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS Hazard Class: B2, D1B, D2A, D2B

Canadian DSL Inventory: All ingredients are either listed on the DSL Inventory or are exempt.

European Union Regulations:

RoHS Compliance: This product is compliant with Directive 2002/95/EC of the European Parliament and of the

Council of 27 January 2003. This product does not contain any of the restricted substances as


listed in Article 4(1) of the RoHS Directive.

Additional Regulatory Information: None

Section 16: Other Information

HMIS® (II)		
Health:	1	
Flammability:	3	
Reactivity:	0	
PPE:	В	

Ratings range from 0 (no hazard) to 4 (severe hazard)



Prepared By: Michelle Rudnick

CRC #: 620B Revision Date: 04/01/2015

Changes since last revision: Product numbers

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and

Product Number (s): 75528, 75532

directions on the label. For further clarification of any information contained on this MSDS consult your supervisor, a health & safety professional, or CRC Industries.

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstract Service
CFR: Code of Federal Regulations
DOT: Department of Transportation

DSL: Domestic Substance List

g/L: grams per Liter

HMIS: Hazardous Materials Identification System IARC: International Agency for Research on Cancer

IATA: International Air Transport Association
 ICAO: International Civil Aviation Organization
 IMDG: International Maritime Dangerous Goods
 IMO: International Maritime Organization

lbs./gal: pounds per gallon LC: Lethal Concentration

LD: Lethal Dose

NA: Not Applicable ND: Not Determined

NIOSH: National Institute of Occupational Safety & Health

NFPA: National Fire Protection Association

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PMCC: Pensky-Martens Closed Cup PPE: Personal Protection Equipment

ppm: Parts per Million

RoHS: Restriction of Hazardous Substances

STEL: Short Term Exposure Limit

TCC: Tag Closed Cup
TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Information

System