

## SAFETY DATA SHEET

According to Canadian Hazardous Products Regulations (HPR) (SOR/2015/17)

SDS #: 087913 RUBIA LD EXTRA 10W-30

Date of the previous version: 2019-02-14 Revision Date: 2019-03-21 Version 2.01

1. IDENTIFICATION

**Product identifier** 

Product name RUBIA LD EXTRA 10W-30

Other means of identification

Product Code(s) 087913

Number GMO Substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Identified uses Engine oil

**Uses advised against**Do not use for any purpose other than the one for which it is intended.

Details of the supplier of the safety data sheet

Supplier TOTAL CANADA INC.

220, LAFLEUR LASALLE, QUEBEC

H8R 4C9

Tel: (514) 595-7579 Fax: (514) 595-5950

Contact Point service HSE

E-mail Address ProductSafety@total.com

Emergency telephone number

Emergency telephone 1-800-463-3955

Company Phone Number 1-866-928-0789 (For Emergencies, call CARECHEM 24/7

Domestic)

1-215-207-0061 (For Emergencies, call CARECHEM 24/7

International)

## 2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation - Category 3

Label elements

**WARNING** 



Date of the previous version: 2019-02-14 Revision Date: 2019-03-21 Version 2.01

\_\_\_\_\_

#### **Hazard Statements**

Causes mild skin irritation

Skin

If skin irritation occurs: Get medical advice/attention

Other information

**Physical-Chemical Properties** Contaminated surfaces will be extremely slippery.

Environmental properties The product may form an oil film on the water surface that may stop the oxygen exchange.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical nature Mineral oil of petroleum origin.

Chemical Name	EC-No	CAS-No	Weight %
bis(nonylphenyl)amine	253-249-4	36878-20-3	2.5<5
Phosphorodithioic acid, mixed O,O-bis (2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts	288-917-4	85940-28-9	1<2.5
Alkyl esters of alkyl phenate alkanoic acid	-	۸	1<2.5

Additional information Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

### 4. FIRST AID MEASURES

#### First aid measures for different exposure routes

General advice IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR

EMERGENCY MEDICAL CARE.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Wash contaminated clothing before reuse.

**Inhalation** Remove casualty to fresh air and keep at rest in a position comfortable for breathing. If not

breathing, give artificial respiration.

**Ingestion** Clean mouth with water. Do NOT induce vomiting. Never give anything by mouth to an



Date of the previous version: 2019-02-14 **Revision Date: 2019-03-21** Version 2.01

unconscious person. Call a physician or Poison Control Center immediately.

**Protection of First-aiders** First aider needs to protect himself. See Section 8 for more detail. Do not use

> mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper

respiratory medical device.

Most important symptoms/effects, acute and delayed

Skin contact Irritating to skin.

Eye contact Not classified based on available data.

Inhalation Not classified based on available data. Inhalation of vapors in high concentration may

cause irritation of respiratory system.

Not classified based on available data. Ingestion may cause gastrointestinal irritation, Ingestion

nausea, vomiting and diarrhea.

No information available. **Symptoms** 

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

Carbon dioxide (CO<sub>2</sub>). ABC powder. Foam. Water spray or fog. Suitable Extinguishing Media

**Unsuitable Extinguishing Media** Do not use a solid water stream as it may scatter and spread fire.

Incomplete combustion and thermolysis may produce gases of varying toxicity such as Special Hazard

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration. Combustion products include sulphur oxides (SO2 and SO3) and Hydrogen sulphide H2S. Mercaptans.

Nitrogen oxides (NOx). Zinc oxides. Phosphorous oxides.

**Explosion Data** 

**Sensitivity to Mechanical Impact** 

Sensitivity to Static Discharge

None. None.

Special protective equipment for

fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Evacuate non-essential personnel.

# **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures



Date of the previous version: 2019-02-14 Revision Date: 2019-03-21 Version 2.01

General Information Do not touch or walk through spilled material. Contaminated surfaces will be extremely

slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all

sources of ignition.

**Other information** See Section 12 for additional information.

**Environmental precautions** 

General Information Do not allow material to contaminate ground water system. Prevent entry into waterways,

sewers, basements or confined areas. Local authorities should be advised if significant

spillages cannot be contained.

Methods and material for containment and cleaning up

**Methods for containment**Dike to collect large liquid spills. If necessary dike the product with dry earth, sand or

similar non-combustible materials.

Methods for cleaning up Dispose of contents/container in accordance with local regulation. In case of soil

contamination, remove contaminated soil for remediation or disposal, in accordance with

local regulations.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling For personal protection see section 8. Use only in well-ventilated areas. Do not breathe

vapors or spray mist. Avoid contact with skin, eyes and clothing.

**Prevention of fire and explosion** Take precautionary measures against static discharges.

**Hygiene measures** Ensure the application of strict rules of hygiene by the personnel exposed to the risk of

contact with the product. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Regular cleaning of equipment, work area and clothing is recommended. Do not use abrasives, solvents or fuels. Do not dry

hands with rags that have been contaminated with product. Do not put product

contaminated rags into workwear pockets.

#### Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical

contacts. Store at room temperature. Protect from moisture.

Materials to Avoid Strong oxidizing agents.



Date of the previous version: 2019-02-14 Revision Date: 2019-03-21 Version 2.01

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

**Exposure limits** Mineral oil mist:

USA: OSHA (PEL) TWA 5 mg/m3, NIOSH (REL) TWA 5 mg/m3, STEL 10 mg/m3, ACGIH

(TLV) TWA 5 mg/m3 (highly refined).

Legend See section 16

**Exposure controls** 

Engineering Measures Apply technical measures to comply with the occupational exposure limits. Ensure

adequate ventilation, especially in confined areas. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the

recommended equipment.

Individual protection measures, such as personal protective equipment

**General Information** Protective engineering solutions should be implemented and in use before personal

protective equipment is considered. The personal protective equipment (PPE)

recommendations apply to the product ITSELF. In case of mixtures or formulations, it is

suggested that you contact the relevant PPE suppliers.

**Eye/face protection** Safety glasses with side-shields.

**Skin and body protection** Wear suitable protective clothing. Protective shoes or boots.

Hand Protection Hydrocarbon-proof gloves: Fluorinated rubber. Nitrile rubber. Please observe the

instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which

the product is used, such as the danger of cuts, abrasion, and the contact time.

**Respiratory protection**None under normal use conditions. When workers are facing concentrations above the

exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapor/particulate. Warning ! filters have a limited use duration. The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations

governing their choices and uses.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties



Date of the previous version: 2019-02-14 Revision Date: 2019-03-21 Version 2.01

Appearance limpid Color amber

Physical State @20°C liquid

**Odor** Characteristic

Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks</u> <u>Method</u>

pHNo information availableMelting point/rangeNo information available

Boiling point/boiling range

No information available

Flash point 222 °C No information available ASTM D92 431.6 °F ASTM D92.

Evaporation rate No information available

Flammability Limits in Air

upperNo information availableLowerNo information availableVapor PressureNo information available

Vapor density

No information available

 Relative density
 0.8696
 @ 15 °C

 Density
 869.6 kg/m³
 @ 15 °C
 ASTM D1298

Water solubility
Solubility in other solvents
No information available
No information available
No information available

Autoignition temperatureNo information availableDecomposition temperatureNo information available

 Viscosity, kinematic
 88.1 mm2/s
 @ 40 °C
 ASTM D445

 11.4 - 12.4 mm2/s
 @ 100 °C
 ASTM D 445

Explosive properties Not explosive Oxidizing Properties Not applicable

Possibility of hazardous reactions None under normal processing

**Other information** 

Freezing Point No information available

Pour point -38 °C ASTM D 5949

## 10. STABILITY AND REACTIVITY

**Reactivity** None under normal processing.

<u>Chemical stability</u> Stable under recommended storage conditions.

<u>Possibility of hazardous reactions</u> No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from open flames, hot surfaces and sources of ignition. Keep away from heat

and sparks. Take precautionary measures against static discharges.



Date of the previous version: 2019-02-14 Revision Date: 2019-03-21 Version 2.01

<u>Incompatible materials</u> Strong oxidizing agents.

Hazardous Decomposition Products Incomplete combustion and thermolysis may produce gases of varying toxicity such as

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. Combustion products include sulphur oxides ( SO2 and SO3 ) and Hydrogen sulphide H2S. Mercaptans.

Nitrogen oxides (NOx). Zinc oxides. Phosphorous oxides.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Symptoms No information available.

**Skin contact** Irritating to skin.

**Eye contact** Not classified based on available data.

**Inhalation** Not classified based on available data. Inhalation of vapors in high concentration may

cause irritation of respiratory system.

**Ingestion** Not classified based on available data. Ingestion may cause gastrointestinal irritation,

nausea, vomiting and diarrhea.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

### Acute toxicity - Product Information

Oral Not classified based on available data

**Dermal** Not classified based on available data

Inhalation Not classified based on available data

### **Acute toxicity - Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation	
bis(nonylphenyl)amine 36878-20-3	LD50 > 5000 mg/kg (rat)	LD50 > 2000 mg/kg (Rat - OECD 402)		
Phosphorodithioic acid, mixed O,O-bis (2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts 85940-28-9	LD50 3080 mg/kg bw (rat - OECD 401)	LD50 20000 mg/kg bw (rabbit - OECD 402)		
Alkyl esters of alkyl phenate alkanoic acid ^	LD50 >2000 mg/kg (rat)	LD50 >2000 mg/kg (rat)		

**Skin corrosion/irritation** Causes burns.

Serious eye damage/eye irritation Not classified based on available data. The supplier of one or more of the components

contained within this formulation has indicated that he has data on the components and/or



Date of the previous version: 2019-02-14 Revision Date: 2019-03-21 Version 2.01

\_\_\_\_\_

similar mixtures, which confirms that at the concentration used, classification is not

required.

Respiratory or skin sensitization Germ cell mutagenicity

Carcinogenicity

Not classified based on available data. Not classified based on available data.

Not classified based on available data. During use in engines, contamination of oil with low levels of combustion products occurs. Used motor oils have been shown to cause skin cancer in mice following repeated application and continuous exposure. Brief or intermittent skin contact with used motor oil is not expected to have serious effects in humans if the oil

is thoroughly removed by washing with soap and water.

Reproductive toxicity
Target Organ Effects (STOT)
STOT - single exposure
STOT - repeated exposure
Aspiration hazard

Not classified based on available data.

None known.

Not classified based on available data. Not classified based on available data. Not classified based on available data.

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Acute aquatic toxicity - Product Information

No information available

## Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and	Toxicity to
			other aquatic invertebrates	microorganisms
bis(nonylphenyl)amine 36878-20-3			EC50(48h) > 100 mg/l (daphnia magna - OECD	
			202)	
Alkyl esters of alkyl phenate alkanoic acid	EC50(72h) 33.7 mg/l	LC50(96h) 74 mg/l		

Chronic aquatic toxicity - Product Information

No information available

**Chronic aquatic toxicity - Component Information** 

No information available

Effects on terrestrial organisms No information available.



Date of the previous version: 2019-02-14 Revision Date: 2019-03-21 Version 2.01

Persistence and degradability

No information available

Bioaccumulative potential

**Product Information** No information available.

logPow No information available

**Component Information** No information available.

**Mobility** 

Soil Given its physical and chemical characteristics, the product generally shows low soil

mobility

Air Loss by evaporation is limited

Water The product is insoluble and floats on water

Other adverse effects

General Information No information available

## 13. DISPOSAL CONSIDERATIONS

**Waste treatment** 

Waste from residues/unused

products

Should not be released into the environment. Do not empty into drains. Dispose of in accordance with all applicable national environmental laws and regulations. Where possible

recycling is preferred to disposal or incineration.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. TRANSPORT INFORMATION

TDG Not regulated

ICAO/IATA Not regulated

IMDG/IMO Not regulated

ADR/RID Not regulated



Date of the previous version: 2019-02-14 Revision Date: 2019-03-21 Version 2.01

### 15. REGULATORY INFORMATION

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) (SOR/2015/17) and the Safety Data Sheet (SDS) contains all the information required by the HPR

International Inventories 
All the substances contained in this product are listed or exempted from listing in the

following inventories: Canada (DSL/NDSL) U.S.A. (TSCA)

Europe (EINECS/ELINCS/NLP)

Philippines (PICCS)

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health Hazard 1 Flammability 1 Instability 0 Special hazards - Health Hazard 1 Flammability 1 Physical Hazard 0 Personal protection X

Revision Date: 2019-03-21

Revision Note (M)SDS sections updated 2 13 16

Abbreviations, acronyms

ACGIH = American Conference of Governmental Industrial Hygienists

bw = body weight

bw/day = body weight/day

EC x =Effect Concentration associated with x% response

GLP = Good Laboratory Practice

IARC = International Agency for Research of Cancer

LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals

LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals LL = Lethal Loading

NIOSH = National Institute of Occupational Safety and Health

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

NOEL = No Observed Effect Level

OECD = Organization for Economic Co-operation and Development

OSHA = Occupational Safety and Health Administration

UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material

NTP = National Toxicology Program

Section 8

TWA - Time Weight Average

STEL - Short Term Exposure Limits



Date of the previous version: 2019-02-14 Revision Date: 2019-03-21 Version 2.01

+ Sensitizer \* Skin designation
C: Carcinogen R: Toxic to reproduction
Ceiling: Ceiling Limit Value

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

**End of the Safety Data Sheet**