Product Trade Name: ATP TRANSMISSION OIL FLUSH #AT-209 AND ATP-209Y

MATERIAL SAFETY DATA SHEET

(Revision Date: 05/07/2009)

Section 1 PRODUCT AND COMPANY IDENTIFICATION

Company Identification

Life Automotive Products, Inc. 500 Industrial Park Drive Selmer, TN 38375-3276 United States of America

Emergency Response

North America: CHEMTREC (800) 424-9300 after 5:00pm CST

Or (703) 527-3887

Health Emergency

USA: (800) 264-6457 or (731) 645-4972

Product Information

MSDS Requests: (800) 264-6457 or (731) 645-4972 Technical Information: (800) 264-6457 or (731)645-4972 General Information: vswedley@spectrumcorporation.com

Product Family Petroleum Lubricating Oil

CAS Number Mixture

Note: Petroleum lubricating oils with a flashpoint above 200°F, are not regulated by D.O.T standards.

Section 2 COMPOSITION / INFORMATION ON INGREDIENTS							
COMPONENTS	CAS Number	Concentration (%)	Regulatory Agency	Exposure Limit			
Branched Alkanes	68649-11-6	1-3	OSHA	5mg/m ³			
Zinc alkyl dithiophosphate	68649-42-3	<0.5	OSHA	5mg/m ³			
Petroleum Hydrocarbon	64742-53-6	80-90	OSHA	5mg/m ³			
Synthetic Base Stock	Na	10-15	NA	NA			

Note that the chemical identity of some or all of the above components is considered confidential business information and is being withheld as permitted by 29CFR 1910.1200 and various State Right-

To-Know Laws.

HMIS/NFPA RATINGS:						
Health:	Flammability:	Reactivity:	Protective Equipment:			
1	1	0	C,D			

See Section 6, Chronic Effects, for potential over-exposure hazard.

CAUTION:

Hot oil can cause thermal burns on contact.

Used motor oil has been associated with skin cancer in laboratory animals following extended contact. Spills may create a slipping hazard.

Boiling Point	Not Determined
Vanor Preceive (mm Hall	Less than 0.01 mm Hg @ 20°C
Vapor Density (air=1)	Greater than 5
Sollinility in Water	Negligible; less than 0.1%
Appearance	Light Amber Color
Specific Gravity (H ₂ O=1)	0.8894
Evaporation Rate	Not Determined
Viscosity @ 100	1.9 cSt (typical)

Section 4 FIRE AND EXPLOSION HAZ	LARDS
----------------------------------	-------

FLAMMABLE PROPERTIES:

Flash Point: 230°F

Use water spray, dry chemical, foam or carbon dioxide. Water or foam may

Extinguishing Media: cause frothing. Water spray may be used to flush spills away from

exposures. Use supplied-air breathing equipment for enclosed or confined

spaces, or as otherwise needed.

Special Firefighting

Procedures:

Cool exposed containers with water spray. Avoid breathing gasses, vapor, fumes, or decomposition of products. Self-contained breathing equipment

chemical resistant clothing recommended.

Unusual Fire and

Pressure increase in over heated closed containers. Cool containers with

Explosion Hazards: water spray.

PROTECTION OF FIRE FIGHTERS:

Fire Fighting Instructions:

For fires involving this material, do not enter any enclosed or confined fire space without proper protective equipment, including self contained breathing apparatus.

Section 5 REACTIVITY DATA

Stability: Stable

Incompatibility: Avoid strong oxidants

Polymerization: Will not occur

Thermal Booth

Decomposition:

Section 6 HEALTH HAZARD DATA

Partial burning produces fumes, smoke and carbon monoxide.

IMMEDIATE HEALTH EFFECTS

Inhalation: Inhalation of fumes may result in dizziness, headache and respiratory irritation.

Eve Contact: Contact with eyes may cause minimal irritation.

Skin Contact: Mild irritation may occur with prolonged or repeated contact.

Ingestion: Not determined. **TLV:** Not determined.

Ingredients of this product are *not* listed as potential carcinogens in N.T.P.

Chronic Effects: Annual Report on Carcinogens, I.A.R.C. Monographs, or by O.S.H.A. HCS

(g) (2) (vii).

Section 7 SPECIAL PROTECTION INFORMATION

Ventilation Ventilate as needed to comply with exposure limit.

Procedure:

Gloves

Protection: Use impervious gloves to avoid repeated/prolonged skin contact.

Eve Protection: Use goggles/face shield to avoid eve contact.

Work/Hygienic If clothing becomes contaminated, change to fresh clean clothing. Do not wear

Practices: until thoroughly laundered.

Section 8 SPILL OR LEAK PROCEDURES

Spill Procedures: Remove ignition sources. Recover Liquid. Add absorbent to spill area. Ventilate

confined spaces. Advise authorities if product enters sewers, etc.

Waste Disposal: Assure conformity with applicable disposal regulations. Dispose of absorbed

material at approved waste site.

Section 9 SPECIAL PRECAUTIONS:

Precautionary Measures:

Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Wash thoroughly after handling.

General Handling Information:

Avoid contaminating soil or releasing this material into sewage and drainage systems and bodies of water.

General Storage Information:

Keep container closed when not in use. Do not store with strong oxidizing agents. Do not store at elevated temperatures.

Container Warnings:

Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly.

Section 10 FIRST AID MEASURES

Skin: Wash skin with soap and warm water. Wash clothing before re-use.

Eye: If splashed into eyes flush eyes with clear water for fifteen (15) minutes or until

irritation subsides. If irritation persists, call a physician.

The vapor pressure is very low. Vapor inhalation under ambient conditions is

normally not a problem. If overcome by vapor from hot product, immediately

Inhalation: remove from exposure and call a physician. If breathing is irregular or has stopped,

start resuscitation; administer oxygen, if available. If overcome by oil mist, remove

from further exposure until excessive oil mist condition subsides.

Ingestion: If ingested, do not induce vomiting. Call a physician.

Section 11 REGULATORY INFORMATION

The data presented herein is based upon tests and information, which we believe to be reliable. However, users should make their own investigations to determine the suitability of the information for their particular purpose.

Close Window