

LG-100 POLISH FINISH-USA
MSDS LIQUID GLASS POLISH/FINISH
LG100 LIQUID GLASS ENTERPRISES, INC
LG POLYAMINOSILOXANE / POLISHING AGENTS / ALIPHATIC HYDROCARBONS

LG MATERIAL SAFETY DATA SHEET
LG EFFECTIVE DATE: 01/01/06

LG SECTION 1 - PRODUCT AND COMPANY INFORMATION

LG PRODUCT NAME: POLYAMINOSILOXANE/ POLISHING AGENTS /
LG ALIPHATIC HYDROCARBONS
LG COMMON NAME: LIQUID GLASS POLISH/FINISH PART# 100, 160Z
LG PART# 101, Gallon
LG MANUFACTURER'S NAME: LIQUID GLASS ENTERPRISES, INC
LG PO BOX 1170
LG TEANECK, NJ 07666
LG EMERGENCY TELEPHONE NUMBERS: 1-201-387-6755
LG 1-800-548-5307
LG REVISION DATE 01/01/06

LG SECTION 2 - HAZARDOUS INGREDIENTS

CAS NO.	INGREDIENT	% BY WT.
8052-41-3	ALIPHATIC HYDROCARBONS	10-12%

LG SECTION 3 - HAZARDS IDENTIFICATION

LG *****EMERGENCY OVERVIEW*****

LG * COMBUSTIBLE. CAUSES EYE IRRITATION. CREAMY BLUE SUBSTANCE
LG * WITH FRAGRANCE.

LG *****

LG CHRONIC CANCER INFORMATION: NO DATA
LG TERATOLOGY (BIRTH DEFECT) INFORMATION: NO DATA
LG REPRODUCTION INFORMATION: NO DATA AVAILABLE

LG SECTION 4 - FIRST AID MEASURES

LG EYES - MOVE INDIVIDUAL AWAY FROM EXPOSURE AND INTO FRESH AIR.
LG FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES.
LG SEEK MEDICAL ATTENTION.
LG SKIN - REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER.
LG SEEK MEDICAL ATTENTION IF IRRITATION DEVELOPS.
LG LAUNDER CLOTHING BEFORE USE.
LG INGESTION - DO NOT INDUCE VOMITING. THIS MATERIAL IS AN
LG ASPIRATION HAZARD. IF INDIVIDUAL IS DROWSY OR
LG UNCONSCIOUS, PLACE ON LEFT SIDE WITH HEAD DOWN.
LG SEEK MEDICAL ATTENTION. IF POSSIBLE, DO NOT
LG LEAVE INDIVIDUAL UNATTENDED.
LG INHALATION - REMOVE TO FRESH AIR. IF NOT BREATHING GIVE
LG ARTIFICIAL RESPIRATION. SEEK IMMEDIATE MEDICAL
LG ATTENTION.

LG SECTION 5 - FIREFIGHTING MEASURES

LG FLAMMABLE PROPERTIES
LG FLASH POINT : 108. LG F METHOD TCC
LG COMBUSTIBLE. MATERIAL WILL READILY IGNITE AT
LG AMBIENT TEMPERATURES. MAY TRAVEL CONSIDERABLE DISTANCE
LG TO IGNITION SOURCE AND CAUSE FLASH FIRES OR EXPLOSIONS.
LG FLAMMABLE LIMITS:
LG LOWER FLAMMABLE LIMIT: NA
LG UPPER FLAMMABLE LIMIT: NA
LG AUTOIGNITION TEMPERATURE: 420.0 F
LG HAZARDOUS COMBUSTION PRODUCTS: CARBON DIOXIDE, CARBON
LG MONOXIDE, ALDEHYDES AND VARIOUS HYDROCARBONS.
LG EXTINGUISHING MEDIA: REGULAR FOAM, CARBON DIOXIDE, AND
LG DRY CHEMICAL.

LG-100 POLISH FINISH-USA

LG FIREFIGHTING INSTRUCTIONS: WATER CAN BE USED TO KEEP
LG EXPOSED CONTAINERS COOL, TO PROTECT.
LG FIREFIGHTERS SHOULD WEAR NORMAL PROTECTIVE EQUIPMENT (FULL
LG BUNKER GEAR) AND POSITIVE-PRESSURE SELF CONTAINED BREATHING
LG APPARATUS.

LG SECTION 6 - ENVIRONMENTAL RELEASE MEASURES

LG SMALL SPILL: ABSORB SPILL USING VERMICULITE FLOOR ABSORBENT
LG OR OTHER ABSORBENT MATERIAL.
LG LARGE SPILL: PERSONS NOT WEARING PROTECTIVE EQUIPMENT SHOULD BE
LG EXCLUDED FROM AREA OF SPILL UNTIL CLEAN UP
LG HAS BEEN COMPLETED. STOP AT SPILL SOURCE
LG PREVENT FROM SPREADING. IF RUNOFF OCCURS,
LG NOTIFY AUTHORITIES AS REQUIRED. PUMP OR
LG VACUUM TRANSFER SPILLED PRODUCT TO CLEAN
LG CONTAINERS FOR RECOVERY. ABSORB
LG UNRECOVERABLE PRODUCT. TRANSFER CONTAMINATED
LG ABSORBENT, SOIL AND OTHER MATERIAL TO
LG CONTAINERS FOR DISPOSAL. CLOSE CONTAINER
LG TIGHTLY AND DISPOSE OF PROPERLY.

LG SECTION 7 - HANDLING AND STORAGE

LG HANDLING: CONTAINERS OF THIS MATERIAL MAY BE HAZARDOUS
LG WHEN EMPTIED. SINCE EMPTIED CONTAINERS RETAIN
LG PRODUCT RESIDUES, ALL HAZARD PRECAUTIONS GIVEN
LG IN THE DATA SHEET SHOULD BE OBSERVED.
LG STORAGE: STORE IN WELL VENTILATED AREA. KEEP AWAY FROM
LG HEAT, SPARKS AND FLAMES. EMPTIED CONTAINERS
LG MAY RETAIN PRODUCT RESIDUES. PRECAUTIONS APPLY
LG TO EMPTIED CONTAINERS.

LG SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

LG ENGINEERING CONTROLS: USE ONLY WITH ADEQUATE VENTILATION.
LG RESPIRATORY PROTECTION: WHEN RESPIRATORY PROTECTION IS
LG REQUIRED, OR CONCENTRATIONS ARE UNKNOWN USE
LG NIOSH/MSHA APPROVED AIR PURIFYING RESPIRATOR
LG EQUIPPED WITH ORGANIC VAPOR CARTRIDGES OR
LG CANISTERS. FOR EMERGENCY AND OTHER CONDITIONS
LG WHERE EXPOSURE LIMIT MAY BE GREATLY EXCEEDED,
LG USE AN APPROVED POSITIVE PRESSURE SELF CONTAINED
LG BREATHING APPARATUS OR POSITIVE PRESSURE AIRLINE
LG WITH AUXILIARY SELF CONTAINED AIR SUPPLY.
LG SKIN PROTECTION: FOR BRIEF CONTACT, NO PRECAUTIONS OTHER
LG THAN CLEAN BODY-COVERING SHOULD BE NEEDED. USE
LG IMPERVIOUS GLOVES SUCH AS NEOPRENE.
LG EYE PROTECTION: USE CHEMICAL GOGGLES IN COMPLIANCE WITH
LG OSHA REGULATIONS.

LG SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

LG BOILING POINT: 370.0 - 550.0 F @ 760 mmHg
LG MELTING POINT: NO DATA
LG VAPOR PRESSURE: <1.00 mmHg @ 77.0 F
LG SOLUBILITY IN WATER: LESS THAN 0.01
LG SPECIFIC GRAVITY: 0804 - 0815 @ 60.0 F
LG pH: 8-9
LG COLOR: SWEET
LG APPEARANCE: BLUE

LG SECTION 10 - STABILITY AND REACTIVITY

LG CHEMICAL STABILITY: STABLE
LG INCOMPATIBILITY: AVOID CONTACT WITH: CHLORINE,
LG HYPOCHLORITE, AND STRONG OXIDIZING
LG AGENTS.

LG-100 POLISH FINISH-USA

LG HAZARDOUS DECOMPOSITION PRODUCTS: NO DATA

LG HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

LG SECTION 11 - TOXICOLOGICAL INFORMATION

LG NO DATA

LG SECTION 12 - ECOLOGICAL INFORMATION

LG NO DATA

LG SECTION 13 - DISPOSAL CONSIDERATIONS

LG WASTE MANAGEMENT INFORMATION: DISPOSE OF IN ACCORDANCE

LG WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

LG SECTION 14 - TRANSPORT INFORMATION

LG DOT INFORMATION - 49 CFR 172.101

LG DOT DESCRIPTION: (FOR GROUND NON BULK SHIPMENTS)

LG NOT REGULATED

LG CONTAINER/MODE: NON BULK

LG NOS COMPONENT: NA

LG RQ (REPORTABLE QUANTITY) 49 CFR 172.101

LG NOT APPLICABLE

LG SECTION 15 - REGULATORY INFORMATION

LG US FEDERAL REGULATIONS:

LG TSCA (TOXIC SUBSTANCES CONTROL ACT) STATUS

LG TSCA (UNITED STATES) THE INTENTIONAL INGREDIENTS OF

LG THIS PRODUCT ARE LISTED.

LG CERCLA RQ - 40 CFR 302.4

LG NONE LISTED

LG SARA 302 COMPONENTS - 40 CFR 355 APPENDIX A

LG NONE

LG SECTION 311/312 HAZARD CLASS - 40 CFR 370.2

LG IMMEDIATE(X) DELAYED(X) FIRE(X) REACTIVE() SUDDEN()

LG RELEASE OF PRESSURE

LG SARA 313 COMPONENTS - 40 CFR 372.65

LG NONE

LG STATE AND LOCAL REGULATIONS

LG CALIFORNIA PROPOSITION 65

LG NONE

LG SECTION 16 - OTHER INFORMATION

LG THE INFORMATION HEREIN IS GIVEN IN GOOD FAITH, BUT NO

LG WARRANTY, EXPRESS OR IMPLIED, IS MADE.

04-17-15 11:46 FROM-LIQUID GLASS INC

+201-387-2168

T-261 P.02/07 F-442

LEADS LG CONNOISSEUR'S CHOICE
LG-151 LIQUID GLASS ENTERPRISES, INC
LG=====

LG MATERIAL SAFETY DATA SHEET
LG EFFECTIVE DATE: 7/01/09 CODE: LG-151
LG SILICONE EMULSIONS / FRAGRANCE
LG=====

LG SECTION 1 - PRODUCT AND COMPANY INFORMATION
LG=====

LG PRODUCT NAME: SILICONE EMULSIONS / FRAGRANCE
LG COMMON NAME: LIQUID GLASS CONNOISSEUR'S CHOICE PART# 151, 8oz.
LG 32OZ, GALLON
LG MANUFACTURER'S NAME: LIQUID GLASS ENTERPRISES, INC
LG PO BOX 1170
LG TEANECK, NJ 07666
LG EMERGENCY TELEPHONE NUMBERS: 201-387-6755
LG 800-548-5307
LG REVISION DATE 7/01/09
LG=====

LG SECTION 2 - HAZARDOUS INGREDIENTS
LG CAS NO. INGREDIENT % BY WT. V.P.
LG *****NONE*****
LG=====

LG SECTION 3 - HAZARDS IDENTIFICATION
LG *****EMERGENCY OVERVIEW*****
LG * NON-FLAMMABLE. CAUSES EYE IRRITATION. WHITE MILKY SUBSTANCE*
LG * WITH FRAGRANCE.
LG *****
LG CHRONIC CANCER INFORMATION: NO DATA
LG TERATOLOGY (BIRTH DEFECT) NO DATA
LG REPRODUCTION INFORMATION: NO DATA AVAILABLE
LG=====

LG SECTION 4 - FIRST AID MEASURES
LG EYES - MOVE INDIVIDUAL AWAY FROM EXPOSURE AND INTO FRESH AIR.
LG FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES.
LG SEEK MEDICAL ATTENTION IF IRRITATION OCCURS.
LG SKIN - REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER.
LG SEEK MEDICAL ATTENTION IF IRRITATION DEVELOPS.
LG LAUNDER CLOTHING BEFORE USE.
LG INGESTION - DO NOT INDUCE VOMITING. CONTACT LOCAL POISON CONTROL
LG CENTER OR PHYSICIAN IMMEDIATELY.
LG INHALATION - REMOVE TO FRESH AIR.
LG=====

LG SECTION 5 - FIREFIGHTING MEASURES
LG FLAMMABLE PROPERTIES:
LG FLASH POINT : NON- FLAMMABLE
LG FLAMMABLE LIMITS:
LG LOWER FLAMMABLE LIMIT: NA
LG UPPER FLAMMABLE LIMIT: NA
LG AUTOIGNITION TEMPERATURE: NA
LG HAZARDOUS COMBUSTION PRODUCTS: NA
LG EXTINGUISHING MEDIA: NA
LG FIREFIGHTING INSTRUCTIONS: NA
LG=====

LG SECTION 6 - ENVIRONMENTAL RELEASE MEASURES
LG SMALL SPILL: ABSORB SPILL ON VERMICULITE FLOOR ABSORBENT
LG OR OTHER ABSORBENT MATERIAL.

04-17-15 11:46 FROM-LIQUID GLASS INC

+201-387-2168

T-261 P.03/07 F-442

LG LARGE SPILL: STOP AT SPILL SOURCE, PREVENT FROM SPREADING.
LG IF RUNOFF OCCURS, NOTIFY AUTHORITIES AS
LG REQUIRED. PUMP OR VACUUM TRANSFER SPILLED
LG PRODUCT TO CLEAN CONTAINERS FOR RECOVERY.
LG ABSORB UNRECOVERABLE PRODUCT. TRANSFER
LG CONTAMINATED ABSORBENT, SOIL AND OTHER
LG MATERIAL TO CONTAINERS FOR DISPOSAL.
LG CLOSE CONTAINER TIGHTLY AND DISPOSE OF PROPERLY.

LG=====

LG SECTION 7 - HANDLING AND STORAGE

LG HANDLING: NO SPECIAL INSTRUCTIONS

LG STORAGE: STORE IN WELL VENTILATED AREA. KEEP FROM FREEZING.

LG=====

LG SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

LG ENGINEERING CONTROLS: N/A

LG RESPIRATORY PROTECTION: N/A

LG SKIN PROTECTION: FOR BRIEF CONTACT, NO PRECAUTIONS OTHER
LG THAN CLEAN BODY-COVERING SHOULD BE NEEDED.

LG EYE PROTECTION: USE CHEMICAL GOGGLES IN COMPLIANCE WITH

LG OSHA REGULATIONS.

LG=====

LG SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

LG BOILING POINT: 212 DEG. F

LG MELTING POINT: NO DATA

LG VAPOR PRESSURE: NA

LG SOLUBILITY IN WATER: SOLUBLE

LG SPECIFIC GRAVITY: 1.00

LG pH: 7-8

LG ODOR: SWEET

LG APPEARANCE: MILKY WHITE LIQUID

LG=====

LG SECTION 10 - STABILITY AND REACTIVITY

LG CHEMICAL STABILITY: STABLE

LG INCOMPATIBILITY: NONE

LG HAZARDOUS DECOMPOSITION PRODUCTS: NO DATA

LG HAZARDOUS POLYMERIZATION: NO DATA

LG=====

LG SECTION 11 - TOXICOLOGICAL INFORMATION

LG NO DATA

LG=====

LG SECTION 12 - ECOLOGICAL INFORMATION

LG NO DATA

LG=====

LG SECTION 13 - DISPOSAL CONSIDERATIONS

LG WASTE MANAGEMENT INFORMATION: DISPOSE OF IN ACCORDANCE

LG WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

LG=====

LG SECTION 14 - TRANSPORT INFORMATION

LG DOT INFORMATION - NOT REGULATED

LG DOT DESCRIPTION:

LG NOS COMPONENT: NA

LG RQ (REPORTABLE QUANTITY) - NA

LG=====

LG SECTION 15 - REGULATORY INFORMATION

LG US FEDERAL REGULATIONS:

LG TSCA (TOXIC SUBSTANCES CONTROL ACT) STATUS

LG TSCA (UNITED STATES) THE INTENTIONAL INGREDIENTS OF

04-17-15 11:48 FROM-LIQUID GLASS INC

+201-887-2188

T-261 P.04/07 F-442

LG THIS PRODUCT ARE LISTED.
LG CERCLA RQ - 40 CFR 302.4
LG NONE LISTED
LG SARA 302 COMPONENTS - 40 CFR 355 APPENDIX A
LG NONE
LG SECTION 311/312 HAZARD CLASS - 40 CFR 370.2
LG IMMEDIATE() DELAYED() FIRE() REACTIVE() SUDDEN()
LG WILL NOT OCCUR (X) RELEASE OF PRESSURE
LG SARA 313 COMPONENTS - 40 CFR 372.65
LG NONE
LG STATE AND LOCAL REGULATIONS
LG CALIFORNIA PROPOSITION 65
LG NONE
LG-----
LG SECTION 16 - OTHER INFORMATION
LG THE INFORMATION HEREIN IS GIVEN IN GOOD FAITH, BUT NO
LG WARRANTY, EXPRESS OR IMPLIED, IS MADE.