

MATERIAL SAFETY DATA SHEET**SECTION 1 — PRODUCT IDENTIFICATION****Product identifier:** 0631 - Heavy Duty Cleaner**Product use:** Cleaning agent**Product Code Number:** 46125**MSDS Number:** 0631**WHMIS Classification:** D2B**Supplier name and address:**

John Brooks

2625 Meadowpine Blvd.

Mississauga, ON L5N 7K5

(905) 567-9222

Manufacturer's name and address:

Refer to Supplier

Emergency Telephone #: CANUTEC (613) 996-6666**SECTION 2 — CHEMICAL COMPOSITION/HAZARDOUS INGREDIENTS**

<u>Ingredients</u>	<u>CAS #</u>	<u>% (weight)</u>	<u>LD₅₀ mg/kg oral/rat</u>	<u>LD₅₀ mg/kg skin/rabbit</u>	<u>LC₅₀ ppm inh/rat</u>
Sodium Metasilicate Pentahydrate	6834-92-0	1-5 %	1,153	n/av	20,000 ppm/10H
Diethylene glycol monobutyl ether	112-34-5	1-5 %	7,292	2,764	n/av
Sodium nitrilo-triacetate, Monohydrate	18662-53-8	1-5 %	1,450	>10,000	n/av
Sodium salt of dodecylbenzoyne Sulphonic acid	25155-30-0	1-5 %	1,260	n/av	n/av
Fatty Alcohol Ethoxylate	68131-39-5	1-5 %	2,000	n/av	n/av

SECTION 3 — HAZARDS IDENTIFICATION*****POTENTIAL HEALTH EFFECTS*******Routes of entry:** Ingestion and eye contact.**Signs and symptoms of short-term (acute) exposure:**

Inhalation: Moderately irritating to the eyes, nose, throat and lungs. High concentration of vapours will cause irritation, or if inhaled as a mist. Excessive exposure may cause irritation to upper respiratory tract. Nose and Throat). Ethylene Glycol butyl ether: In humans, symptoms may include headache. In animal, effects have been reported to the following organs: Blood (hemolysis), secondary effects to the kidney and liver. Human red blood cells have shown to be significantly less sensitive to hemolysis than those of rabbits or rats.

Skin contact: May cause skin irritation.

Eye contact: Contact can result in irritation.

Ingestion: May be harmful if swallowed, causing nausea, vomiting and diarrhea, possible central nervous system depression, with headache, giddiness and loss of coordination.

Effects of long-term (chronic) exposure: Prolonged skin contact may cause dermatitis. See Section 11. Ethylene Glycol butyl ether: In long term animal studies, small but significant increases in tumors were observed in mice but not rats. The effects are not believed to be relevant to humans, If the material is handled in accordance to proper industrial handling, exposures should not pose a carcinogenic risk to man. Has been toxic to the fetus in lab animals at doses toxic to the mother. In animal studies, effects on reproduction have only been seen at doses that produced significant toxicity to the parent animal.

Other important hazards: None reported.

SECTION 4 — FIRST AID MEASURES

Inhalation: Remove victim to fresh air. If breathing difficulties persist, call a physician.

Skin contact: Rinse with water. Wash with soap and water. Contact a physician if irritation develops.

Eye contact: Flush eyes with running water for at least 15 minutes, keeping eyelids open. Get immediate medical attention.

Ingestion: Do not induce vomiting. Call physician immediately. If vomiting occurs naturally, have victim lean forward to prevent aspiration of material into lungs.

SECTION 5 — FIRE FIGHTING MEASURES

Fire hazards/conditions of flammability: Not flammable.

Flash point (Method): not determined.

Lower flammable limit (% by volume): Not available

Upper flammable limit (% by volume): Not available.

Explosion data: *Sensitivity to mechanical impact:* Not sensitive. *Sensitivity to static discharge:* May be sensitive if heated to high temperatures.

Oxidizing properties: None.

Auto-ignition temperature: Not available

Suitable extinguishing media: Water, dry chemicals and carbon dioxide can be used on fires in which this product is involved.

Special fire-fighting procedures/equipment: Fire-fighters should wear chemical-resistant clothing (for example, chemical splash suit) and positive pressure self-contained breathing apparatus, approved by NIOSH/MSHA.

Hazardous combustion products: Combustion may release toxic or corrosive gases, such as oxides of carbon, sodium, sulphur or nitrogen.

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Personal precautions: Wear protective equipment as required by workplace standards.

Environmental precautions: Prevent spills from entering waterways.

Spill response/Cleanup: Recover and reuse as much of the product as possible.

Prohibited materials: None known.

SECTION 7 — HANDLING AND STORAGE

Safe handling procedures: Avoid contact with eyes.

Storage requirements: Store in a cool, dry area. Keep away from heat, incompatible materials, and sources of ignition.

Special packaging materials: Not prescribed.

SECTION 8 — EXPOSURE CONTROLS AND PERSONAL PROTECTION

Ventilation and engineering controls: General ventilation should be sufficient.

Respiratory protection: Normally not required.

Protective gloves: Rubber, nitrile rubber, butyl rubber or Neoprene gloves recommended for repeated and prolonged contact.

Eye protection: Safety glasses recommended when handling this product.

Other protective equipment: Eyewash station and safety shower.

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Physical form, colour and odour: Clear, water thin liquid with typical pine odour.

odour threshold: Not available

pH: 12.0-12.6

Boiling point: Not available

Melting/freezing point: Not available

Vapour pressure: Not available

Solubility in water: complete

Coefficient of oil/water distribution: Not available

Vapour density: Not available

Specific gravity or relative density (water = 1): 1.03**Volatile organic compounds (VOC's):** 2.5%**Evaporation rate:** as water**Percent Volatile by Weight:** 92-93 %**SECTION 10 — REACTIVITY AND STABILITY DATA****Stability and reactivity:** Normally stable.**Conditions to avoid:** Keep containers closed, when not in use.**Materials to avoid:** Strong oxidizers, acids and alkalis**Hazardous decomposition products:** Oxides of carbon, sodium, sulphur and nitrogen.**SECTION 11 — TOXICOLOGICAL INFORMATION****LD₅₀:** Not established for this product. See Section 2 for values for ingredients.**LC₅₀:** Not established for this product. See Section 2 for values for ingredients.**Exposure limits:** ACGIH-TLV - Not established.**Carcinogenicity:** None of the ingredients is listed by IARC, ACGIH, NTP, and OSHA as carcinogenic.

NTA in rats and mice, after high oral application, high nephrotoxic does cause tumors in a study. Regarding possible human exposure of NTA no carcinogenic can be expected with normal handling.

Teratogenicity, mutagenicity, other reproductive effects:**Sensitization to material:** Not reported.**Conditions aggravated by exposure:** Skin conditions such as dermatitis.**Synergistic materials:** None known.**SECTION 12 — ECOLOGICAL INFORMATION****Environmental effects:** Not known. All surfactants are readily biodegradable.**SECTION 13 — WASTE DISPOSAL****Handling for disposal:** Reuse if possible. Keep in closed, labelled containers, away from heat.**Methods of disposal:** Follow local, provincial, state and federal regulations.**SECTION 14 — TRANSPORTATION INFORMATION****Shipping description:** Not regulated TDG**Please note:** This shipping description is of a general nature only. It does not consider package sizes, modes of transport and other specific circumstances. Appropriate regulations should be referenced, and handling for transportation of dangerous goods/hazardous materials should be performed by trained personnel only.**SECTION 15 — REGULATORY INFORMATION****WHMIS information:** D2B

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and this MSDS contains all the information required by the CPR.

SECTION 16 — OTHER INFORMATION**Prepared by:** Armstrong Manufacturing Inc.**Telephone number:** (905) 566-1395**Preparation date:** May 15, 2015**References:**

1. ACGIH, Threshold Limit Values and Biological Exposure Indices for 2001.
2. International Agency for Research on Cancer Monographs, Supplement 7, 1988.
3. Canadian Centre for Occupational Health and Safety. CHEMINFO database.
4. Material Safety Data Sheets from raw materials suppliers.
5. N. Irving Sax. Dangerous Properties of Industrial Materials, Seventh Edition.

n/ap Not applicable
MV/mt

n/av Not available

gm

gram