



SAFETY DATA SHEET
FARECLA G3 REGULAR GRADE PASTE COMPOUND

Page: 1
Compilation date: 07/03/2014
Revision date: 12/03/2019
Revision No: 6

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: FARECLA G3 REGULAR GRADE PASTE COMPOUND
Product code: G3-250,300,400,1000

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC31: Polishes and wax blends.

1.3. Details of the supplier of the safety data sheet

Company name: Farecla Products Limited
Broadmeads
Ware
Hertfordshire
SG12 9HS
UK
Tel: +44 (0)19 2046 5041 8:30-16:30 (Monday to Friday)
Fax: +44 (0)19 2046 6557
Email: technical@farecla.com

1.4. Emergency telephone number

Emergency tel: +44 (0)20 7188 0300 (24 hours)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 3: H412; Skin Sens. 1: H317; STOT RE 2: H373

Most important adverse effects: May cause an allergic skin reaction. May cause damage to organs ([nervous system]) through prolonged or repeated exposure ([inhalation (vapour)]). Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: H317: May cause an allergic skin reaction.
H373: May cause damage to organs ([nervous system]) through prolonged or repeated exposure ([inhalation (vapour)]).
H412: Harmful to aquatic life with long lasting effects.

Hazard pictograms: GHS07: Exclamation mark
GHS08: Health hazard



[cont...]

SAFETY DATA SHEET

FARECLA G3 REGULAR GRADE PASTE COMPOUND

Page: 2

Signal words: Warning

Precautionary statements: P102: Keep out of reach of children.

P260: Do not breathe dust/vapours.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P314: Get medical advice/attention if you feel unwell.

P363: Wash contaminated clothing before reuse.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ALUMINIUM OXIDE - REACH registered number(s): 01-2119529248-35-XXXX

| EINECS | CAS | PBT / WEL | CLP Classification | Percent |
|-----------|-----------|--|--------------------|---------|
| 215-691-6 | 1344-28-1 | Substance with a Community workplace exposure limit. | - | 30-50% |

WHITE MINERAL OIL (PETROLEUM) - REACH registered number(s): 01-2119487078-27-XXXX

| | | | | |
|-----------|-----------|--|-------------------|-------|
| 232-455-8 | 8042-47-5 | Substance with a Community workplace exposure limit. | Asp. Tox. 1: H304 | 1-10% |
|-----------|-----------|--|-------------------|-------|

KEROSINE - UNSPECIFIED - DISTILLATES (PETROLEUM), HYDROTREATED LIGHT - REACH registered number(s): 01-2119484819-18-XXXX

| | | | | |
|-----------|------------|---|--|-------|
| 265-149-8 | 64742-47-8 | - | Asp. Tox. 1: H304; Aquatic Chronic 2: H411 | 1-10% |
|-----------|------------|---|--|-------|

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLIC, AROMATICS (2-25%) - REACH registered number(s): 01-2119458049-33-0000

| | | | | |
|-----------|---|---|---|-------|
| 919-446-0 | - | - | Flam. Liq. 3: H226; Asp. Tox. 1: H304; STOT SE 3: H336; STOT RE 1: H372; Aquatic Chronic 2: H411; -: EUH066 | 1-10% |
|-----------|---|---|---|-------|

PINE OIL - REACH registered number(s): 01-2119553062-49-0005

| | | | | |
|-----------|-----------|---|---|-------|
| 232-268-1 | 8000-41-7 | - | Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Asp. Tox. 1: H304 | 1-10% |
|-----------|-----------|---|---|-------|

[cont...]

SAFETY DATA SHEET

FARECLA G3 REGULAR GRADE PASTE COMPOUND

Page: 3

1,2-BENZISOTHIAZOLIN-3-ONE

| | | | | |
|-----------|-----------|---|--|-------|
| 220-120-9 | 2634-33-5 | - | Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318; Skin Sens. 1: H317; Aquatic Acute 1: H400 | <0.1% |
|-----------|-----------|---|--|-------|

Contains: Pine oil

1,2-benzisothiazolin-3-one

Kerosine - Unspecified - Distillates (Petroleum), Hydrotreated Light

Hydrocarbons, C9-C12, N-Alkanes, Isoalkanes, Cyclics, Aromatics (2-25%)

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. Consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

[cont...]

SAFETY DATA SHEET

FARECLA G3 REGULAR GRADE PASTE COMPOUND

Page: 4

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS.
Do not create dust.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Avoid the formation or spread of dust in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

ALUMINIUM OXIDE

Workplace exposure limits:

Respirable dust

| State | 8 hour TWA | 15 min. STEL | 8 hour TWA | 15 min. STEL |
|-------|------------|--------------|------------|--------------|
| UK | - | - | 5mg/m3 | - |

WHITE MINERAL OIL (PETROLEUM)

| | | | | |
|----|---------|---|---|---|
| EU | 5 mg/m3 | - | - | - |
|----|---------|---|---|---|

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLIC, AROMATICS (2-25%)

| | | | | |
|----|-----------|---|---|---|
| UK | 350 mg/m3 | - | - | - |
|----|-----------|---|---|---|

PINE OIL

| | | | | |
|----|-------------------|-------------------|---|---|
| EU | 25 ppm, 140 mg/m3 | 50 ppm, 300 mg/m3 | - | - |
|----|-------------------|-------------------|---|---|

[cont...]

SAFETY DATA SHEET

FARECLA G3 REGULAR GRADE PASTE COMPOUND

Page: 5

DNEL/PNEC Values

Hazardous ingredients:

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLIC, AROMATICS (2-25%)

| Type | Exposure | Value | Population | Effect |
|------|------------|--------------|------------|----------|
| DNEL | Inhalation | 330 mg/m3 | Workers | Systemic |
| DNEL | Dermal | 44 mg/kg/day | Workers | Systemic |
| DNEL | Inhalation | 71 mg/m3 | Consumers | Systemic |
| DNEL | Dermal | 26 mg/kg/day | Consumers | Systemic |
| DNEL | Oral | 26 mg/kg/day | Consumers | Systemic |

1,2-BENZISOTHIAZOLIN-3-ONE

| Type | Exposure | Value | Population | Effect |
|------|--------------------------------|-------|------------|----------|
| DNEL | Inhalation (developmental tox) | 111 | Consumers | Systemic |

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency. Respiratory protective device with particle filter.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Environmental: Refer to specific Member State legislation for requirements under Community environmental legislation.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Paste

Colour: Cream

Odour: Characteristic odour

Evaporation rate: No Data Available

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Slightly soluble

Also soluble in: Ethanol.

Viscosity: Highly viscous

Kinematic viscosity: 53000cps

Viscosity test method: Brookfield @ 20degC

Boiling point/range °C: No data available.

Flammability limits %: lower: No data available.

Flash point °C: 83

Autoflammability °C: >250

Relative density: 1.44

Melting point/range °C: No data available.

upper: No data available.

Part.coeff. n-octanol/water: No data available.

Vapour pressure: No data available.

[cont...]

SAFETY DATA SHEET

FARECLA G3 REGULAR GRADE PASTE COMPOUND

Page: 6

pH: 9 - 10

VOC g/l: 177

9.2. Other information

Other information: Not applicable.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ALUMINIUM OXIDE

| | | | | |
|-----------|-----|------|--------|-------|
| DUST/MIST | RAT | LC50 | 7.6 | mg/l |
| ORAL | RAT | LD50 | > 2000 | mg/kg |

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLIC, AROMATICS (2-25%)

| | | | | |
|---------|-----|---------|--------|-------|
| DERMAL | RAT | LD50 | >3400 | mg/kg |
| ORAL | RAT | LD50 | >15000 | mg/kg |
| VAPOURS | RAT | 4H LC50 | >13100 | mg/l |

PINE OIL

| | | | | |
|--------|-----|------|--------|-------|
| DERMAL | RBT | LD50 | > 2000 | mg/kg |
|--------|-----|------|--------|-------|

[cont...]

SAFETY DATA SHEET

FARECLA G3 REGULAR GRADE PASTE COMPOUND

Page: 7

| | | | | |
|---------|-----|---------|--------|-------|
| ORAL | RAT | LD50 | > 2000 | mg/kg |
| VAPOURS | RAT | 4H LC50 | 4.76 | mg/l |

1,2-BENZISOTHIAZOLIN-3-ONE

| | | | | |
|-----|-----|------|------|-------|
| ORL | MUS | LD50 | 1150 | mg/kg |
| ORL | RAT | LD50 | 1020 | mg/kg |

Relevant hazards for product:

| Hazard | Route | Basis |
|--------------------------------|-------|-----------------------|
| Respiratory/skin sensitisation | DRM | Hazardous: calculated |
| STOT-repeated exposure | - | Hazardous: calculated |

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

Other information: Not applicable.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

ALUMINIUM OXIDE

| | | | |
|--|----------|-------|------|
| Daphnia magna | 48H EC50 | > 100 | mg/l |
| GREEN ALGA (Selenastrum capricornutum) | 48H EC50 | > 100 | mg/l |
| Salmo trutta | 96H LC50 | > 100 | mg/l |

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLIC, AROMATICS (2-25%)

| | | | |
|-------------------------------------|----------|-------|------|
| ALGAE | 72H IC50 | <10 | mg/l |
| Daphnia magna | 48H EC50 | <22 | mg/l |
| Microorganisms | 48H EC50 | 43.98 | mg/l |
| RAINBOW TROUT (Oncorhynchus mykiss) | 96H LC50 | <30 | mg/l |

PINE OIL

| | | | |
|---------------|-----------|----|------|
| ALGAE | 72H ErC50 | 68 | mg/l |
| Daphnia magna | 48H EC50 | 73 | mg/l |

[cont...]

SAFETY DATA SHEET

FARECLA G3 REGULAR GRADE PASTE COMPOUND

Page: 8

| | | | |
|------|----------|-----|------|
| FISH | 96H LC50 | >62 | mg/l |
|------|----------|-----|------|

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Soluble in water.

12.5. Results of PBT and vPvB assessment

Persistence (P-):

Persistence result: not P-

Bioaccumulation (B-):

Bioconcentration factor (BCF): >=500

Bioaccumulation result: not B-

Toxicity (T-):

mg/l

NOEC for marine or freshwater organisms: >1

Toxicity result: not T-

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

Recovery operations: Not applicable.

Waste code number: 08 04 12

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

[cont...]

SAFETY DATA SHEET

FARECLA G3 REGULAR GRADE PASTE COMPOUND

Page: 9

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: EU Legislation Regulation (EC) No 1907/2006 REACH. Regulation (EC) No 1272/2008 CLP. The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information

Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH066: Repeated exposure may cause skin dryness or cracking.

H226: Flammable liquid and vapour.

H302: Harmful if swallowed.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

H372: Causes damage to organs ([nervous system]) through prolonged or repeated exposure ([inhalation (vapour)]).

H373: May cause damage to organs ([nervous system]) through prolonged or repeated exposure ([inhalation (vapour)]).

H400: Very toxic to aquatic life.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.