

FARECLA G3 ADVANCED LIQUID COMPOUND

Page: 1

Compilation date: 05/05/2011

Revision date: 05/03/2019

Revision No: 4

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: FARECLA G3 ADVANCED LIQUID COMPOUND

Product code: AG3-700, 1400, 5300

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC31: Polishes and wax blends.

1.3. Details of the supplier of the safety data sheet

Company name: Farecla Products Limited

Broadmeads

Ware

Hertfordshire SG12 9HS

UK

Tel: +44 (0)19 2046 5041 8:30-16:30 (Monday to Friday)

Fax: +44 (0)19 2046 6557

Email: technical@farecla.com

1.4. Emergency telephone number

Emergency tel: +44 (0)20 7188 0300 (24 hours)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 3: H412; Skin Sens. 1: H317; STOT RE 2: H373

Most important adverse effects: May cause an allergic skin reaction. May cause damage to organs (nervous system)

through prolonged or repeated exposure (if inhaled). Harmful to aquatic life with long

lasting effects.

2.2. Label elements

Label elements:

Hazard statements: H317: May cause an allergic skin reaction.

H373: May cause damage to organs (nervous system) through prolonged or repeated

exposure (if inhaled).

H412: Harmful to aquatic life with long lasting effects.

Hazard pictograms: GHS07: Exclamation mark

GHS08: Health hazard





FARECLA G3 ADVANCED LIQUID COMPOUND

Page: 2

Signal words: Warning

Precautionary statements: P260: Do not breathe dust/vapours.

P261: Avoid breathing dust/vapours.

P280: Wear protective clothing, eye protection, face protection.

P314: Get medical advice/attention if you feel unwell.
P321: Specific treatment (see instructions on this label)

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ALUMINIUM OXIDE - REACH registered number(s): 01-2119529248-35-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
215-691-6	15-691-6 1344-28-1 Substance with a Community		-	30-50%
		workplace exposure limit.		

WHITE MINERAL OIL (PETROLEUM) - REACH registered number(s): 01-2119487078-27-XXXX

232-455-8	8042-47-5	Substance with a Community	Asp. Tox. 1: H304	1-10%
		workplace exposure limit.		

KEROSINE - UNSPECIFIED - DISTILLATES (PETROLEUM), HYDROTREATED LIGHT - REACH registered number(s): 01-2119484819-18-XXXX

265-149-8	64742-47-8	-	Asp. Tox. 1: H304; Aquatic Chronic 2:	1-10%
			H411	

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLIC, AROMATICS (2-25%) - REACH registered number (s): 01-2119458049-33-0000

919-446-0	-	-	Flam. Liq. 3: H226; Asp. Tox. 1: H304;	1-10%
			STOT SE 3: H336; STOT RE 1: H372;	
			Aquatic Chronic 2: H411; -: EUH066	

PINE OIL - REACH registered number(s): 01-2119553062-49-0005

232-268-1	8000-41-7	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315;	1-10%
			Skin Sens. 1: H317; Aquatic Chronic 2:	
			H411; Eye Irrit. 2: H319; Asp. Tox. 1:	
			H304	

1,2-BENZISOTHIAZOLIN-3-ONE

220-120-9	2634-33-5	-	Acute Tox. 4: H302; Skin Irrit. 2: H315;	<1%
			Eye Dam. 1: H318; Skin Sens. 1:	
			H317; Aquatic Acute 1: H400	

FARECLA G3 ADVANCED LIQUID COMPOUND

Page: 3

A MIXTURE OF: 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO 247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO 220-239-6]

-	55965-84-9	-	Acute Tox. 3: H331; Acute Tox. 3: H311;	<1%
			Acute Tox. 3: H301; Skin Corr. 1B:	
			H314; Skin Sens. 1: H317; Aquatic	
			Acute 1: H400; Aquatic Chronic 1:	
			H410	

Contains: Kerosine - Unspecified - Distillates (Petroleum), Hydrotreated Light

Hydrocarbons, C9-C12, N-Alkanes, Isoalkanes, Cyclics, Aromatics (2-25%)

Pine oil

1,2-benzisothiazolin-3-one

A mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC NO 247-500-7] and 2-methyl-

2H-isothiazol-3-one [EC NO 220-239-6]

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water. Consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a

doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

FARECLA G3 ADVANCED LIQUID COMPOUND

Page: 4

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS.

Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

8 hour TWA

Section 8: Exposure controls/personal protection

8.1. Control parameters

ALUMINIUM OXIDE

State

UK

Hazardous ingredients:

Workplace exposure limits:

8 hour TWA	15 min. STEL

5mg/m3

WHITE MINERAL OIL (PETROLEUM)

- [
	EU	5 mg/m3	-	-	-

15 min. STEL

Respirable dust

FARECLA G3 ADVANCED LIQUID COMPOUND

Page: 5

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLIC, AROMATICS (2-25%)

UK	350 mg/m3	-	-	-	
PINE OIL					
EU	25 ppm, 140 mg/m3	50 ppm, 300 mg/m3	-	-	

A MIXTURE OF: 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO 247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO

_					
	UK	0.05 mg/m3	_	_	-
1		ı			

DNEL/PNEC Values

Hazardous ingredients:

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLIC, AROMATICS (2-25%)

Type	Exposure	Value	Population	Effect
DNEL	Inhalation	330 mg/m3	Workers	Systemic
DNEL	Dermal	44 mg/kg/day	Workers	Systemic
DNEL	Inhalation	71 mg/m3	Consumers	Systemic
DNEL	Dermal	26 mg/kg/day	Consumers	Systemic
DNEL	Oral	26 mg/kg/day	Consumers	Systemic

1,2-BENZISOTHIAZOLIN-3-ONE

Type	Exposure	Value	Population	Effect
DNEL	Inhalation (developmental tox)	111	Consumers	Systemic

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

Environmental: Refer to specific Member State legislation for requirements under Community

environmental legislation.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid
Colour: White
Odour: Pleasant

Evaporation rate: Slow

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Soluble

Also soluble in: No data available

FARECLA G3 ADVANCED LIQUID COMPOUND

Page: 6

Viscosity: Highly viscous

Kinematic viscosity: 30,000

Flash point °C: >93

Viscosity test method: Brookfield @ 20degC

Boiling point/range ℃: No data available. Melting point/range ℃: No data available.

Flammability limits %: lower: No data available.

Part.coeff. n-octanol/water: No data available.

upper: No data available.

Autoflammability°C: No data available. Vapour pressure: No data available.

Relative density: 1.500 pH: 10

VOC g/I: 189.7

9.2. Other information

Other information: Not applicable.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ALUMINIUM OXIDE

DUST/MIST	RAT	LC50	7.6	mg/l
ORAL	RAT	LD50	> 2000	mg/kg

FARECLA G3 ADVANCED LIQUID COMPOUND

Page: 7

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLIC, AROMATICS (2-25%)

DERMAL	RAT	LD50	>3400	mg/kg
ORAL	RAT	LD50	>15000	mg/kg
VAPOURS	RAT	4H LC50	>13100	mg/l

PINE OIL

DERMAL	RBT	LD50	> 2000	mg/kg
ORAL	RAT	LD50	> 2000	mg/kg
VAPOURS	RAT	4H LC50	4.76	mg/l

1,2-BENZISOTHIAZOLIN-3-ONE

ORL	MUS	LD50	1150	mg/kg
ORL	RAT	LD50	1020	mg/kg

A MIXTURE OF: 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO 247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO 220-239-6]

ORL	MUS	LD50	60	mg/kg
ORL	RAT	LD50	53	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Respiratory/skin sensitisation	DRM	Hazardous: calculated
STOT-repeated exposure	-	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

Other information: Not applicable.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

ALUMINIUM OXIDE

Daphnia magna	48H EC50	> 100	mg/l

FARECLA G3 ADVANCED LIQUID COMPOUND

Page: 8

GREEN ALGA (Selenastrum capricornutum)	48H EC50	> 100	mg/l
Salmo trutta	96H LC50	> 100	mg/l

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLIC, AROMATICS (2-25%)

ALGAE	72H IC50	<10	mg/l
Daphnia magna	48H EC50	<22	mg/l
Microorganisms	48H EC50	43.98	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	<30	mg/l

PINE OIL

ALGAE	72H ErC50	68	mg/l
Daphnia magna	48H EC50	73	mg/l
FISH	96H LC50	>62	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

Recovery operations: Not applicable.

Waste code number: 08 04 12

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

FARECLA G3 ADVANCED LIQUID COMPOUND

Page: 9

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation

(EU) 2015/830

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH066: Repeated exposure may cause skin dryness or cracking.

H226: Flammable liquid and vapour.

H301: Toxic if swallowed.

H302: Harmful if swallowed.

H304: May be fatal if swallowed and enters airways.

H311: Toxic in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H331: Toxic if inhaled.

H336: May cause drowsiness or dizziness.

H372: Causes damage to organs ([nervous system]) through prolonged or repeated exposure ([inhalation (vapour)]).

H373: May cause damage to organs (nervous system) through prolonged or repeated exposure (if inhaled).

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.