Product Name: Control Flow Seam Sealer 250 ml dual cartridge

Product identifier: 100823 Revision Date: 08-18-2016

Replaces:



1. Identification

Product identifier used on the label:

Product Name: Control Flow Seam Sealer 250 ml dual cartridge

Product identifier: 100823

Other means of identification

Synonyms: No data available

Recommended use of the chemical and restrictions on

Adhesive & Sealant Cartridge

use:

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Chemical Manufacturer / ITW Evercoat

Importer / Distributor: a division of Illinois Tool Works Inc.

6600 Cornell Road Cincinnati, OH 45242

513-489-7600

Emergency phone number: CHEMTREC: 1-800-424-9300

CANUTEC: 1-613-996-6666

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols:



GHS Classification: Skin Sensitisation Category 1

Skin Corrosion/Irritation Category 2

Serious Eye Damage/Eye Irritation Category 2A

Carcinogenicity Category 2

GHS Signal Word: Warning

GHS Hazard Statements: Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye irritation. Suspected of causing cancer.

GHS Precautionary Statements:

Safety Precautions: Obtain special instructions before use.

Page **1** of **7**

Product Name: Control Flow Seam Sealer 250 ml dual cartridge

Product identifier: 100823 Revision Date: 08-18-2016

Replaces:

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

First Aid Measures: IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

Storage: Store locked up.

Disposal: Dispose of contents/container in accordance with

local/regional/national/international regulation for hazardous wastes.

Hazards not otherwise

classified:

No data available

3. Composition/information on ingredients				
Chemical Component:	CAS number and other unique identifiers	% (or range) of ingredient		
2,4,6 Tris dimethylaminomethyl phenol	90-72-2	5 - 10		
2-propenenitrile polymer w/1,3 butadiene	163440-98-0	1 - 5		
Oxirane, mono derivatives	68609-97-2	1 - 5		
Titanium dioxide	13463-67-7	0.1 - 1		

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Eye Contact: None expected to be needed, however, use an eye wash to remove

a chemical from your eye regardless of the level of hazard.

Skin Contact: Wash with soap and water.

Inhalation: This material does not present a hazard if inhaled. Remove

individual to fresh air after an airborne exposure if any symptoms

develop, as a precautionary measure.

Ingestion: No hazard in normal industrial use. Do not induce vomiting. Seek

Product Name: Control Flow Seam Sealer 250 ml dual cartridge

Product identifier: 100823 Revision Date: 08-18-2016

Replaces:

medical attention if symptoms develop. Provide medical care

provider with this MSDS.

Most important symptoms/effects, acute and delayed:

Most important

No data available

symptoms/effects (Acute):

Most important

No data available

symptoms/effects (Delayed):

Indication of immediate medical attention and special treatment

needed, if necessary:

No additional first aid information available

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when

fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do Not direct a stream of water into the hot

burning liquid.

Unsuitable extinguishing media: No data available

Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):

Fire and/or Explosion Material may be ignited only if preheated to temperatures above

Hazards: the high flash point, for example in a fire.

Hazardous Combustion Carbon dioxide, Carbon monoxide

Products:

Special protective equipment

and precautions for fire-

fighters:

Do not enter fire area without proper protection including selfcontained breathing apparatus and full protective equipment. Use

methods for the surrounding fire.

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures:

No adverse health affects expected from the clean-up of spilled material. Follow personal protective equipment recommendations

found in Section VIII of this MSDS.

Methods and materials for No special spill clean-up considerations. Collect and discard in

containment and cleaning up: regular trash.

Product Name: Control Flow Seam Sealer 250 ml dual cartridge

Product identifier: 100823 Revision Date: 08-18-2016

Replaces:

7. Handling and storage

Precautions for safe handling: No special handling instructions due to toxicity.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage: Store in a cool dry place. Isolate from incompatible materials.

Materials to Avoid/Chemical

Incompatibility:

Strong oxidizing agents

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL	
Titanium dioxide	15 mg/m3	10 mg/m3	No data available	

Appropriate engineering

controls:

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or

apparent adverse effects.

Individual protection measures, such as personal protective equipment:

Eye Protection: No special requirements under normal industrial use. Wear splash-

proof safety goggles if material could be misted or splashed into

eyes.

Skin Protection: Not normally considered a skin hazard. Where use can result in skin

contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking,

and when leaving work.

Respiratory Protection:No respiratory protection required under normal conditions of use.

Other Protective Equipment: Wear splash-proof safety goggles if material could be misted or

splashed into eyes.

9. Physical and chemical properties

Appearance (physical state, color, etc.):

Appearance (physical state): Liquid

Color: Off-white to tan
Odor: No data available
Odor threshold: No data available
pH: No data available
Melting Point/Freezing Point (°C): No data available

Initial Boiling Point and Boiling Range (°C): 1000 Flash Point (°C): 94

Product Name: Control Flow Seam Sealer 250 ml dual cartridge

Product identifier: 100823 Revision Date: 08-18-2016

Replaces:

Evaporation Rate:No data available **Flammability (solid, gas):**No data available

Upper/lower flammability or explosive limits:

Upper Flammable/Explosive Limit (%):
Lower Flammable/Explosive Limit (%):
No data available
No data available
No data available
No data available

Relative Density: 1.39

Solubility(ies): No data available

Partition coefficient: n-octanol/water: 1.36

Auto-ignition Temperature (°C):No data availableDecomposition Temperature:No data availableViscosity:No data availableVOC (as packaged-less exempts and water):46 lbs/gal or

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions.

Possibility of hazardousNo data available

reactions:

Conditions to avoid (e.g., static

No data available

discharge, shock, or vibration):

Incompatible materials: Strong oxidizing agents

11. Toxicological information

Information on the likely routes Inhalation

of exposure (inhalation,

ingestion, skin and eye contact):

Symptoms related to the No data available

physical, chemical and toxicological characteristics:

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation: No hazard in normal industrial use. Can cause mechanical irritation if dusts are

generated.

Skin Contact: No hazard in normal industrial use.

Skin Absorption: No absorption hazard in normal industrial use.

Eye Contact: No hazard in normal industrial use. **Ingestion Irritation:** No hazard in normal industrial use.

Product Name: Control Flow Seam Sealer 250 ml dual cartridge

Product identifier: 100823 Revision Date: 08-18-2016

Replaces:

Long-Term (Chronic) Health Effects:

Carcinogenicity: Suspected of causing cancer.

Reproductive andNo data available to indicate product or any components present at greater than

Developmental Toxicity: 0.1% may cause birth defects.

Mutagenicity:No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

Inhalation: Upon prolonged and/or repeated exposure, no hazard in normal industrial use.

Skin Contact: Unlikely to cause irritation even on repeated contact.

Skin Absorption: Upon prolonged or repeated exposure, no hazard in normal industrial use.

Numerical measures of toxicity (such as acute toxicity estimates)

Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50	
No data available				

Whether the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen	
Titanium dioxide	N	Υ	N	

12. Ecological information

Ecotoxicity (aquatic and

This material is not expected to be harmful to the ecology.

terrestrial, where available):

Persistence and degradability:

No data available

Bioaccumulative potential:

No data No data available

Mobility in soil: Other adverse effects (such as

No data available

hazardous to the ozone layer):

Ecological Toxicity Data

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available			

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Description of waste residues: Spent or discarded material is not expected to be a hazardous

waste.

Waste treatment methods Dispose of in a landfill. Disposal is not likely to be regulated.

Product Name: Control Flow Seam Sealer 250 ml dual cartridge

Product identifier: 100823 Revision Date: 08-18-2016

Replaces:

(including packaging):

14. Transport information

UN number:

UN proper shipping name:

Not Regulated

No data available

No data available

No data available

No data available

The shipper is responsible for following all applicable regulations. The transportation classification provided is based on ITW Evercoat original packaging, which is suitable for domestic ground transport only.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

TSCA Status: All components in this product are on the TSCA Inventory.

Regulated Components

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
Titanium dioxide	13463-67-7	N	N	Υ	Υ

16. Other information, including date of preparation or last revision.

Revision Date: 08-18-2016

Revision Number: 13

Disclaimer: NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances