CRYSTAL-GLO MANUFACTURING CORP.

346 Millway Avenue Concord, Ontario L4K 3W1

Tel: (905) 760-0006 - Fax: (905) 760-0008

Update: November 18, 2018

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION I - IDENTIFICATION

Product Name: CRYSTAL-GLO Paint Treatment

Product Number: 2000

DOT CLASS: COMBUSTIBLE LIQUIDS N.O.S. NA 1993

HEALTH - 1 FLAMMABILITY - 1 REACTIVITY - 0

CHEMICAL NAME: MIXTURE

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

HAZARDOUS COMPONENTSOSHA PELACGIH TLVMEDIUM ALIPHATIC HYDROCARBON100 PPM100 PPM(CAS # 64742-88-7)100 PPM

ALL OTHER COMPONENTS (IF ANY) ARE CONSIDERED NON-HAZARDOUS AS PER OSHA 29 CFR 1910.12.00.

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: N/A
Specific Gravity (H20+1): 0.986
Vapor Pressure (mm Hg): N/D
Melting Point: N/A
Vapor Density (Air+1): > 1

Evaporation Rate

(Butyl Acetate+1) < 1

Solubility in Water Miscible % Volatile by Weigh t: 87.4 Weight (LB/GAL): 8.20 % Solids: 12.6%

Viscosity: SP 6 @ 10 RPM: 29,000 - 49,000 cps

PH: N/A

Appearance and Odour: Semi-viscous, off white aliphatic hydrocarbons

Odour.

Crystal-Glo Manufacturing Corp. Product: 2000 Paint Treatment

SECTION IV - FIRE AND EXPLOSION HAZARDA DATA

Flash Point (Method Used) = 142 0 F (62.8 C)

Flammable Limits: LEL: N/D UEL: N/D

EXTINGUISHING MEDIA: COMPATIBLE WITH ALL EXTINGUISHING MEDIA. **EXPECIAL FIREFIGHTING PROCEDURES:** SCBA AND FULL BUNKER GEAR RECOMMEDED. THIS PRODUCT DOES NOT IGNITE READILY. INTENSE HEAT MAY SPARK IGNITION.

UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE KNOWN.

SECTION V - REACTIVITY DATA

STABILITY: STABLE.

CONDITIONS TO AVOID: STRONG ACIDS AND OXIDIZERS.

HAZARDOUS DECOMPSITION PRODUCTS: OXIDES OF CARBON.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR.

SECTION VI - HEALTH HAZARD DATA

ACUTE HEALTH HAZARDS: NONE KNOWN.

CHRONIC HEALTH HAZARDS: NONE KNOWN.

CARCINOGENICITY: THIS PRODUCT CONTAINS NO SUBSTANCES OR

COMPOUNDS WHICH ARE CONSIDERED TO BE CARCINOGENIC BY OSHA, NTP,

IARC OR SARA TITLE III SECTION 313.

EYES: IRRITATION, REDNESS, BLURRED VISION.

DERMAL: IRRITATION, DEFATTING, REDNESS.

INHALATION: MAY CAUSE DIZZINESS.

SIGNS AND SYMPTOMS OF EXPOSURE

INGESTION: NAUSEA, VOMITING, ABDOMINAL CRAMPS.

EMERGENCY AND FIRST AID PROCEDURES

EYES: FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. **DERMAL:** WASH WITH SOAP AND WATER AND RINSE THOROUGHLY.

INHALATION: REMOVE SUBJECT TO FRESH AIR.

INGESTION: DO NOT INDUCE VOMITING. GIVE CONSCIOUS SUBJECT

WATER/MILK TO DILUTE. SEEK MEDICAL ADVISE.

Crystal-Glo Manufacturing Corp. Product: 2000 Paint Treatment

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MAERIAL IS RELEASED OR SPILLED: PICK UP FOR PROPER DISPOSAL. WASH DOWN WITH WATER AND DETERGENT. WASTE DISPOSAL METHOD: CONSULT LOCAL, PROVINCIAL AND FEDERAL REGULATIONS.

SECTION VIII - CONTROL MEASURES

RESPIRATORY PROTECTION (SPECIFY TYPE): NIOSH APPROVED IN CONFINED AREAS.

VENTILATION: GOOD AIR CIRCULATION.

PROTECTIVE GLOVES: NON-PERMIABLE VINYL OR RUBBER.

EYE PROTECTION: SPLASH PROTECTION.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: AS NEEDED TO PREVENT

PROLONGED SKIN CONTACT.

WORK/HYGIENIC PRACTICES: WASH HANDS AND FACE BEFORE CONSUMING FOOD OR BEVERAGES OR USING SMOKING MATERIALS.

SECTION IX - NOTES

NONE

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THIS DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PERSON PROXIMATELY CAUSED BY THE MATERIAL IF REASONABLE SAFETY PROCEDURES ARE NOT ADHERED TO AS STIPULATED IN THE DATA SHEET. ADDITIONALLY, VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PERSONS PROXIMATELY CAUSED BY ABNORMAL USE OF THE MATERIAL EVEN IF REASONABLE SAFETY PROCEDURES ARE FOLLOWED. FURTHERMORE, VENDEE ASSUMES THE RISK IN HIS USE OF THE MATERIAL.