

Safety Data Sheet

Premium Carb Cleaner

SECTION 1. IDENTIFICATION

Product Identifier	Premium Carb Cleaner
Part number	42608
Product Family	Solvent blend
Recommended Use	Automotive cleaner.
Restrictions on Use	Not applicable.
Supplier Identifier	Laser Sales Inc., 1717 Oxford Street East, London, ON, N5V 2Z5, 519.452.3756
Emergency Phone No.	CANUTEC, +1.613.996.6666, Operation hours: 24/7

SECTION 2. HAZARD IDENTIFICATION

Classification

Flammable aerosol - Category 1; Gas under pressure - Compressed gas; Skin irritation - Category 2; Eye irritation - Category 2A; Specific target organ toxicity (single exposure) - Category 3; Aspiration hazard - Category 1

Label Elements



Danger

Extremely flammable aerosol.

Pressurized container: may burst if heated.

Contains gas under pressure; may explode if heated.

May be fatal if swallowed and enters airways.

Causes skin irritation.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Keep away from heat, sparks, open flames, and hot surfaces. – No smoking.

Do not spray on an open flame or other ignition source.

Pressurized container: Do not pierce or burn, even after use.

Avoid breathing vapours, spray.

Wash hands and skin thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves.

Wear eye protection/face protection.

Product Identifier: Premium Carb Cleaner - Ver. 1
Date of Preparation: April 27, 2016
Date of Last Revision: July 25, 2017

SDS No.: 42608

Page 01 of 08

IF SWALLOWED: Immediately call a POISON CENTRE or doctor.
Do NOT induce vomiting.
IF ON SKIN: Wash with plenty of water.
Take off contaminated clothing and wash it before reuse.
If skin irritation occurs: Get medical advice/attention.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTRE or doctor if you feel unwell.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Dispose of contents and container in accordance with local, regional, national and international regulations.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

Chemical Name	CAS No.	%	Other Identifiers	Other Names
Naphtha (petroleum), hydrotreated light	64742-49-0	30-60	heptane	
Toluene	108-88-3	10-30		
Acetone	67-64-1	10-30		
Carbon dioxide gas	124-38-9	3-7		
Vanillin	121-33-5			

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Remove source of exposure or move to fresh air. If not breathing, give artificial respiration, get medical attention immediately.

Skin Contact

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes. If skin irritation occurs, get medical advice or attention.

Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. If eye irritation persists, get medical advice or attention.

Ingestion

Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. Drink two glasses of water. If vomiting occurs naturally, lie on your side in the recovery position. Rinse mouth with water again. Seek medical attention.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Small fire: carbon dioxide or dry chemical.

Product Identifier: Premium Carb Cleaner - Ver. 1
Date of Preparation: April 27, 2016
Date of Last Revision: July 25, 2017

SDS No.: 42608

Page 02 of 08

Unsuitable Extinguishing Media

Do not use a direct stream of water.

Specific Hazards Arising from the Product

Extremely flammable aerosol. contents under pressure.

sprayed product will project a flame on contact with an ignition source.

Do not use on vehicles unless cool.

containers may explode if heated.

Vapours are heavier than air. May travel a considerable distance to a source of ignition and flash back to a leak or open container.

Carbon oxides, and other unidentified organic compounds.

Special Protective Equipment and Precautions for Fire-fighters

Use extreme caution, fight fire from a safe distance or a protected location.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Evacuate the area immediately. Isolate the hazard area. Keep out unnecessary and unprotected personnel. Eliminate all ignition sources. Use grounded, explosion-proof equipment. Increase ventilation to area or move leaking container to a well-ventilated and secure area.

Environmental Precautions

If the spill is inside a building, prevent product from entering drains, ventilation systems and confined areas. Do not allow into any sewer, on the ground or into any waterway.

Methods and Materials for Containment and Cleaning Up

Contain and soak up spill with absorbent that does not react with spilled product. Contaminated absorbent poses the same hazard as the spilled product. Store recovered product in suitable containers that are: tightly-covered.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Eliminate heat and ignition sources such as sparks, open flames, hot surfaces and static discharge. Post "No Smoking" signs. Only use where there is adequate ventilation. It is good practice to: avoid breathing product; avoid skin and eye contact and wash hands after handling. Do not use on hot vehicles.

Containers of this material may contain hazardous residues when "emptied". Do not weld, cut or perform hot work on empty container until all traces of product have been removed.

Conditions for Safe Storage

Store at temperatures not exceeding: 40°C. Store in an area that is: well-ventilated, cool, dry. Empty containers may contain hazardous residue. Store separately. Keep closed. Follow all precautions given on this safety data sheet.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Chemical Name	ACGIH® TLV®		OSHA PEL	
	TWA	STEL [C]	TWA	Ceiling
Naphtha (petroleum), hydrotreated light	400 ppm	500 ppm	2000 mg/m3	Not established
Toluene	20 ppm A4	Not established	Not established	Not established
Acetone	500 ppm A4	750 ppm A4	1000 ppm	Not established
Carbon dioxide gas	5000 ppm	Not established	Not established	Not established

Appropriate Engineering Controls

Sufficient mechanical ventilation to maintain exposures below the TLV. Under normal conditions of use, general ventilation should be satisfactory. Local ventilation is recommended if the product is misted or used in a confined space or if the TLV is exceeded. Make up air should always be supplied to balance air exhausted. Provide safety shower in

Product Identifier: Premium Carb Cleaner - Ver. 1

SDS No.: 42608

Date of Preparation: April 27, 2016

Date of Last Revision: July 25, 2017

Page 03 of 08

work area, if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Safety glasses with side shields. Contact lenses should not be worn, they may contribute to the severity of the injury.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.
Suitable materials are: butyl rubber.

Respiratory Protection

Not normally required if product is used as directed. If the TLV is exceeded, a NIOSH -approved respirator is advised.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance	Clear colourless Aerosol.
Odour	vanilla
Odour Threshold	Not available
pH	Not applicable
Melting Point/Freezing Point	Not available (melting)
Initial Boiling Point/Range	Not available
Flash Point	4 °C (closed cup)
Evaporation Rate	Not available
Flammability (solid, gas)	Flammable aerosol
Upper/Lower Flammability or Explosive Limit	Not available (upper); Not available (lower)
Vapour Pressure	Not available
Vapour Density (air = 1)	> 1
Relative Density (water = 1)	0.76 at 15 °C
Solubility	Negligible in water
Partition Coefficient, n-Octanol/Water (Log Kow)	Not available
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Viscosity	< 14 centistokes at 40°C (kinematic)
Other Information	
VOC %	71
Flame projection	> 100 cm
NFPA classification	Aerosol, Level 3

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Hazardous polymerization will not occur.

Chemical Stability

Stable at ambient temperatures and pressures.

Possibility of Hazardous Reactions

None known.

Conditions to Avoid

Product Identifier: Premium Carb Cleaner - Ver. 1
Date of Preparation: April 27, 2016
Date of Last Revision: July 25, 2017

SDS No.: 42608

Page 04 of 08

Open flames, sparks, static discharge, heat and other ignition sources.

Incompatible Materials

Increased risk of fire and explosion on contact with: strong oxidizing agents (e.g. perchloric acid).

Hazardous Decomposition Products

Carbon oxides. And other unidentified organic compounds.

SECTION 11. TOXICOLOGICAL INFORMATION

Information presented below is for the entire product, unless otherwise specified.

Likely Routes of Exposure

Inhalation.

Skin contact.

Eye contact.

Ingestion.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Naphtha (petroleum), hydrotreated light	~ 25000 ppm (rat) (4-hour exposure)	> 15000 mg/kg (rat)	Not available
Toluene	7585 ppm (rat) (4-hour exposure)	5580 mg/kg (male rat)	12125 mg/kg (rabbit)
Acetone	30000 ppm (male rat) (4-hour exposure)	5800 mg/kg (female rat)	> 15800 mg/kg (rabbit)

6% of the mixture consists of an ingredient or ingredients of unknown acute toxicity (inhalation).

6% of the mixture consists of an ingredient or ingredients of unknown acute toxicity (oral).

48% of the mixture consists of an ingredient or ingredients of unknown acute toxicity (dermal).

Skin Corrosion/Irritation

Moderate to severe irritant.

Serious Eye Damage/Irritation

Moderate to severe irritant.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

High concentrations may cause respiratory irritation and central nervous system depression with results ranging from dizziness and headache to unconsciousness.

Skin Absorption

No information was located.

Ingestion

Ingestion of small amounts during normal handling is not likely to cause injury. If large amounts are swallowed can cause effects as described for inhalation. Symptoms may include nausea, vomiting, stomach cramps and diarrhea.

Aspiration Hazard

May cause lung damage if aspirated based on physical properties (e.g. kinematic viscosity) and chemical family (hydrocarbon).

STOT (Specific Target Organ Toxicity) - Repeated Exposure

No information was located.

Respiratory and/or Skin Sensitization

No information was located for respiratory sensitization.

No information was located for skin sensitization.

Carcinogenicity

Product Identifier: Premium Carb Cleaner - Ver. 1

Date of Preparation: April 27, 2016

Date of Last Revision: July 25, 2017

SDS No.: 42608

Page 05 of 08

Chemical Name	ACGIH®	IARC	NTP	OSHA
Naphtha (petroleum), hydrotreated light	Not Listed	Not evaluated	Not Listed	Not Listed
Toluene	A4	Group 3	Not Listed	Not Listed

Not known to cause cancer.

Reproductive Toxicity

Development of Offspring

Toluene is fetotoxic based on animal studies.

No information was located for: Sexual Function and Fertility, Effects on or via Lactation, Germ Cell Mutagenicity, Interactive Effects

SECTION 12. ECOLOGICAL INFORMATION

This section is not required by WHMIS.

This section is not required by OSHA HCS 2012.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Contents under pressure. The container for this product can present explosion or fire hazards, even when emptied. Do not cut, puncture, or weld on or near this container. Dispose of in accordance with municipal, provincial/state or federal regulations.

SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
Canadian TDG	UN1950	Aerosols	2.1	---
IATA (Air)	UN1950	Aerosols, flammable	2.1	---
IMDG (Marine)	UN1950	Aerosols	2.1	---

Special Precautions Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Emergency Response Guide No. 126 EmS F-D, S-U

Other Information ICAO/IATA PI Y203/203
Product may ship as LTD QTY if TDG, ICAO/IATA or IMDG Limited Quantity provisions are met.

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

CEPA - National Pollutant Release Inventory (NPRI)

(Toluene) Part 1A.

USA

Toxic Substances Control Act (TSCA) Section 8(b)

Product Identifier: Premium Carb Cleaner - Ver. 1
Date of Preparation: April 27, 2016
Date of Last Revision: July 25, 2017

SDS No.: 42608

Page 06 of 08

All ingredients are listed on the TSCA Inventory.

Additional USA Regulatory Lists

CERCLA. (Acetone)

SARA Title III - Section 302: Not applicable.

SARA Title III - Section 313: Not applicable.

California Proposition 65. (Toluene)

Massachusetts Right To Know: Not applicable.

New Jersey Right To Know. (Toluene). (Acetone). (Carbon dioxide gas)

Pennsylvania Right To Know. (Toluene). (Acetone). (Carbon dioxide gas)

SECTION 16. OTHER INFORMATION

NFPA Rating	Health - 1 Flammability - 4 Instability - 3
SDS Prepared By	Regulatory Compliance
Phone No.	800.201.9486
Date of Preparation	April 27, 2016
Date of Last Revision	July 25, 2017
Revision Indicators	The following SDS content was changed on July 25, 2017: SECTION 1. IDENTIFICATION; Other Identification.
Key to Abbreviations	ACGIH® = American Conference of Governmental Hygienists CANUTEC = Canadian Transport Emergency Centre CAS = Chemical Abstract Service CCOHS = Canadian Centre for Occupational Health & Safety CNS = Central nervous system GESTIS = GESTIS Substance Database HSDB® = Hazardous Substances Data Bank IARC = International Agency for Research on Cancer ICAO = International Civil Aviation Organization IMDG = International Maritime Dangerous Goods Code LC = Lethal concentration LC = Lethal dose NFPA = National Fire Protection Association NTP = National Toxicology Program OSHA = US Occupational Safety and Health Administration PPM = Parts per million RTECS® = Registry of Toxic Effects of Chemical Substances STEL = Short term exposure limit TDG = Transportation of Dangerous Goods Regulations (Canada) TWA = Time weighted average
References	Material safety data sheet from manufacturer. CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS). HSDB® database. US National Library of Medicine. Available from Canadian Centre for Occupational Health and Safety (CCOHS). Registry of Toxic Effects of Chemical Substances (RTECS®) database. Accelrys, Inc. Available from Canadian Centre for Occupational Health and Safety (CCOHS). ECHA - European Chemical Agency, Classification and Labelling Inventory GESTIS Substance Database OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2015.
Disclaimer	The information contained herein is offered only as a guide to the use and handling of this specific material and has been prepared in good faith. It is not intended to be all-inclusive, and

Product Identifier: Premium Carb Cleaner - Ver. 1

SDS No.: 42608

Date of Preparation: April 27, 2016

Date of Last Revision: July 25, 2017

Page 07 of 08

the manner and conditions of use and handling may involve other and additional considerations. No warranty of any kind is given or implied. Shrader Canada Limited will not be liable for any damages, losses, injuries or consequential damages which may result from the use of or reliance on any information contained herein.

Product Identifier: Premium Carb Cleaner - Ver. 1
Date of Preparation: April 27, 2016
Date of Last Revision: July 25, 2017

SDS No.: 42608

Page 08 of 08