According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.23.2018 Page 1 of 9

BOSS GLOSS

SECTION 1: Identification

Product identifier

Product name: BOSS GLOSS Product code: 49263



Recommended use of the product and restriction on use

Relevant identified uses: Paints and gloss.

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer: United States P.O.R. Products 38 Portman Road New Rochelle, NY 10801

Emergency telephone number:

United States ChemTel Inc. +1 800 255 3924

+1 813 248 0585

914-636-0700

SECTION 2: Hazard(s) identification

GHS classification:

Serious eye damage, category 1 Skin corrosion, category 1A

Label elements

Hazard pictograms:



Signal word: Danger

Hazard statements:

H318 Causes serious eye damage.

H314 Causes severe skin burns and eye damage.

Precautionary statements:

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash skin thoroughly after handling.

P310 Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see first aid instructions on this label).

P363 Wash contaminated clothing before reuse

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.23.2018 Page 2 of 9

BOSS GLOSS

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P405 Store locked up.

P501 Dispose of contents/container according to local regulations.

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 63148-62-9	Dimethyl siloxane	26-46
CAS number: 78330-21-9	Alcohols, C11-14-ISO-, C13-rich, ethoxylated	<3

Additional Information: None

SECTION 4: First aid measures

Description of first aid measures

General notes:

Not determined or not applicable.

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position

Maintain an unobstructed airway

Get medical advice/attention if you feel unwell

Take precautions to ensure your own safety

Remove source of exposure or move person to fresh air and keep comfortable for breathing

Immediately call a POISON CONTROL CENTER or seek medical attention

If breathing has stopped, trained personnel should begin rescue breathing

Avoid mouth-to-mouth contact by using a barrier device

If the heart has stopped, immediately start cardiopulmonary resuscitation (CPR)

After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

Avoid direct contact and wear chemical protective clothing, if necessary

Immediately take off all contaminated clothing

Gently blot or brush away excess product

Rinse skin with lukewarm, gently flowing water until medical aid is available

Immediately call a POISON CONTROL CENTER or seek medical attention

Wash contaminated clothing before re-use or discard

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

If symptoms develop or persist, seek medical attention

Avoid direct contact and wear chemical protective gloves, if necessary

Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open

Remove contact lenses, if present and easy to do so

Continue rinsing until medical aid is available

Immediately call a POISON CONTROL CENTER or seek medical attention

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.23.2018 Page 3 of 9

BOSS GLOSS

After swallowing:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists

Immediately call a POISON CONTROL CENTER or seek medical attention

Do not induce vomiting and rinse mouth

If vomiting occurs naturally, lie on your side, in the recovery position

If breathing has stopped, trained personnel should begin rescue breathing

Avoid mouth-to-mouth contact by using a barrier device

If the heart has stopped, immediately start cardiopulmonary resuscitation (CPR)

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Not determined or not applicable.

Delayed symptoms and effects:

Not determined or not applicable.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not applicable.

Notes for the doctor:

Not determined or not applicable.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

Unsuitable extinguishing media:

Not determined or not applicable.

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

Special precautions:

Not determined or not applicable.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

Ensure air handling systems are operational

Wear protective eye wear, gloves and clothing

Environmental precautions:

Should not be released into the environment

Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Absorb with non-combustible liquid-binding material (sand, diatomaceous earth (clay), acid binders, universal binders)

Dispose of contents / container in accordance with local regulations

Reference to other sections:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.23.2018 Page 4 of 9

BOSS GLOSS

Not determined or not applicable.

SECTION 7: Handling and storage

Precautions for safe handling:

Use only with adequate ventilation.

Avoid breathing mist or vapor.

Do not eat, drink, smoke or use personal products when handling chemical substances.

Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.

Protect from freezing and physical damage.

Store in a cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

No occupational exposure limits noted for the ingredient(s).

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

Biological monitoring may also be appropriate for some substances.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Milky Liquid
Odor	Very Mild
Odor threshold	Not determined or not available.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.23.2018 Page 5 of 9

BOSS GLOSS

рН	9.5 - 13.1
Melting point/freezing point	Approximately 0°C (32°F)
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	No Flash Point
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	23 hPa @ 20°C
Vapor density	Not determined or not available.
Density	1.03 g/mL
Relative density	Not determined or not available.
Solubilities	Miscible in water.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	1 mm2/s @ 20°C
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

VOC Content	11 g/L (Theoretical Method)
	5 . (

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None under normal conditions of use and storage.

Conditions to avoid:

None known.

Incompatible materials:

None known.

Hazardous decomposition products:

None known.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Skin corrosion/irritation

Assessment: Causes severe skin burns and eye damage

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.23.2018 Page 6 of 9

BOSS GLOSS

Product data: No data available.

Substance data: No data available.

Serious eye damage/irritation

Assessment: Causes serious eye damage

Product data:
No data available.
Substance data:

Name	Result
Alcohols, C11-14-ISO-, C13-rich, ethoxylated	Corrosive effect on the eyes.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC): None of the ingredients are listed.

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.23.2018 Page 7 of 9

BOSS GLOSS

Information on likely routes of exposure:

No data available.

Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

Other information:

No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Chronic (long-term) toxicity
Product data: No data available.
Substance data: No data available.

Persistence and degradability
Product data: No data available.
Substance data: No data available.

Bioaccumulative potential

Product data: No data available. **Substance data:** No data available.

Mobility in soil

Product data: No data available.
Substance data: No data available.
Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

SECTION 14: Transport information

United States Transportation of dangerous goods (49 CFR DOT)

UN number	1760
UN proper shipping name	Corrosive Liquids, N.O.S. (Alcohols, C11-14-ISO-, C13-rich, ethoxylated)
UN transport hazard class(es)	8 CORROSIVE
Packing group	III
Environmental hazards	None
Special precautions for user	None
Passenger air/rail	5L
Cargo aircraft only	60L
Stowage category	A

International Maritime Dangerous Goods (IMDG)

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.23.2018 Page 8 of 9

BOSS GLOSS

UN number	1760
UN proper shipping name	Corrosive Liquids, N.O.S. (Alcohols, C11-14-ISO-, C13-rich, ethoxylated)
UN transport hazard class(es)	8 CORROSVY
Packing group	III
Environmental hazards	None
Special precautions for user	None
EmS number	F-A, S-B
Stowage category	A
Excepted quantities	E1
Limited quantity	5L

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	1760
UN proper shipping name	Corrosive Liquids, N.O.S. (Alcohols, C11-14-ISO-, C13-rich, ethoxylated)
UN transport hazard class(es)	8
Packing group	III
Environmental hazards	None
Special precautions for user	None
ERG code	8L
Excepted quantities	E1
Passenger and cargo	5L
Cargo aircraft only	60L
Limited quantity	1L

SECTION 15: Regulatory information

United States regulations

Inventory listing (TSCA):

63148-62-9	Dimethyl siloxane	Listed
78330-21-9	Alcohols, C11-14-ISO-, C13-rich, ethoxylated	Listed

Significant New Use Rule (TSCA Section 5): Not determined.

Export notification under TSCA Section 12(b): Not determined.

SARA Section 302 extremely hazardous substances: Not determined.

SARA Section 313 toxic chemicals:

63148-62-9	Dimethyl siloxane	Not Listed
78330-21-9	Alcohols, C11-14-ISO-, C13-rich, ethoxylated	Not Listed

CERCLA: Not determined. **RCRA:** Not determined.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.23.2018 Page 9 of 9

BOSS GLOSS

Section 112(r) of the Clean Air Act (CAA): Not determined.

Massachusetts Right to Know:

63148-62-9	Not Listed
78330-21-9	Not Listed

New Jersey Right to Know:

63148-62-9	- ···· - ·· - · · · · · · · · · · · · ·	Not Listed
78330-21-9	[,,,,,,,	Not Listed

New York Right to Know:

63148-62-9	Dimethyl siloxane	Not Listed
78330-21-9	Alcohols, C11-14-ISO-, C13-rich, ethoxylated	Not Listed

Pennsylvania Right to Know:

63148-62-9	Dimethyl siloxane	Not Listed
78330-21-9	Alcohols, C11-14-ISO-, C13-rich, ethoxylated	Not Listed

California Proposition 65: None of the ingredients are listed.

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 3-0-0 **HMIS:** 3-0-0

Initial preparation date: 04.23.2018

End of Safety Data Sheet