

**SECTION 1 - MATERIAL IDENTIFICATION AND USE**

MATERIAL NAME/IDENTIFIER <b>TIRE DRESSING</b>		CONTROL NUMBER <b>CN33673</b>									
PART NUMBER(S) <b>10953194 10953201</b>		<table border="1"> <tr> <td>FIRE</td> <td>:NONE</td> </tr> <tr> <td>CORROSIVE</td> <td>:NONE</td> </tr> <tr> <td>CONTACT</td> <td>:NONE</td> </tr> <tr> <td>HEALTH HAZARD</td> <td>:NONE</td> </tr> </table>		FIRE	:NONE	CORROSIVE	:NONE	CONTACT	:NONE	HEALTH HAZARD	:NONE
FIRE	:NONE										
CORROSIVE	:NONE										
CONTACT	:NONE										
HEALTH HAZARD	:NONE										
MANUFACTURER NAME <b>DOMINION SURE SEAL LTD</b>		SUPPLIER'S NAME <b>GENERAL MOTORS OF CANAD</b>									
STREET ADDRESS <b>6175 DANVILLE RD</b>		STREET ADDRESS <b>1908 COLONEL SAM DRIVE</b>									
CITY <b>MISSISSAUGA</b>	PROVINCE/STATE COUNTRY <b>ONTARIO CANADA</b>	CITY <b>OSHAWA</b>	PROVINCE/STATE COUNTRY <b>ONTARIO CANADA</b>								
POSTAL CODE <b>L5T 2H7</b>	EMERGENCY TELEPHONE NO. <b>905/670-5411</b>	POSTAL CODE <b>L1H 8P7</b>	EMERGENCY TELEPHONE NO. <b>905-644-7091</b>								
PRODUCT DESCRIPTION <b>TIRE DRESSING</b>											
CHEMICAL NAME <b>NOT AVAILABLE</b>		TRADE NAME AND SYNONYMS <b>NOT AVAILABLE</b>									
CHEMICAL FAMILY <b>NOT AVAILABLE</b>		CHEMICAL FORMULA <b>NOT AVAILABLE</b>	MOLECULAR WEIGHT <b>NOT AVAILABLE</b>								
MATERIAL USE <b>NOT AVAILABLE</b>											
TDG SHIPPING NAME <b>NOT REGULATED</b>		U.N. NUMBER <b>NOT REGUL</b>	CLASS/DIVISION <b></b>								
WHMIS CONTROLLED PRODUCT <b>SUPPLIER STATES NO</b>	WHMIS CLASS <b>CONSUMER PRODUCT</b>										
WHMIS DIVISION <b></b>		WHMIS SUBDIVISION <b></b>									

**SECTION 2 - CHEMICAL COMPOSITION INCLUDING HAZARDOUS INGREDIENTS**

INGREDIENTS	% OR RANGE	UN, NA OR CAS NUMBER	8HR TWA EV PPM MG/M3	15MIN STEL PPM MG/M3	CEILING PPM MG/M3
GLYCEROL (GLYCERIN)	40-70	56-81-5	10	-	50
COCOAMIDES	1-5	61789-19-3			

**SECTION 3 - PHYSICAL DATA**

BOILING POINT <b>110°C</b>	FREEZING POINT <b>-10°C</b>	SPECIFIC GRAVITY <b>1.04 - 1.07</b>	
VAPOUR PRESSURE <b>7.0 MM HG @100°F</b>	VAPOUR DENSITY <b>5.2 @20°C</b>	DENSITY <b>NOT AVAILABLE</b>	
SOLUBILITY IN WATER <b>NOT AVAILABLE</b>	% VOLATILE (BY VOLUME) <b>NOT AVAILABLE</b>	EVAPORATION RATE <b>NOT AVAILABLE</b>	
pH <b>10</b>	PHYSICAL STATE <b>LIQUID</b>	COEFF. WATER/OIL DIST. <b>NOT AVAILABLE</b>	ODOUR THRESHOLD <b>NOT AVAILABLE</b>
ODOUR AND APPEARANCE <b>PINK LIQUID, ODOURLESS</b>			

**SECTION 4 - FIRE AND EXPLOSION DATA**

FLASHPOINT AND METHOD <b>NOT APPLICABLE</b>	LOWER EXPLOSION LIMIT <b>NOT APPLICABLE</b>	UPPER EXPLOSION LIMIT <b>NOT APPLICABLE</b>
AUTO IGNITION TEMPERATURE <b>NOT APPLICABLE</b>	SENSITIVITY TO IMPACT <b>NOT AVAILABLE</b>	SENSITIVITY TO STATIC DISCHARGE <b>NOT AVAILABLE</b>
FLAMMABILITY These materials are noncombustible and offer no unusual fire or explosion hazards.		
MEANS OF EXTINCTION Use extinguishing media appropriate to the surrounding fire conditions.		
SPECIAL PROCEDURES Firefighters must use self-contained breathing apparatus and full protective clothing.		

MATERIAL NAME/IDENTIFIER  
TIRE DRESSING

CONTROL NUMBER  
CN33673

HAZARDOUS COMBUSTION PRODUCTS

### SECTION 5 - REACTIVITY DATA

CHEMICAL STABILITY

This is a stable material.

INCOMPATIBILITY AND REACTIVITY

HAZARDOUS DECOMPOSITION PRODUCTS

OXIDES OF CARBON AND HYDROGEN GAS

### SECTION 6 - TOXICOLOGICAL PROPERTIES

BIOLOGICAL EFFECTS

These materials present a low degree of health hazard if good work practices are observed.  
The principal health hazard of these materials is the ingestion of large quantities.

LD50 OF MATERIAL

NOT AVAILABLE

LC50 OF MATERIAL

NOT AVAILABLE

IRRITANCY OF MATERIAL

DEFATS SKIN, IRRITATE THE EYES

SENSITIZING CAPACITY OF MATERIAL

NOT APPLICABLE

SYNERGISTIC MATERIALS

NOT APPLICABLE

CARCINOGENICITY OF MATERIAL

Does not contain any ingredient(s) that are designated carcinogens according to WHMIS criteria.

REPRODUCTIVE EFFECTS OF MATERIAL

NOT APPLICABLE

TERATOGENICITY

NOT APPLICABLE

MUTAGENICITY

NOT APPLICABLE

### SECTION 7

EFFECTS OF ACUTE EXPOSURE TO MATERIAL

FIRST AID MEASURES

ROUTE OF EXPOSURE: INHALATION

Respiratory irritation not expected.

FIRST AID

NOT APPLICABLE

ROUTE OF EXPOSURE: SKIN

No effects are expected.

Wash exposed area with soap and warm water.

ROUTE OF EXPOSURE: EYES

Dusts or mists may cause eye irritation.

IMMEDIATELY flush eyes with copious quantities of water while holding eyelids open with the thumb and forefinger. If irritation persists, seek medical attention.

ROUTE OF EXPOSURE: INGESTION

No effects are expected.

NOT APPLICABLE

### SECTION 8 - PREVENTIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT  
GLOVES

RESPIRATORY PROTECTION

EYE PROTECTION

FOOTWEAR

MATERIAL NAME/IDENTIFIER

CONTROL NUMBER

TIRE DRESSING

CN33673

CLOTHING

OTHER

ENGINEERING CONTROLS

LEAK AND SPILL PROCEDURE: SMALL SPILLS

Contain spill.

FOR LIQUIDS

Absorb spill with an inert absorbent such as clay or "speedi dri".  
Shovel or vacuum up and place in an appropriate, closed labelled container.

FOR POWDERS OR SOLIDS

Shovel or vacuum up and place in an appropriate, closed labelled container.  
Avoid inhalation of dusts.

LEAK AND SPILL PROCEDURE: LARGE SPILLS

For large spills inform safety personnel and Environmental Engineering  
Department.

Follow the procedure for SMALL SPILLS.

Avoid inhalation of dusts.

If requested, a NIOSH approved respirator (TC-21C) such as a 3M 8210 or 8212  
can be used.

WASTE DISPOSAL

Dispose of in accordance with Local, Provincial or Federal regulations as  
applicable.

HANDLING PROCEDURES AND EQUIPMENT

Avoid breathing dusts or mists of these materials.

No special handling instructions required except those in accordance with  
good housekeeping.Maintain good housekeeping in work and storage areas. Avoid accumulations of  
deposits of dusts.

STORAGE REQUIREMENTS

Stable material, store at convenience.

Protect containers from physical damage.

Store only in labelled containers.

COMMENTS

## SECTION 9 - PREPARATION INFORMATION

PREPARED BY:

GENERAL MOTORS OF CANADA INDUSTRIAL HYGIENE

PHONE NUMBER

(905) 644-6013

DATE

08-21-06