

# SAFETY DATA SHEET

### **AL-AIR-ARC**

### Section 1. Identification

: AL-AIR-ARC **Product identifier** 

Other means of identification

**Product name** Classification Classification CSA **AWS** Blueshield

Gouging Carbon

: Solid. **Product type** 

Relevant identified uses of the substance or mixture and uses advised against

**Product use** : Covered electrodes for electric arc welding.

Electrodes for metal removal.

: Industrial applications, Professional applications. Area of application

Supplier/Manufacturer Air Liquide Canada Inc.

1250, René-Lévesque West, Suite 1700

Montreal, QC H3B 5E6 www.airliquide.ca 1-800-817-7697

**Emergency telephone number** : (514) 878-1667

### Section 2. Hazard identification

Classification of the substance or

mixture

H351 **CARCINOGENICITY - Category 2** 

SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) (lungs) - Category 1 H372

### **GHS** label elements

These hazards relate to welding fumes (electrodes in use) and not to the electrodes as sold.

**Hazard pictograms** 



Signal word Danger

**Hazard statements** H351 - Suspected of causing cancer.

H372 - Causes damage to organs through prolonged or repeated exposure. (lungs)

**Precautionary statements** 

**Prevention** P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P280 - Wear protective gloves. Wear eye or face protection: Recommended: Face shield with radiation

shielding.. Wear protective clothing: Recommended: Full suit. Fire resistant..

P260 - Do not breathe dust.

P270 - Do not eat, drink or smoke when using this product.

P264 - Wash hands thoroughly after handling. P314 - Get medical attention if you feel unwell.

Response P308 + P313 - IF exposed or concerned: Get medical attention.

**Storage** P405 - Store locked up

**Disposal** P501 - Dispose of contents and container in accordance with all local, regional, national and international

regulations.

Supplemental label elements Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 100%

Other hazards which do not result

in classification

ELECTRIC SHOCK can kill. FUMES AND GASES can be dangerous to your health. ARC RAYS can injure eyes and burn skin.

Date of issue/Date of revision : 16/08/2016 1/9 Date of previous issue : No previous validation Version



# Section 3. Composition/information on ingredients

Substance/mixture : Mixture

CAS number/other identifiers

CAS number : Not applicable
Product code : AL-AIR-ARC

Ingredient name	% (w/w)	CAS number
carbon	20 - 90	7440-44-0
Natural graphite	20 - 90	7782-42-5
copper	10 - 30	7440-50-8

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

The fumes emitted by the electrodes, in use, are hazardous. This SDS is written for workers using these electrodes.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First-aid measures

### **Description of necessary first aid measures**

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact

: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

2/9

### Most important symptoms/effects, acute and delayed

### Potential acute health effects

Eye contact : No known significant effects or critical hazards.

Inhalation : No known significant effects or critical hazards.

Skin contact : No known significant effects or critical hazards.

Ingestion : No known significant effects or critical hazards.

### Over-exposure signs/symptoms

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been

ingested or inhaled.

**Specific treatments** : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to

the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Date of issue/Date of revision : 16/08/2016 Date of previous issue : No previous validation Version :



### Section 5. Fire-fighting measures

### **Extinguishing media**

Suitable extinguishing media Unsuitable extinguishing media

Specific hazards arising from the chemical

Hazardous thermal decomposition products

Special protective actions for fire-fighters

Special protective equipment for fire-fighters

: Use an extinguishing agent suitable for the surrounding fire.

: Do not use water jet.

Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide metal oxide/oxides

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

 Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** 

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

#### Methods and materials for containment and cleaning up

Small spill

: Move containers from spill area. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.

Large spill

: Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

#### Precautions for safe handling

**Protective measures** 

Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

: Store between the following temperatures: 15 to 30°C (59 to 86°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Date of issue/Date of revision

: 16/08/2016

Date of previous issue

IR LIQUIDE

: No previous validation

Version :

3/9

### Section 8. Exposure controls/personal protection

#### **Control parameters**

#### Occupational exposure limits

Occupational exposure limits		TWA (8 hours)		STEL (15 mins)		Ceiling					
Ingredient	List name	ppm	mg/m³	Other	ppm	mg/m³	Other	ppm	mg/m³	Other	Notations
carbon	QC 1/2014	-	2	-	-	-	_	-	_	_	[a]
Natural graphite	US ACGIH 3/2015	-	2	-	-	-	-	-	-	-	[b] [c] [d]
	AB 4/2009	-	2	-	-	-	-	-	-	-	[c]
	BC 5/2015	-	2	-	-	-	-	-	-	-	[d]
	ON 7/2015	-	2	-	-	-	-	-	-	-	[e] [a] [f]
	QC 1/2014	-	2	-	-	-	-	-	-	-	[a]
	SK 7/2013	-	2	-	-	4	-	-	-	-	[f]
copper, as Cu	US ACGIH 3/2015	-	1	-	-	-	-	-	-	-	[g] [h] [i]
	US ACGIH 3/2015	-	0.2	-	-	-	-	-	-	-	[h]
	AB 4/2009	-	1	-	-	-	-	-	-	-	[i]
		-	0.2	-	-	-	-	-	-	-	[h]
	BC 5/2015	-	1	-	-	-	-	-	-	-	[h] [j]
		-	0.2	-	-	-	-	-	-	-	[h] [h] [k]
copper	ON 7/2015	-	0.2	-	-	-	-	-	-	-	[h]
	ON 7/2015	-	1	-	-	-	-	-	-	-	[k]
copper, as Cu	QC 1/2014	-	1	-	-	-	-	-	-	-	[1]
	QC 1/2014	-	0.2	-	-	-	-	-	-	-	[m]
copper, measured as Cu	SK 7/2013	-	0.2	-	-	0.6	-	-	-	-	[h]
	SK 7/2013	-	1	-	-	3	-	-	-	-	[n]

Form: [a]Respirable dust. [b]Respirable fraction [c]Respirable (all forms except graphite fibres) [d]Respirable [e]Respirable fraction. [f]respirable fraction [g]Dust and mist [h]Fume [i]Dusts and Mists [j]Dusts and mists [k]dust and mists [l]dusts & mists [m]fume [n]dust and mist

### Appropriate engineering controls

If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

### **Environmental exposure controls**

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels

### **Individual protection measures**

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

### Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Recommended: Face shield with radiation shielding.

#### Skin protection

**Hand protection** 

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

### **Body protection**

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Full suit. Fire resistant.

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Metal cap, safety boots.

### **Respiratory protection**

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended: Dust respirator.

Date of issue/Date of revision

: 16/08/2016

Date of previous issue

IR LIQUIDE

: No previous validation

Version

4/9

www.airliquide.ca

# Section 9. Physical and chemical properties

**Appearance** 

Physical state : Solid.

Color : Black.

Odor : Odorless.

Odor threshold : Not available.

pH : Not available.

Melting point : 1082.85°C (1981.1°F) This is based on data for the following ingredient: Copper

Boiling point: Not available.Flash point: Not available.Evaporation rate: Not available.

Flammability (solid, gas) : Emits toxic fumes when heated.

Lower and upper explosive

(flammable) limits

: Not available.

Vapor pressure : Not available.
Vapor density : Not available.

Relative density : Weighted average: 2.05 [Water = 1]

**Solubility** : Insoluble in the following materials: cold water and hot water.

Partition coefficient: n-octanol/

water

Not available.

Auto-ignition temperature: Not available.Decomposition temperature: Not available.Viscosity: Not available.

### Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : The product is stable.

**Possibility of hazardous reactions**: Under normal conditions of storage and use, hazardous reactions will not occur.

Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to avoid : No specific data.

Incompatible materials : No specific data.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Arc radiation can support the production of ozone and nitrogen oxides.

# Section 11. Toxicological information

#### Information on toxicological effects

**Acute toxicity** 

Conclusion/Summary : Not available.

Irritation/Corrosion
Conclusion/Summary

Skin: Not available.Eyes: Not available.Respiratory: Not available.

**Sensitization** 

**Conclusion/Summary** 

Skin : Not available.

Respiratory : Not available.

**Mutagenicity** 

Conclusion/Summary : Not available.

Date of issue/Date of revision : 16/08/2016 Date of previous issue : No previous validation Version : 1 5/9



# Section 11. Toxicological information

#### <u>Carcinogenicity</u>

Classification

Not applicable.

### **Reproductive toxicity**

**Conclusion/Summary**: Not available.

**Teratogenicity** 

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
Natural graphite	Category 1	Inhalation	lungs

#### **Aspiration hazard**

Not available.

Information on the likely routes of

exposure

: Routes of entry anticipated: Oral, Dermal, Inhalation.

### Potential acute health effects

Eye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

### **Short term exposure**

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Conclusion/Summary : Not available.

General : Causes damage to organs through prolonged or repeated exposure.

Carcinogenicity : Suspected of causing cancer. Risk of cancer depends on duration and level of exposure.

Mutagenicity: No known significant effects or critical hazards.Teratogenicity: No known significant effects or critical hazards.Developmental effects: No known significant effects or critical hazards.Fertility effects: No known significant effects or critical hazards.

### **Numerical measures of toxicity**

**Acute toxicity estimates** 

Date of issue/Date of revision : 16/08/2016 Date of previous issue : No previous validation Version : 1 6/9



# Section 11. Toxicological information

Not available

# **Section 12. Ecological information**

**Toxicity** 

Conclusion/Summary : Not available.

Persistence and degradability

Conclusion/Summary : Not available.

**Bioaccumulative potential** 

Not available.

**Mobility in soil** 

Soil/water partition coefficient (K

: Not available.

oc)

Other adverse effects : No known significant effects or critical hazards.

### Section 13. Disposal considerations

**Disposal methods** 

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# **Section 14. Transport information**

	TDG Classification	DOT Classification	ADR/RID	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.
Additional information	-	-	-	-	-

Special precautions for user

**Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL and the IBC Code : Not available.

AIR LIQUIDE

# Section 15. Regulatory information

#### **Canadian lists**

**Canadian NPRI** : The following components are listed: Copper (and its compounds)

**CEPA Toxic substances** : None of the components are listed. Canada inventory : All components are listed or exempted.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

**Stockholm Convention on Persistent Organic Pollutants** 

Rotterdam Convention on Prior Informed Consent (PIC)

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

### Section 16. Other information

: 16/08/2016 Date of issue/Date of revision

Date of previous issue : No previous validation

**Version** Prepared by : IHS

Key to abbreviations : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the

Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

HPR = Hazardous Products Regulations

ACGIH=American Conference of Governmental Industrial Hygiene.

ACGIH-A1-Confirmed Human Carcinogen. ACGIH-A2-Suspected Human Carcinogen.

ACGIH-A3-Animal Carcinogen.

ACGIH-A4-Not Classifiable as a Human Carcinogen. ACGIH-A5-Not suspected as a Human Carcinogen. IARC=International Agency for Research on Cancer

IARC 1: Proven.

IARC 2A: Probable for human. IARC 2B: Possible for human. IARC 3: Not classifiable for human.

EU= European Union

Carc. 1A: May cause cancer (Known) Carc. 1B: May cause cancer (Presumed) Carc. 2: Suspected of causing cancer

NTP=National Toxicology program.

### Procedure used to derive the classification

Classification	Justification
	Calculation method Calculation method
(lungs) - Category 1	

: HPR = Hazardous Products Regulations

Indicates information that has changed from previously issued version.

Date of issue/Date of revision 8/9 : 16/08/2016 Date of previous issue : No previous validation Version



# Section 16. Other information

#### Notice to reader

THE INFORMATION, RECOMMENDATIONS AND DATA CONTAINED IN THIS DOCUMENT ARE INTENDED TO BE USED BY PROPERLY TRAINED AND QUALIFIED PERSONNEL ONLY AND AT THEIR SOLE RISKS AND DISCRETION. THE INFORMATION, RECOMMENDATIONS AND DATA HEREIN CONTAINED ARE DERIVED FROMSOURCES WHICH WE BELIEVE TO BE RELIABLE. HOWEVER, AIR LIQUIDE CANADA INC. MAKES NO REPRESENTATION AND GIVES NO WARRANTY OF ANY KIND WHATSOEVER WITH RESPECT TO THEIR ACCURACY OR COMPLETENESS AND ASSUMES NO LIABILITY FOR DAMAGES OR LOSS ARISING DIRECTLY OR INDIRECTLY FROM THEIR USE, WHETHER PROPER OR IMPROPER.

Notes

BLUESHIELD™: Trademark of L'Air Liquide Canada Inc.

