# Pasta

# MATERIAL SAFETY DATA SHEET

# 1. Product and Company Identification

Product identifier Fast Wax - VOC Compliant

Version # 04

 Issue date
 10-19-2014

 Revision date
 11-02-2015

 Supersedes date
 07-20-2015

 CAS #
 Mixture

 Product Code
 1341

Product use Vehicle Wax

Manufacturer information Presta Products
361 Fairview Ave

Barberton, OH 44203

**United States** 

msdsinfo@malcopro.com www.prestaproducts.com

 Phone
 800-253-2526

 Fax
 330-777-8317

 Phone
 1-800-424-9300

Supplier Not available.

## 2. Hazards Identification

Emergency overview WARNING

Combustible liquid.

#### Potential health effects

Routes of exposure Not available.

Eyes Health injuries are not known or expected under normal use.

Skin Health injuries are not known or expected under normal use.

Inhalation Health injuries are not known or expected under normal use.

Ingestion Health injuries are not known or expected under normal use.

Potential environmental effects May cause long-term adverse effects in the environment.

## 3. Composition / Information on Ingredients

Components	CAS#	Percent	
Solvent Naphtha (Petroleum), Medium Aliph.	64742-88-7	10 - 30	
Other components below reportable levels		60 - 100	

#### 4. First Aid Measures

First aid procedures

**Inhalation** If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if symptoms develop or persist.

**Skin contact** Rinse skin with water/shower. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.

General advice If you feel unwell, seek medical advice (show the label where possible). Show this safety data

sheet to the doctor in attendance.

## 5. Fire Fighting Measures

**Flammable properties** Combustible by WHMIS criteria. Heat may cause the containers to explode.

Material name: Fast Wax - VOC Compliant

MSDS CANADA

Extinguishing media

Suitable extinguishing

media

Powder. Alcohol resistant foam. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

**Protection of firefighters** 

Protective equipment for

firefighters

Firefighters should wear full protective clothing including self contained breathing apparatus.

Fire fighting

equipment/instructions

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also consider initial evacuation for 800 meters (1/2 mile) in all directions. ALWAYS stay away from tanks engulfed in flame. Move containers from fire area if you can do so without risk. In the event of fire, cool tanks with water spray. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. Some of these materials, if spilled, may evaporate leaving a flammable residue.

**Explosion data** 

Sensitivity to static

discharge

Not available.

Sensitivity to mechanical

impact

Not available.

Hazardous combustion

products

Not available.

#### 6. Accidental Release Measures

Personal precautions

Consider initial downwind evacuation for at least 500 meters (1/3 mile). Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. For personal protection, see section 8 of the MSDS.

**Environmental precautions Methods for containment** 

Prevent further leakage or spillage if safe to do so. Do not contaminate water.

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Prevent entry into waterways, sewer, basements or confined areas.

Methods for cleaning up

Extinguish all flames in the vicinity. Should not be released into the environment.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Clean up in accordance with all applicable regulations. For waste disposal, see section 13 of the MSDS.

Other information

Clean up in accordance with all applicable regulations.

#### 7. Handling and Storage

Handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. All equipment used when handling the product must be grounded. Avoid release to the environment.

Storage

Do not handle or store near an open flame, heat or other sources of ignition. Keep at temperature not exceeding 49 °C. This material can accumulate static charge which may cause spark and become an ignition source. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a closed container away from incompatible materials. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the MSDS).

#### 8. Exposure Controls / Personal Protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Material name: Fast Wax - VOC Compliant

1341 Version #: 04 Revision date: 11-02-2015 Issue date: 10-19-2014

**Engineering controls** General ventilation normally adequate.

Personal protective equipment

Not normally needed. Eye/face protection

Wear suitable protective clothing. Skin protection

No personal respiratory protective equipment normally required. Respiratory protection

Hand protection Not normally needed.

# 9. Physical & Chemical Properties

Milky. **Appearance Physical state** Liquid. **Form** Liquid. White. Color Odor Fruity.

**Odor threshold** Not available. Ηq Not available.

0.00001 hPa estimated Vapor pressure

Vapor density Not available. Not available. **Boiling point** Not available. Melting point/Freezing point

0 % Solubility (water)

Specific gravity Not available. Not available. Relative density 180.0 °F (82.2 °C) Flash point

Flammability limits in air,

upper, % by volume

Not available.

Flammability limits in air,

lower, % by volume

Not available.

**Auto-ignition temperature** Not available. VOC 15 % By Weight **Evaporation rate** Not available. 60.97 % estimated Percent volatile **Partition coefficient** 

(n-octanol/water)

Not available.

Other data

8.05 lbs/gal **Density** 

## 10. Chemical Stability & Reactivity Information

Material is stable under normal conditions. **Chemical stability** 

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Not available. Incompatible materials Not available. Hazardous decomposition

products

Possibility of hazardous

Hazardous polymerization does not occur.

reactions

#### 11. Toxicological Information

No data available. Toxicological data

**Acute effects** Not available. Not available. Sensitization

Not expected to be hazardous by WHMIS criteria. **Chronic effects** 

Not available. Carcinogenicity Not available. Skin corrosion/irritation

Material name: Fast Wax - VOC Compliant 1341 Version #: 04 Revision date: 11-02-2015 Issue date: 10-19-2014 Serious eye damage/irritationNot available.MutagenicityNot available.Reproductive effectsNot available.TeratogenicityNot available.Synergistic materialsNot available.

## 12. Ecological Information

**Ecotoxicological data** No ecotoxicity data noted for the ingredient(s).

**Ecotoxicity** Contains a substance which causes risk of hazardous effects to the environment.

Environmental effects An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Aquatic toxicity Not available.

Persistence and degradability Not available.

## 13. Disposal Considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Dispose in accordance with all applicable

regulations.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

#### 14. Transport Information

#### **TDG**

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

#### 15. Regulatory Information

Canadian regulations This product has been classified in accordance with the hazard criteria of the CPR and the MSDS

contains all the information required by the CPR.

WHMIS status Controlled

WHMIS classification B3 - Combustible Liquids

WHMIS labeling



#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

Country(s) or region Inventory name On inventory (yes/no)\*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### 16. Other Information

NFPA ratings Health: 1

Flammability: 2 Instability: 0

**Disclaimer** Presta Products cannot anticipate all conditions under which this information and its product, or

the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless

specified in the text.

Prepared by Not available.

**Revision Information** Physical & Chemical Properties: Multiple Properties

**GHS: Classification** 

Material name: Fast Wax - VOC Compliant

MSDS CANADA