Fresia

SAFETY DATA SHEET

1. Identification

Product identifier Ultra Cutting Creme Light

Other means of identification

Product Code 1334

Recommended use Compound, Polishing Creme

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Presta Products
Address 361 Fairview Ave

Barberton, OH 44203

United States

Telephone Phone 800-253-2526

Fax 330-777-8317

Website www.prestaproducts.com
E-mail msdsinfo@malcopro.com
Contact person Technical Department

Emergency phone number Phone 1-800-424-9300

Supplier Not available.

2. Hazard(s) identification

Physical hazardsFlammable liquidsCategory 4Health hazardsAcute toxicity, oralCategory 5Acute toxicity, inhalationCategory 5Serious eye damage/eye irritationCategory 2A

Specific target organ toxicity, repeated Category 2

exposure

Environmental hazards Not classified.

Label elements





Signal word Warning

Hazard statement Combustible liquid. May be harmful if swallowed. May be harmful if inhaled. Causes serious eye

irritation. Causes damage to organs through prolonged or repeated exposure.

Precautionary statement

Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep away from flames and hot surfaces-No smoking. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective

gloves/protective clothing/eye protection/face protection.

Response IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower. IF INHALED: Call a POISON CENTER/doctor if you feel unwell. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER/doctor if you feel unwell. If eye irritation persists: Get medical

advice/attention. In case of fire: Use appropriate media to extinguish.

Storage Store in a well-ventilated place. Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Material name: Ultra Cutting Creme Light

1334 Version #: 09 Revision date: 04-17-2018 Issue date: 04-21-2017

50.09% of the mixture consists of component(s) of unknown acute dermal toxicity. 33.2% of the mixture consists of component(s) of unknown acute inhalation toxicity. 41.09% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 44.09% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Solvent Naphtha (Petroleum), Medium Aliph.		64742-88-7	11
KEROSENE		8008-20-6	6
Distillates (Petroleum), Hydrotreated Light		64742-47-8	3
Other components below reportable I	evels		79.992

DSD: Directive 67/548/EEC.

CLP: Regulation No. 1272/2008.

#: This substance has been assigned Community workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. *Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Composition comments

The full text for all R- and H-phrases is displayed in section 16.

4. First-aid measures

Inhalation

Move to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician if symptoms develop or persist.

Skin contact

Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth thoroughly. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.

Most important symptoms/effects, acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Keep victim under observation. Keep victim warm.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

media
Specific hazards arising from the chemical

The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also consider initial evacuation for 800 meters (1/2 mile) in all directions. ALWAYS stay away from tanks engulfed in flame. Move containers from fire area if you can do so without risk. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Use water spray to reduce vapors or divert vapor cloud drift. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. All equipment used when handling the product must be grounded. Do not breathe mist or vapor. Do not taste or swallow. Avoid contact with eyes. Avoid contact with skin. Avoid prolonged exposure. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep away from heat and sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Use care in handling/storage. Store away from incompatible materials (see Section 10 of the SDS).

Value

Form

8. Exposure controls/personal protection

Occupational exposure limits

Components

п	S	ΔC:	GIH	Thre	sho	ld I	imit	Values	
u	J. 1	٦٠	υп	11111	;511U	IU L	-11111	values	

Components	.) 60	7 440			
KEROSENE (CAS 8008-20-6)	TWA	200 mg/m3	Non-aerosol.	rosol.	
Canada. Alberta OELs (Occup Components	ational Health & Safety Code, Scl Type	nedule 1, Table 2) Value	Form		
KEROSENE (CAS 8008-20-6)	TWA	200 mg/m3	Vapor.		

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Tyne

Components	Туре	Value	Form
Distillates (Petroleum), Hydrotreated Light (CAS 64742-47-8)	TWA	200 mg/m3	Non-aerosol.
KEROSENÉ (CAS 8008-20-6)	TWA	200 mg/m3	Non-aerosol.
Canada. Manitoba OELs (Reg. 2	17/2006, The Workplace Safety	And Health Act)	
Components	Туре	Value	Form
KEROSENE (CAS 8008-20-6)	TWA	200 mg/m3	Non-aerosol.

Material name: Ultra Cutting Creme Light

SDS CANADA

1334 Version #: 09 Revision date: 04-17-2018 Issue date: 04-21-2017

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Form Components Value Type KEROSENE (CAS TWA 200 mg/m3 Non-aerosol.

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Exposure guidelines

8008-20-6)

Canada - Alberta OELs: Skin designation

KEROSENE (CAS 8008-20-6) Can be absorbed through the skin.

Canada - British Columbia OELs: Skin designation

Distillates (Petroleum), Hydrotreated Light (CAS Can be absorbed through the skin.

64742-47-8)

KEROSENE (CAS 8008-20-6) Can be absorbed through the skin.

Canada - Manitoba OELs: Skin designation

KEROSENE (CAS 8008-20-6) Can be absorbed through the skin.

Canada - Ontario OELs: Skin designation

KEROSENE (CAS 8008-20-6) Can be absorbed through the skin.

Canada - Saskatchewan OELs: Skin designation

KEROSENE (CAS 8008-20-6) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

KEROSENE (CAS 8008-20-6) Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Ensure adequate ventilation, especially in confined areas. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Wear appropriate chemical resistant gloves. Hand protection

Wear suitable protective clothing. Use of an impervious apron is recommended. Wear protective Other

gloves.

Chemical respirator with organic vapor cartridge and full facepiece. Respiratory protection

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

General hygiene

When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or considerations

smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Liquid. **Physical state**

Form Liquid. Viscous. Cream.

White. Color Kerosene. Odor Not available. **Odor threshold**

8.8 pН

32 °F (0 °C) estimated Melting point/freezing point

Initial boiling point and boiling 2475.71 °F (1357.62 °C) estimated

range

Flash point 145.0 °F (62.8 °C) **Evaporation rate** Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Material name: Ultra Cutting Creme Light

1334 Version #: 09 Revision date: 04-17-2018 Issue date: 04-21-2017

0.7 % estimated

Flammability limit - upper

(%)

5 % estimated

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

Vapor pressure 0.05 hPa estimated

Not available. Vapor density Not available. Relative density

Solubility(ies)

Not available. Solubility (water) **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. 14000 cP **Viscosity** 68 °F (20 °C) Viscosity temperature

Other information

Density 8.90 lb/gal **Explosive properties** Not explosive.

Flammability class Combustible IIIA estimated

16860 cSt Kinematic viscosity 68 °F (20 °C) Kinematic viscosity

temperature

Oxidizing properties Not oxidizing. VOC 17 % by weight

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents. Chlorine.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

May cause damage to organs through prolonged or repeated exposure by inhalation. Inhalation

No adverse effects due to skin contact are expected. Skin contact

Causes serious eye irritation. Eve contact

May be harmful if swallowed. May cause discomfort if swallowed. However, ingestion is not likely Ingestion

to be a primary route of occupational exposure.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Exposure may cause temporary irritation, redness, or discomfort.

Information on toxicological effects

Acute toxicity May be harmful if swallowed. May cause respiratory irritation.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Not a respiratory sensitizer. Respiratory sensitization

1334 Version #: 09 Revision date: 04-17-2018 Issue date: 04-21-2017

Material name: Ultra Cutting Creme Light

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity

ACGIH Carcinogens

KEROSENE (CAS 8008-20-6) A3 Confirmed animal carcinogen with unknown relevance to

humans.

Canada - Manitoba OELs: carcinogenicity

KEROSENE (CAS 8008-20-6) Confirmed animal carcinogen with unknown relevance to humans.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

Not classified.

single exposure

May cause damage to organs through prolonged or repeated exposure.

Specific target organ toxicity -

repeated exposure

Not an aspiration hazard. **Aspiration hazard**

Chronic effects May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may

be harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity**

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Test Results Components

Distillates (Petroleum), Hydrotreated Light (CAS 64742-47-8)

Aquatic

Fish LC50 Rainbow trout, donaldson trout 2.9 mg/l, 96 hours

(Oncorhynchus mykiss)

No data is available on the degradability of this product. Persistence and degradability

No data available. Bioaccumulative potential Mobility in soil No data available.

Other adverse effects The product contains volatile organic compounds which have a photochemical ozone creation

potential.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Not established. Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

Material name: Ultra Cutting Creme Light

1334 Version #: 09 Revision date: 04-17-2018 Issue date: 04-21-2017

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

Country(s) or region

International Inventories

Australia

Canada

Cariaua	Donlestic Substances List (DSL)	INO
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	No

Australian Inventory of Chemical Substances (AICS)

Inventory name

Domestic Substances List (DSL)

TaiwanTaiwan Toxic Chemical Substances (TCS)YesUnited States & Puerto RicoToxic Substances Control Act (TSCA) InventoryNo

16. Other information

 Issue date
 04-21-2017

 Revision date
 04-17-2018

Version # 09

References ACGIH

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

1334 Version #: 09 Revision date: 04-17-2018 Issue date: 04-21-2017

On inventory (yes/no)*

No

No

⁽PICCS)

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Disclaimer

Presta Products cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision information

Hazard(s) identification: Disposal Hazard(s) identification: Response

Hazard(s) identification: GHS Signal Words Hazard(s) identification: Other hazards

Composition / Information on Ingredients: Ingredients

Accidental release measures: Personal precautions, protective equipment and emergency

procedures

Accidental release measures: Methods and materials for containment and cleaning up Handling and storage: Conditions for safe storage, including any incompatibilities

Physical & Chemical Properties: Multiple Properties

Other information: References

SDS CANADA 8 / 8