

FARECLA G6 RAPID GRADE PASTE COMPOUND

Page: 1

Compilation date: 12/11/2012

Revision date: 13/03/2019

Revision No: 4

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: FARECLA G6 RAPID GRADE PASTE COMPOUND

Product code: G6-400, 1400, 3000

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC31: Polishes and wax blends. Surface Finishing Medium

1.3. Details of the supplier of the safety data sheet

Company name: Farecla Products Limited

Broadmeads

Ware

Hertfordshire SG12 9HS

UK

Tel: +44 (0)19 2046 5041 8:30-16:30 (Monday to Friday)

Fax: +44 (0)19 2046 6557

Email: technical@farecla.com

1.4. Emergency telephone number

Emergency tel: +44 (0)20 7188 0300 (24 hours)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 3: H412; Skin Sens. 1: H317; STOT RE 2: H373

Most important adverse effects: May cause an allergic skin reaction. May cause damage to organs ([nervous system])

through prolonged or repeated exposure ([inhalation (vapour)]). Harmful to aquatic life

with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: H317: May cause an allergic skin reaction.

H373: May cause damage to organs ([nervous system]) through prolonged or repeated

exposure ([inhalation (vapour)]).

H412: Harmful to aquatic life with long lasting effects.

Hazard pictograms: GHS07: Exclamation mark

GHS08: Health hazard





FARECLA G6 RAPID GRADE PASTE COMPOUND

Page: 2

Signal words: Warning

Precautionary statements: P102: Keep out of reach of children.

P261: Avoid breathing dust/vapours.
P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P314: Get medical advice/attention if you feel unwell. P363: Wash contaminated clothing before reuse.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ALUMINIUM OXIDE - REACH registered number(s): 01-2119529248-35-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
215-691-6	215-691-6 1344-28-1 Substance with a Community		-	30-50%
		workplace exposure limit.		

WHITE MINERAL OIL (PETROLEUM) - REACH registered number(s): 01-2119487078-27-XXXX

232-455-8	8042-47-5	Substance with a Community	Asp. Tox. 1: H304	1-10%	
		workplace exposure limit.			

KEROSINE - UNSPECIFIED - DISTILLATES (PETROLEUM), HYDROTREATED LIGHT - REACH registered number(s):

01-2119484819-18-XXXX

265-149-8	64742-47-8	-	Asp. Tox. 1: H304; Aquatic Chronic 2:	1-10%
			H411	

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLIC, AROMATICS (2-25%) - REACH registered number (s): 01-2119458049-33-0000

919-446-0	-	-	Flam. Liq. 3: H226; Asp. Tox. 1: H304;	1-10%
			STOT SE 3: H336; STOT RE 1: H372;	
			Aquatic Chronic 2: H411; -: EUH066	

PINE OIL - REACH registered number(s): 01-2119553062-49-0005

232-268-1	8000-41-7	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315;	1-10%
			Skin Sens. 1: H317; Aquatic Chronic 2:	
			H411; Eye Irrit. 2: H319; Asp. Tox. 1:	
			H304	

FARECLA G6 RAPID GRADE PASTE COMPOUND

Page: 3

1,2-BENZISOTHIAZOLIN-3-ONE

220-120-9	2634-33-5	-	Acute Tox. 4: H302; Skin Irrit. 2: H315;	<1%
			Eye Dam. 1: H318; Skin Sens. 1:	
			H317; Aquatic Acute 1: H400	

A MIXTURE OF: 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO 247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO 220-239-6]

-	55965-84-9	-	Acute Tox. 3: H331; Acute Tox. 3: H311;	<1%
			Acute Tox. 3: H301; Skin Corr. 1B:	
			H314; Skin Sens. 1: H317; Aquatic	
			Acute 1: H400; Aquatic Chronic 1:	
			H410	

Contains: Pine oil

Hydrocarbons, C9-C12, N-Alkanes, Isoalkanes, Cyclics, Aromatics (2-25%)

Kerosine - Unspecified - Distillates (Petroleum), Hydrotreated Light

1,2-benzisothiazolin-3-one

A mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC NO 247-500-7] and 2-methyl-

2H-isothiazol-3-one [EC NO 220-239-6]

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water. Consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a

doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

FARECLA G6 RAPID GRADE PASTE COMPOUND

Page: 4

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS.

Do not create dust.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate

method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Avoid the formation or spread of dust in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Not applicable.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

ALUMINIUM OXIDE

Workplace exposure limits: Respirable dust

l	State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL

FARECLA G6 RAPID GRADE PASTE COMPOUND

Page: 5

UK	-	-	5mg/m3	-
HITE MINER	RAL OIL (PETROLEUM)			
EU	5 mg/m3	-	-	-
YDROCARB	ONS, C9-C12, N-ALKANES,	ISOALKANES, CYCLIC, A	ROMATICS (2-25%)	
UK	350 mg/m3	-	-	-
INE OIL				
EU	25 ppm, 140 mg/m3	50 ppm, 300 mg/m3	-	-
		., .	- : NO 247-500-7] AND 2-MET	- FHYL-2H-ISOTHIAZOL-3-ONE

DNEL/PNEC Values

Hazardous ingredients:

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLIC, AROMATICS (2-25%)

Type	Exposure	Value	Population	Effect
DNEL	Inhalation	330 mg/m3	Workers	Systemic
DNEL	Dermal	44 mg/kg/day	Workers	Systemic
DNEL	Inhalation	71 mg/m3	Consumers	Systemic
DNEL	Dermal	26 mg/kg/day	Consumers	Systemic
DNEL	Oral	26 mg/kg/day	Consumers	Systemic

1,2-BENZISOTHIAZOLIN-3-ONE

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation (developmental tox)	111	Consumers	Systemic

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency. Respiratory

protective device with particle filter.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Environmental: Refer to specific Member State legislation for requirements under Community

environmental legislation.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Paste
Colour: Cream

Odour: Characteristic odour

FARECLA G6 RAPID GRADE PASTE COMPOUND

Page: 6

Evaporation rate: Negligible

Oxidising: Not Available

Solubility in water: Slightly soluble

Also soluble in: No data available

Viscosity: Viscous

Kinematic viscosity: 35000

Viscosity test method: Brookfield @ 20degC

Boiling point/range ℃: Not Available Melting point/range ℃: Not Available

Flammability limits %: lower: Not Available upper: Not Available

Flash point °C: 83 Part.coeff. n-octanol/water: Not Available

Autoflammability°C: >250 Vapour pressure: Not Available

Relative density: 1.44 pH: 9.5

VOC g/l: 181

9.2. Other information

Other information: Not applicable.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

FARECLA G6 RAPID GRADE PASTE COMPOUND

Page: 7

Hazardous ingredients:

ALUMINIUM OXIDE

DUST/MIST	RAT	LC50	7.6	mg/l
ORAL	RAT	LD50	> 2000	mg/kg

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLIC, AROMATICS (2-25%)

DERMAL	RAT	LD50	>3400	mg/kg
ORAL	RAT	LD50	>15000	mg/kg
VAPOURS	RAT	4H LC50	>13100	mg/l

PINE OIL

DERMAL	RBT	LD50	> 2000	mg/kg
ORAL	RAT	LD50	> 2000	mg/kg
VAPOURS	RAT	4H LC50	4.76	mg/l

1,2-BENZISOTHIAZOLIN-3-ONE

ORL	MUS	LD50	1150	mg/kg
ORL	RAT	LD50	1020	mg/kg

A MIXTURE OF: 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO 247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO 220-239-6]

ORL	MUS	LD50	60	mg/kg
ORL	RAT	LD50	53	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Respiratory/skin sensitisation	DRM	Hazardous: calculated
STOT-repeated exposure	-	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

Other information: Not applicable.

Section 12: Ecological information

12.1. Toxicity

FARECLA G6 RAPID GRADE PASTE COMPOUND

Page: 8

Hazardous ingredients:

ALUMINIUM OXIDE

Daphnia magna	48H EC50	> 100	mg/l
GREEN ALGA (Selenastrum capricornutum)	48H EC50	> 100	mg/l
Salmo trutta	96H LC50	> 100	mg/l

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLIC, AROMATICS (2-25%)

ALGAE	72H IC50	<10	mg/l
Daphnia magna	48H EC50	<22	mg/l
Microorganisms	48H EC50	43.98	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	<30	mg/l

PINE OIL

ALGAE	72H ErC50	68	mg/l
Daphnia magna	48H EC50	73	mg/l
FISH	96H LC50	>62	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Partly soluble in water.

12.5. Results of PBT and vPvB assessment

Persistence (P-):

Persistence result: not P-

Bioaccumulation (B-):

Bioconcentration factor (BCF): >=500

Bioaccumulation result: not B-

Toxicity (T-):

mg/l

NOEC for marine or freshwater organisms: >1

Toxicity result: not T-

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Harmful to aquatic organisms.

FARECLA G6 RAPID GRADE PASTE COMPOUND

Page: 9

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

Recovery operations: Not applicable.

Waste code number: 08 04 12

Disposal of packaging: Arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation

(EU) 2015/830

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH066: Repeated exposure may cause skin dryness or cracking.

H226: Flammable liquid and vapour.

H301: Toxic if swallowed.

H302: Harmful if swallowed.

H304: May be fatal if swallowed and enters airways.

H311: Toxic in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H331: Toxic if inhaled.

H336: May cause drowsiness or dizziness.

H372: Causes damage to organs ([nervous system]) through prolonged or repeated

FARECLA G6 RAPID GRADE PASTE COMPOUND

Page: 10

exposure ([inhalation (vapour)]).

H373: May cause damage to organs ([nervous system]) through prolonged or repeated exposure ([inhalation (vapour)]).

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.