Product Name: Panel Bonding Adhesive Cartridge

Product identifier: 100815 Revision Date: 08-18-2016

Replaces:



1. Identification

Product identifier used on the label:

Product Name: Panel Bonding Adhesive Cartridge

Product identifier: 100815

Other means of identification

Synonyms: No data available

Recommended use of the chemical and restrictions on

use:

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Chemical Manufacturer / ITW Evercoat

Importer / Distributor: a division of Illinois Tool Works Inc.

6600 Cornell Road Cincinnati, OH 45242

513-489-7600

Adhesive

Emergency phone number: CHEMTREC: 1-800-424-9300

CANUTEC: 1-613-996-6666

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols:



GHS Classification: Skin Sensitisation Category 1

Serious Eye Damage/Eye Irritation Category 2B

GHS Signal Word: Warning

GHS Hazard Statements: May cause an allergic skin reaction.

Causes eye irritation

GHS Precautionary Statements:

Safety Precautions: Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

First Aid Measures: IF ON SKIN: Wash with plenty of soap and water.

Page **1** of **7**

Product Name: Panel Bonding Adhesive Cartridge

Product identifier: 100815 Revision Date: 08-18-2016

Replaces:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing. Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

Disposal: Dispose of contents/container in accordance with

local/regional/national/international regulation for hazardous wastes.

Hazards not otherwise

classified:

No data available

3. Composition/information on ingred	ients		1
Chemical Component:	CAS number and other	% (or range) of ingredient	
	unique identifiers	% (or range) or ingredient	
Oxirane Homopolymer	25085-99-8	10 - 30	

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Eye Contact: Use an eye wash to remove a chemical from your eye regardless of

the level of hazard. Flush the affected eye for at least twenty minutes. Tilt the head to prevent chemical from transferring to the

uncontaminated eye. Seek medical advice after flushing.

Skin Contact: Wash with soap and water. Get medical attention if irritation

develops or persists.

Inhalation: Remove to fresh air. If breathing is difficult, have a trained

individual administer oxygen.

Ingestion: Minimal risk of harm if swallowed. Do not induce vomiting. Seek

medical attention immediately. Provide medical care provider with

this MSDS.

Most important symptoms/effects, acute and delayed:

Most important No data available

symptoms/effects (Acute):

Most important No data available

symptoms/effects (Delayed):

Indication of immediate medical attention and special treatment

No additional first aid information available

needed, if necessary:

Product Name: Panel Bonding Adhesive Cartridge

Product identifier: 100815 **Revision Date:** 08-18-2016

Replaces:

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Use alcohol resistant foam, carbon dioxide, or dry chemical when Suitable extinguishing media:

> fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do Not direct a stream of water into the hot

burning liquid.

No data available Unsuitable extinguishing media:

Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):

Fire and/or Explosion Material may be ignited only if preheated to temperatures above

Hazards: the high flash point, for example in a fire.

Hazardous Combustion Carbon dioxide. Carbon monoxide

Products:

Special protective equipment

and precautions for fire-

fighters:

Do not enter fire area without proper protection including selfcontained breathing apparatus and full protective equipment. Use

methods for the surrounding fire.

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures:

Methods and materials for containment and cleaning up: No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment

recommendations found in Section VIII of this MSDS

No special spill clean-up considerations. Collect and discard in regular trash.

7. Handling and storage

Precautions for safe handling: Mildly irritating material. Avoid unnecessary exposure. Minimize

dust generation and accumulation

Conditions for safe storage, including any incompatibilities

Conditions for safe storage: Materials to Avoid/Chemical

Incompatibility:

Store in a cool dry place. Isolate from incompatible materials.

Acids Aluminum alloys Ammonia

Product Name: Panel Bonding Adhesive Cartridge

Product identifier: 100815 Revision Date: 08-18-2016

Replaces:

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
No data available	No data available	No data available	No data available

Appropriate engineering No exposure limits exist for the constituents of this product.

controls: General room ventilation might be required to maintain operator

comfort under normal conditions of use.

Individual protection measures, such as personal protective equipment:

Eye Protection: Wear safety glasses when handling this product. Wear splash-proof

safety goggles if material could be misted or splashed into eyes.

Skin Protection: Not normally considered a skin hazard. Where use can result in skin

contact, practice good personal hygiene and wear a barrier cream and/or impervious surgical style gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking,

and when leaving work.

Respiratory Protection: No respiratory protection required under normal conditions of use.

Provide general room exhaust ventilation if symptoms of overexposure occur as explained Section III. A respirator is not

normally required.

Other Protective Equipment: Wear splash-proof safety goggles if material could be misted or

splashed into eyes.

9. Physical and chemical properties

Appearance (physical state, color, etc.):

Appearance (physical state): Paste Color: Black

Odor:

Odor threshold:

PH:

No data available

Initial Boiling Point and Boiling Range (°C): 825

Flash Point (°C):

Evaporation Rate:

No data available

No data available

No data available

No data available

Upper/lower flammability or explosive limits:

Upper Flammable/Explosive Limit (%):

Lower Flammable/Explosive Limit (%):

Vapor Pressure:

Vapor Density:

No data available

No data available

No data available

Product Name: Panel Bonding Adhesive Cartridge

Product identifier: 100815 **Revision Date:** 08-18-2016

Replaces:

Relative Density: 97 Solubility(ies): Insoluble Partition coefficient: n-octanol/water: 1.36

Auto-ignition Temperature (°C): No data available **Decomposition Temperature:** No data available Viscosity: No data available VOC (as packaged-less exempts and water): 71 lbs/gal or

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions.

Possibility of hazardous No data available

reactions:

Conditions to avoid (e.g., static Temperatures above the high flash point of this combustible discharge, shock, or vibration): material in combination with sparks, open flames, or other sources

> of ignition. Contamination

Incompatible materials: Hazardous decomposition

products:

Acids Aluminum alloys Ammonia Carbon dioxide, Carbon monoxide

11. Toxicological information

Information on the likely routes

of exposure (inhalation,

ingestion, skin and eye contact):

Symptoms related to the physical, chemical and

toxicological characteristics:

Inhalation, Ingestion, Skin contact, Eye contact

No data available

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation: Can cause minor respiratory irritation, dizziness, weakness, fatique, nausea, and

headache. Can cause mechanical irritation if dusts are generated.

Skin Contact: Can cause minor skin irritation, defatting, and dermatitis.

No absorption hazard in normal industrial use. Skin Absorption: Can cause minor irritation, tearing and reddening. **Eye Contact:**

Mildly irritating to mouth, throat, and stomach. Can cause abdominal discomfort. **Ingestion Irritation:**

Ingestion Toxicity:

Long-Term (Chronic) Health Effects:

Carcinogenicity: None of the substances have been shown to cause cancer in long term animal

studies. Not a carcinogen according to NTP, IARC, or OSHA.

Reproductive and No data available to indicate product or any components present at greater than

Page 5 of 7

Product Name: Panel Bonding Adhesive Cartridge

Product identifier: 100815 **Revision Date:** 08-18-2016

Replaces:

Developmental Toxicity: 0.1% may cause birth defects.

Mutagenicity: No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

Inhalation: Upon prolonged and/or repeated exposure, can cause minor respiratory irritation,

dizziness, weakness, fatigue, nausea, and headache.

Skin Contact: Upon prolonged or repeated contact, can cause minor skin irritation, defatting, and

dermatitis.

Skin Absorption: Upon prolonged or repeated exposure, no hazard in normal industrial use.

Numerical measures of toxicity (such as acute toxicity estimates)

Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
No data available			

Whether the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen	
No data available	N	N	N	

12. Ecological information

Ecotoxicity (aquatic and

This material is not expected to be harmful to the ecology.

terrestrial, where available):

Persistence and degradability:

No data available

Bioaccumulative potential:

No data

Mobility in soil:

No data available

Other adverse effects (such as

No data available

hazardous to the ozone layer):

Ecological Toxicity Data

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available			

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Description of waste residues: Spent or discarded material is non-hazardous according to

environmental regulations.

Waste treatment methods

(including packaging):

Dispose of in a landfill. Disposal is not likely to be regulated.

Product Name: Panel Bonding Adhesive Cartridge

Product identifier: 100815 Revision Date: 08-18-2016

Replaces:

14. Transport information

UN number:

UN proper shipping name:

Not Regulated

Transport hazard class(es):

Packing group:

No data available

No data available

The shipper is responsible for following all applicable regulations. The transportation classification provided is based on ITW Evercoat original packaging, which is suitable for domestic ground transport only.

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

TSCA Status: All components in this product are on the TSCA Inventory.

Regulated Components

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
No data available		N	N	N	N

16. Other information, including date of preparation or last revision.

Revision Date: 08-18-2016

Revision Number: 8

Disclaimer: NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances