

MATERIAL SAFETY DATA SHEET
SECTION I

PRODUCT NAME OR NUMBER (as it appears on label) Ever-Wear Highly Friction Modified ATF Supplement (EA 61)		DATE 10/15/2008
MANUFACTURER'S NAME QMI		EMERGENCY TELEPHONE #: QMI: (800) 255-8138 CHEM-TEL: (800) 255-3924
ADDRESS (Number, Street, City, State and Zip Code) 3606 Craftsman Blvd., Lakeland, FL 33803		
HAZARDOUS MATERIAL DESCRIPTION, PROPER SHIPPING NAME, HAZARD CLASS, HAZARD ID NO. None		
ADDITIONAL HAZARD CLASSES (as applicable) In accordance with OSHA 29 CFR 1910-1200.	NFPA (30) Class IIIB HMIS Ratings: Health – 1, Flammability – 1, Reactivity - 0	
CHEMICAL FAMILY Petroleum		FORMULA Proprietary

SECTION II
(list ingredients)

CAS REGISTRY NO.	%W	%V	CHEMICAL NAME(S)	LISTED AS A CARCINOGEN
134706-98-2		< 50	Phosphite adduct of vegetable oil	Not Listed
135458-00-3			esters	
64742-58-1		15 – 45	Paraffinic base stock	Not Listed

SECTION III - PHYSICAL DATA

BOILING POINT N. A.	SPECIFIC GRAVITY 0.8 – 0.9
EVAPORATION RATE Negligible	
SOLUBILITY IN WATER Insoluable	
APPEARANCE AND ODOR Brownish-red, oily liquid	IS MATERIAL: <u>LIQUID</u> SOLID GAS PASTE POWDER

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT > 400° F	METHOD USED COC	FLAMMABLE LIMITS N.D.A.
EXTINGUISHING MEDIA Water spray, dry chemical, foam, halon or CO ₂		
SPECIAL FIRE FIGHTING PROCEDURES Use self contained breathing apparatus.		
UNUSUAL FIRE AND EXPLOSION HAZARDS Do not use heavy direct water stream to fight fire.		

SECTION V - HEALTH HAZARD DATA

EFFECTS OF OVEREXPOSURE - Conditions to Avoid Slight eye and skin irritation can result.	
PRIMARY ROUTES OF ENTRY 4 INHALATION 4 SKIN CONTACT 4 EYE CONTACT 4 OTHER (Specify) _____	

EMERGENCY AND FIRST AID PROCEDURES

Inhalation: Remove to fresh air.

Skin Contact: Wash thoroughly with soap and water.

Eyes: Flush thoroughly with water, contact physician.

If Swallowed: Do not induce vomiting, contact physician.

SECTION VI - REACTIVITY DATA

STABILITY	UNSTABLE		CONDITIONS TO AVOID: Strong oxidizing agents, heat, open flame.
	STABLE	X	
INCOMPATIBILITY (materials to avoid) Strong oxidizing agents.			
HAZARDOUS DECOMPOSITION PRODUCTS: CO ₂ , SO ₂ , oxides of phosphorous.			
HAZARDOUS POLYMERIZATION	MAY OCCUR		CONDITIONS TO AVOID: Extreme Heat
	WILL NOT OCCUR	X	

SECTION VII - SPILL OR LEAK PROCEDURES**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED**

Mop or absorb on fire retardant treated sawdust or other absorbent material.

WASTE DISPOSAL METHOD

Dispose into regulatory disposal facilities in accordance with local laws.

SECTION VIII - SPECIAL PROTECTION INFORMATION**RESPIRATORY PROTECTION**

None required under normal use.

VENTILATION: Local exhaust

SPECIAL: None

OTHER: None

PROTECTIVE GLOVES (Specify type)

Neoprene or Rubber

EYE PROTECTION (specify type)

Goggles or Safety Glasses

OTHER PROTECTIVE EQUIPMENT

None Required

SECTION IX - SPECIAL PRECAUTIONS**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING**

Store in a cool, dry place, wash hands after handling.

ADDITIONAL HEALTH DATA COMMENT

The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since the information contained herein may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modification of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.