# MS<sub>2</sub>MOLY - ANTISEIZE COMPOUND PART # 62625, 62650

#### **SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

PRODUCT NAME: MS<sub>2</sub>Moly Antiseize PRODUCT USE: Anti seize compound

MANUFACTURER: Lloyds Laboratories Inc. SUPPLIER: Lloyds Laboratories Inc.

ADDRESS: 613 Neal Drive, ADDRESS: 613 Neal Drive,

Peterborough, Peterborough,
Ontario, Ontario,
K9J 6X7 K9J 6X7

**EMERGENCY #:** 1 800 361-6766 **EMERGENCY #:** 1 800 361-6766

#### **SECTION II: INFORMATION ON INGREDIENTS**

Ingredients	CAS#	Wt%	OSHA-TWA	ACGIH-TWA	LD <sub>50</sub>
Mineral Oil	8012-95-1	60%	Not available	Not available	Not available
Molybdenum Disulphide	1317-33-5	6 %	Not available	Not available	Not available

## **SECTION III: HAZARDOUS IDENTIFICATION**

Route of Entry: Eye, skin contact, ingestion.

**Potential Health Effects:** 

**Eye Contact:** May cause irritation to eyes.

**Skin Contact:** May cause irritation upon repeated/prolonged contact. **Inhalation:** May cause slight nose, throat and respiratory tract irritation.

**Ingestion:** May cause irritation to mouth, esophagus and stomach. May cause gastric

tract upset and/or damage.

Chronic Effects:

Carcinogenicity: No ingredients listed IARC or NTP or ACGIC. Non hazardous by

WHMIS/OSHA criteria.

Teratogenicity, Mutagenicity, Reproductive Effects:

Skin:

The ingredients in this product were found not to be mutagenic when tested by the Ames Assay, (OECD Guidelines for chemical testing, sec.471).

Repeated or prolonged exposures to dilutions can cause drying, defatting

and dermatitis.

## MS<sub>2</sub>MOLY - ANTISEIZE COMPOUND PART # 62625, 62650

#### **SECTION IV: FIRST AID MEASURES**

Eye Contact: Immediately flush with water for 15 minutes. Holding eyelids open during flushing. If

irritation persists, repeat flushing and obtain medical attention immediately.

**Skin Contact:** Flush with water. Remove contaminated clothing and launder before reuse. **Inhalation:** Move victim to fresh air. If conscious, have victim take deep, slow breaths. Seek

medical attention if symptoms persist.

Ingestion: DO NOT INDUCE VOMITING. Rinse mouth with water, and then drink one glass of

water. Seek medical attention. Do not give anything to victim if unconscious or

convulsing.

#### **SECTION V: FIRE FIGHTING MEASURES**

**Flammability:** Non flammable. Product may burn if sprayed under pressure and atomized

onto surface heated above combustion temperature.

Flash Point Deg (C,TCC): >200 F.

**Means of Extinction:** As appropriate for surrounding fire. Use water, dry chemical, carbon dioxide or

foam

**Special Fire Hazards:** Fire fighters should wear self contained breathing apparatus as for surrounding

fire.

Autoignition Temperature: Not applicable. Flame Propagation Or Not applicable.

Burning Rate of Solid:

Sensitivity To Static Not applicable.

Discharge:

**Unusual Fire and** None expected. As per surrounding fire.

**Explosion Hazards:** 

Hazardous Decomposition Ox

**Products:** 

Oxides of carbon, oxides of nitrogen.

### **SECTION VI: ACCIDENTAL RELEASE MEASURES**

Leak and Spill Procedures:

Before attempting clean up, refer to the hazard data provided above. Small spills may be absorbed with non reactive absorbent and placed in suitable, covered, labeled container. For large quantities, dispose of in accordance with local,

provincial/state or federal regulations.

For large spills prevent from entering sewers and waterways. For large spills

provide diking to prevent spreading.

### **SECTION VII: HANDLING AND STORAGE**

Storage Requirements: KEEP OUT OF REACH OF CHILDREN. Store in a closed container away from

incompatible materials which include acids, alkalies, reducing materials, reducing

sugars and Ammonia Salts.

Storage temperature C Ambient to 40° C. Transport temperature C Ambient to 40° C.

Keep container closed. Handle and open container with care. Store in a well

### MS<sub>2</sub>MOLY - ANTISEIZE COMPOUND PART # 62625, 62650

ventilated place away from incompatible materials. Do not store near open flame. Do not reuse empty containers.

### SECTION VIII: EXPOSURE CONTROL/PERSONAL PROTECTION

Gloves: Not normally required. Use Viton or Nitrile gloves to avoid prolonged or skin

contact repeated.

Eye Protection: Not normally required, if eye contact is possible chemical spash goggles are

recommended.

**Respiratory Protection:** Not normally required if good ventilation is maintained.

Other Protective As required by employer code. Eye bath, safety shower, protective clothing.

**Equipment:** 

**Engineering Controls:** General ventilation normally required.

#### **SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES**

Physical State:	Gel	Odour and Appearance: B	land odour,	Odour Threshold:	Not
		olive green oil colour			applicable
Vapour Pressure	Not	Vapour Density (Air=1):	Not applicable	Boiling Point (°C):	Not
(mm Hg):	applicable				available
% Volatile (Wt %):	Not	Solubility in water(20°C):	Not available	Freezing Point (°C):	Not
, ,	available				available
pH:	Not	Specific Gravity:	1.13	Evaporation Rate	Not
•	applicable			(nBuAc=1):	applicable
Coeff. Water/Oil	Not				
Dist.:	available				

#### **SECTION X: STABILITY AND REACTIVITY**

Conditions for Chemical Instability: Stable under normal conditions. Excessive heat or contamination

could cause decomposition.

Incompatible Materials: Reducing agents, strong acids, strong caustics, iron and other

netals.

**Hazardous Decomposition Products:** Oxides of carbon, Oxides of Nitrogen when heated.

### **SECTION XI: TOXICOLOGICAL INFORMATION**

LD 50 values for individual components see section II. Skin Sensitization (OECD Sec. 406) Non sensitizing.

### **SECTION XII: ECOLOGICAL INFORMATION**

No data available on the adverse effects of this product on the environment.

### **SECTION XIII: DISPOSAL CONSIDERATIONS**

## MS<sub>2</sub>MOLY - ANTISEIZE COMPOUND PART # 62625, 62650

Dispose of in accordance to all local, provincial/state and federal regulations.

#### **SECTION XIV: TRANSPORTATION**

T.D.G. Classification: Not regulated. D.O.T. Classification: Not regulated.

### **SECTION XV: REGULATORY INFORMATION**

**Occupational Health and Safety** 

Regulations:

WHMIS Class: Not regulated.

OSHA & WHMIS: MSDS prepared pursuant to the Hazard Communication

Standard (CFR29.1920.1200) and Canadian WHMIS regulations.

**Environmental Regulatory Lists:** 

SARA - Section 313 (Toxic Chemical

Release Reporting) 40 CFR 372:

CERCLA - Section 102 (Reportable

Quantity) 40 CFR 302:

RCRA 40 CFR 261 (Subpart D)

CLEAN WATER ACT – Section 311

None of the ingredients are listed.

None of these ingredients are listed.

(Reportable Qty) 40 CFR 116:

CLEAN AIR ACT - Section 312 (List of

Hazardous Pollutants) 40 CFR 63

(Subpart C):

National Pollutant Release Inventory: None of these ingredients are listed.

Toxic Substances Control Act (TSCA): All ingredients are registered on the Chemical Substances

Inventory.

**Canadian Domestic Substance List** 

(DSL):

All ingredients are registered on the DSL.

None of these ingredients are listed.

None of these ingredients are listed.

None of the ingredients are listed.

# **SECTION XVI: OTHER INFORMATION**

Date:	June 7, 2016	Prepared By:	Technical Services	Telephone:	1 800 361-6766
			Group	-	

#### Disclaimer:

Information for this material safety data sheet was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond the control of supplier, it is assumed that users of this material; have been fully trained according to the mandatory requirements of WHMIS. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries for consequential damages, which may result from the use or reliance on any information contained in this form. If user requires independent information on ingredients in this or other material, we recommend contact with the Canadian Centre for Occupational Health and Safety (CCOHS) in Hamilton, Ontario (905-572-4400) or CSST in Montreal, Quebec (514-873-3990).