

Pro Form Products Ltd. 604 McGeachie Drive Milton, Ontario, L9T 3Y5 Canada 905-878-4990

## PRODUCT: PF 949 DOUBLE SIDED ACRYLIC FOAM TAPE

#### **SECTION 01: IDENTIFICATION**

Initial supplier identifier..... Pro Form Products Ltd.

604 McGeachie Drive Milton, Ontario L9T3Y5

Automotive.

Tel (905) 878-4990 Fax (905) 878-1189

PF 949 DOUBLE SIDED ACRYLIC FOAM TAPE

Product identifier..... Recommended use and restrictions on ..

Chemical family..... Hazard rating..... H:0 F:0 R:0.

NFPA rating..... Health: 0 Fire: 0 Reactivity: 0.

For transportation emergencies (in Canada) call CANUTEC 1-888-226-8832 (CAN-UTEC); IN THE UNITED STATES CALL CHEMTREC 1-800-424-9300. 24 hour emergency number:.....

For medical emergencies contact your local poison control centre \*\*.

### **SECTION 02: HAZARD IDENTIFICATION**

Signal Word..... Not a classified or a controlled product.

Hazard Classification..... Not classified. Hazard Description..... Not classified.

#### **SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS**

CHEMICAL NAME AND SYNONYMS CAS# WT. %

PRODUCT IS AN ARTICLE AND NOT A CHEMICAL 100

#### **SECTION 04: FIRST-AID MEASURES**

Eye contact..... In case of contact, immediately flush eyes, keeping eyelids open, with plenty of water for at

least 15 minutes.

Wash slowly with lukewarm water. Skin contact.....

Not applicable. Inhalation..... Not applicable. Most important symptoms and effects, ..... No hazard expected.

whether acute or delayed

Not applicable. In the event of an incident involving this product ensure that medical authorities are provided a copy of this safety data sheet. Additional information.....

## **SECTION 05: FIRE-FIGHTING MEASURES**

Suitable and unsuitable extinguishing .....

Specific hazards arising from the ..... hazardous product, such as the nature of any hazardous combustion products Special protective equipment and .....

precautions for fire-fighters

Use extinguishing media for surrounding fire.

Oxides of carbon (CO, CO2).

Firefighter should be equipped with self-contained breathing apparatus and full protective clothing to protect against potentially toxic and irritating fumes. Cool fire-exposed containers with cold water spray. Heat will cause pressure buildup and may cause

explosive rupture. Decomposition will occur above 300 C.

#### **SECTION 06: ACCIDENTAL RELEASE MEASURES**

Pick up solids and put in a dust bin.

### **SECTION 07: HANDLING AND STORAGE**

Precautions for safe handling..... Employees should wash hands and face before eating or drinking. Keep away from heat,

Conditions for safe storage, including any incompatibilities

sparks, and open flame. Store in a cool and dry place, for product integrity. Keep container closed when not in use.

(min/max:0/35 c).



## PRODUCT: PF 949 DOUBLE SIDED ACRYLIC FOAM TAPE

## SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	TWA	ACGIH TLV	DEI	OSHA PEL	NIOSH REI
INOREDILIVIO	1 1 1 1 1 1	OILL	l, r-	OILL	

Not applicable. Eye/type..... Respiratory/type..... Not applicable. Gloves/ type..... Not applicable.

Clothing/type..... Wear adequate protective clothes. Footwear/type..... Safety boots per local regulations.

Other/type..... Educate and train employees on the safe use and handling of the product. Employees should wash their hands and face before eating, drinking, or using tobacco products.

Appropriate engineering controls..... General ventilation.

#### **SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance/Physical state..... Tape.

Colour..... Various colours. (Prolonged storage may lead to discolouration.).

Odour..... Slight.

Not applicable. Odour threshold (ppm)..... Vapour pressure (mm Hg)..... Not applicable. Vapour density (air=1)..... Not applicable. pH..... Not applicable. No data

Relative Density (Specific Gravity)..... Melting / Freezing point (deg C)..... Not applicable. Solubility..... Insoluble. Initial boiling point / boiling range (deg C). Not applicable. Evaporation rate..... Not applicable.

Flash point (deg C), method..... Not applicable. Auto ignition temperature (deg C)..... Not applicable. Upper flammable limit (% vol)...... Lower flammable limit (% vol)..... Not applicable.

No Data. Partition coefficient — n-octanol/water..... No data. VOC (less water)..... No data. Viscosity..... No data.

## **SECTION 10: STABILITY AND REACTIVITY**

Chemical stability..... Stable at normal temperatures and pressures.

Reactivity ..... Avoid heat, sparks and flames.

Possibility of hazardous reactions..... Will not occur under normal temperature and pressure.

Conditions to avoid, including static ....... Keep away from heat.

discharge, shock or vibration Oxides of carbon (CO,CO2). Hazardous decomposition products.....

## **SECTION 11: TOXICOLOGICAL INFORMATION**

LC50 **INGREDIENTS** LD50

Not expected to pose any hazards. Route of exposure.....

According to our experience, if the product is handled properly and the usual rules of Effects of acute exposure..... occupational hygiene adhered to, risks are improbable. May cause mechanical irritation.

Effects of chronic exposure..... Not applicable. Carcinogenicity of material..... Not applicable. Reproductive effects..... Not applicable.

# **SECTION 12: ECOLOGICAL INFORMATION**

Persistence and degradability..... Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

Information on safe handling for disposal. and methods of disposal, including any contaminated packaging

Dispose of waste in accordance with all applicable Federal, Provincial/State and local regulations.



## PRODUCT: PF 949 DOUBLE SIDED ACRYLIC FOAM TAPE

#### **SECTION 14: TRANSPORT INFORMATION**

Not regulated. Not regulated. IATA Classification (Air)....IMDG Classification (Marine).... Not regulated. Not regulated. Marine Pollutant.....

Proof of Classification..... In accordance with Part 2.2.1 of the Transportation of Dangerous Goods Regulations (July

2, 2014) - we certify that classification of this product is correct. .

## **SECTION 15: REGULATORY INFORMATION**

This is an article and not subject to the DSL. CEPA status.....

TSCA inventory status

SARA Title III

Section 302 - extremely hazardous .......

substances

Section 311/312 - hazard categories....... Section 313.....California Proposition 65....

Not evaluated.

Not evaluated.

Not evaluated.

#### **SECTION 16: OTHER INFORMATION**

REGULATORY AFFAIRS. Trivalent Data Systems Ltd. www.trivalent.com. (800) 387-7981. Prepared by: .....

Telephone number:.....

Disclaimer:....

DISCLAIMER: All information appearing herein is based upon data obtained from experience and recognized technical sources. To the best of our knowledge, it is believed to be correct as of the date of issue but we make no representations as to its accuracy or sufficiency and do not suggest or guarantee that any hazards listed herein are the only ones which exist. The hazard information contained herein is offered solely for the consideration of the user, subject to his own investigation and verification of compliance with applicable regulations, including the safe use of the product under every foreseeable condition. The information relates only to the product designated herein, and does not

relate to its use in combination with any other material or in any other process.

2021-11-04.

Review Date:.... Date of the latest revision of the safety ... 2018-04-24

data sheet