

SAFETY DATA SHEET (SDS)

Section 1. Identification				
Product identifier	Metaflux 70-81 Titanium Spray			
Other means of identification 70-81				
Recommended use and restrictions on LU		LUBRICANT/AEROSOL		
use				
Initial supplier identifier	AMETA SOLUTION.COM 1392, AVENUE DE LA GARE, MASCOUCHE, (QUEBEC), J7K 2Z2, CANADA			
TEL. (450) 477-3102 & (888) 452-6382 WWW.AMETASOLUTION.COM				
Emergency telephone num	ber/restriction on	n use Canada – CANUTEC 24 hour number 613-996-6666		

Section 2. Hazard identification

Classification of hazardous product (name of the category or subcategory of the hazard class)

Extremely flammable aerosol (Category 1)

Gas under pressure (compressed gas)

Skin irritation (Category 2)

Aspiration hazard (Category 1)

Specific target organ toxicity – single exposure (Category 3), Central nervous system

Hazardous to the aquatic environment – Chronic (Category 2)

Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)











Danger

H222 Extremely flammable aerosol.

H229 Pressurized container: may burst if heated.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

*** May displace oxygen and cause rapid suffocation. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 Wear gloves/protective clothing/eye protection/face protection. P301 + P310 IF SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P302 + P352 IF ON SKIN: wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell. P391 Collect spillage. P410+P412+P403+P233 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a well-ventilated area. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Otner nazards known	Simple Aspnyxiants (Category 1) A gas that	is a simple aspnyxiant***				
Section 3. Composition/information on ingredients						
Chemical name (common	name/synonyms)	CAS number or other	Concentration (%)*			
Hydrocarbons, C6, isoalkan	nes	64742-49-0	20-25			
Zinc, powder		7440-66-6	< 1			
Butylated hydroxytoluene		128-37-0	< 0.1			
All ingredients are listed according to OSHA (29 CFR). Contains also Butane.						
* Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) considered trade secret(s).						



Section 4. First-aid measures			
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.		
Ingestion	IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is		
	rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two		
	glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.		
Skin contact	IF ON SKIN: wash with plenty of water. (15-20 minutes) IF SKIN irritation or rash occurs: Get medical attention. Take off		
	contaminated clothing and wash it before reuse.		
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (15-20). Remove contact lenses, if present and easy to do.		
	Continue rinsing. If eye irritation persists: Get medical attention.		
Most important symptoms and effects (acute or delayed) Causes skin irritation.			
Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document.			

Section 5. Fire-fighting measures

Specific hazards of the hazardous product (hazardous combustion products)

Carbon oxides and other irritant/toxic gases and fumes.

Suitable and unsuitable extinguishing media

In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish.

Special protective equipment and precautions for fire-fighters

During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).

Methods and materials for containment and cleaning up

Avoid release to the environment. Collect spillage. Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

Section 7. Handling and storage

Precautions for safe handling

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Wash hands/nails/face thoroughly after handling. Wear gloves/protective clothing/eye protection/face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: CAS 128-37-0 ACGIH – TLV-TWA 2 mg/m³;

Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.



	Section 9. Physical and	chemical nr	onerties		
Annagrance physical state/aclaus	Grey liquid (aerosol)	Vapour pi		Not available	
Appearance, physical state/colour	Grey fiquid (aerosof)	Vapour de		Heavier than air	
	Odour Characteristic			0.6849 g/cm ³ @ 20°C	
Odour threshold Not available		Relative d			
pH Not available	1.1	Solubility		railable	1.1.1
Melting/freezing point Not available			Partition coefficient - n-octanol/water Not available		
Initial boiling point/range Not available			Auto-ignition temperature Not available		
Flash point Not available		Decompos			
Evaporation rate Not available		Viscosity			
Flammability (solids and gases) Extremely flammable aerosol			VOC Not available		
Upper and lower flammability/explosive limits Not available			Other None known		
	Section 10. Stability	y and reacti	vity		
Reactivity					
Does not react under the recommended	storage and handling conditions presc	ribed.			
Chemical stability					
Stable under the recommended storage a	and handling conditions prescribed.				
Possibility of hazardous reactions					
Accumulation of flammable if produc	t is heated. Do not spray on an open	flame or other	er ignition	source. Do not pierce or burn	, even after use.
Protect from sunlight. Do not expose to				•	
Conditions to avoid (static discharge	, shock or vibration)				
Keep away from heat, hot surfaces, sp		sources. No s	moking. l	Do not spray on an open flame of	or other ignition
source. Do not pierce or burn, even after					Č
Incompatible materials		•	•		
Oxidizing materials; etc.					
Hazardous decomposition products					
None known					
	Section 11. Toxicolog	gical inform	ation		
Information on the likely routes of ex-					
May be fatal if swallowed and enters				izziness. May displace oxygen	and cause rapid
suffocation.				7 1 70	•
Symptoms related to the physical, ch	emical and toxicological character	istics			
Skin irritation, redness, stinging, pair			act irrita	tion, coughing, shortness of br	eath, dizziness,
drowsiness, nausea and headaches.	, ,	1 3		, 2 2,	,
Delayed and immediate effects (chro	nic effects from short-term and lor	g-term expos	sure)		
Skin Sensitization – No data available;			· · · /		
Respiratory Sensitization – No data ava					
	Germ Cell Mutagenicity – No data available;				
Carcinogenicity – No ingredient listed by IARC, ACGIH, NTP or OSHA;					
Reproductive Toxicity – No data available;					
Specific Target Organ Toxicity — Single Exposure – Possible;					
Specific Target Organ Toxicity — Repeated Exposure – No data available;					
Aspiration Hazard – Possible;					
Health Hazards Not Otherwise Classified – No data available.					
Numerical measures of toxicity (ATI					
None					
ATE not available in this document.					
Section 12. Ecological information					
Ecotoxicity (aquatic and terrestrial i		this product.			
Persistence and degradability No data available for this product.					
	ata available for this product.				
Mobility in soil No data available					
Other adverse effects Toxic to aq	uatic life with long lasting effects.				

Section 13. Disposal considerations

Information on safe handling for disposal/methods of disposal/contaminated packaging

Dispose of contents/container into safe container in accordance with local, regional or national regulations.



WHMIS

Section 14. Transport information			
UN number; Pr	oper shipping name; Class(es);	Packing group (PG) of the TDG Regulations	
	SOLS; CLASS 2.1		
UN number; Pr	oper shipping name; Class(es);	Packing group (PG) of the 49 CFR (USA)	
	SOLS; CLASS 2.1		
UN number; Pr	oper shipping name; Class(es);	Packing group (PG) of the IMDG (maritime)	
UN1950; AERO	SOLS; CLASS 2.1; MARINE PO	DLLUTANT	
		Packing group (PG) of the IATA (air)	
UN1950; AERO	SOLS, FLAMMABLE; CLASS 2		
Special precaut	ions (transport/conveyance)	May also be shipped as a LIMITED QUANTITY in accordance with TDG.	
Environmental	hazards (IMDG or other)	MARINE POLLUTANT	
Bulk transport	(usually more than 450 L in cap	pacity) Not possible	
		Section 15. Regulatory information	
Safety/health Canadian regulations specifics		Refer to Section 2 for the appropriate classification. This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and of the United States OSHA (29 CFR).	
Environmental	Canadian regulations specifics	Refer to Section 3 for ingredient(s) of the DSL	
Safety/health/er	vironmental outside regulation	s specifics	
United States OS	SHA information: This product is	regulated according to OSHA (29 CFR).	
		ency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.	
	CSA information: Refer to the ing	redients listed in Section 3.	
	otection Association (NFPA):		
HEALTH: 1		TABILITY: 1 SPECIAL HAZARDS: Refer to Section 2 & 3.	
		2 = Moderate 3 = Serious 4 = Severe	
California Propos	sition 65: No ingredient known to	the State of California to cause cancer or other reproductive harm.	
D		Section 16. Other information	
	st revision of the safety data she		
References	Safety Data Sheets from manufa	cturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.	
Abbreviations	<u> </u>	41T 1 411TT 1 14	
ACGIH	American Conference of Govern	nmental Industrial Hygienists	
ATE	Acute toxicity estimate Chemical Abstract Service		
CAS DSL	Domestic Substance List		
IARC		rah an Canaar	
IATA	International Agency for Research on Cancer International Air Transport Association		
IMDG	International Maritime Dangerous Goods Code		
LC	Lethal concentration		
LD	Lethal Dosage		
NIOSH	National Institute for Occupational Safety and Health		
NTP	National Toxicology Program (U.S.A.)		
OSHA	Occupational Safety and Health Administration (U.S.A.)		
PEL	Permissible Exposure Limit		
STEL	Short-term Exposure Limit		
TDG	Transport of dangerous goods in Canada		
TLV	Threshold Limit Value		
TSCA	TSCA Toxic Substances Control Act		
TWA	Time Weighted Average		
WHMIC	Warkingaa Hazardaya Matariala Information System		

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Workplace Hazardous Materials Information System