

SAFETY DATA SHEET

According to Canadian Hazardous Products Regulations (HPR) (SOR/2015/17)

SDS #: 087462 DACNIS 32

Date of the previous version: not applicable **Revision Date:** 2017-12-29 **Version** 1

1. IDENTIFICATION

Product identifier

Product name DACNIS 32

Other means of identification

Product Code(s) 087462

Number OZC Substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Identified uses Compressor oil

Uses advised againstDo not use for any purpose other than the one for which it is intended.

Details of the supplier of the safety data sheet

Supplier TOTAL CANADA INC.

220, LAFLEUR LASALLE, QUEBEC

H8R 4C9

Tel: (514) 595-7579 Fax: (514) 595-5950

Contact Point service HSE

E-mail Address info@total-lub.ca

Emergency telephone number

Emergency telephone 1-800-463-3955

Company Phone Number +1 866 928 0789 (24h/24, 7d/7) +1 215 207 0061 (24h/24, 7d/7)

2. HAZARDS IDENTIFICATION

Classification

The product is not classified as hazardous according to WHMIS

Label elements

The product is not classified as hazardous according to WHMIS



Date of the previous version: not applicable **Revision Date:** 2017-12-29 **Version** 1

Hazard Statements

None

Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity

Other information

Other hazards Harmful to aquatic life

Physical-Chemical PropertiesContaminated surfaces will be extremely slippery.

Environmental properties Should not be released into the environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical Name	EC-No	CAS-No	Weight %
Distillates (petroleum),	265-169-7	64742-65-0	30 -< 40
solvent-dewaxed heavy			
paraffinic			
Distillates (petroleum),	265-159-2	64742-56-9	5 -< 10
solvent-dewaxed light paraffinic			
2,6-di-tert-butylphenol	204-884-0	128-39-2	0.1 -< 0.25

Additional information Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR

EMERGENCY MEDICAL CARE.

Eye contact Rinse immediately with plenty of water and seek medical advice.

Skin contact Remove contaminated clothing and shoes. Wash off with soap and water. Wash

contaminated clothing before reuse.

Inhalation Inhalation of high concentrations of vapor or aerosols may cause irritation of the upper

respiratory tract.

Ingestion If swallowed, do not induce vomiting - seek medical advice.

Most important symptoms/effects, acute and delayed



Date of the previous version: not applicable **Revision Date: 2017-12-29** Version 1

Skin contact Not classified based on available data. High pressure injection of the products under the

skin may have very serious consequences even though no symptom or injury may be

apparent.

Not classified based on available data. Eye contact

Inhalation Not classified based on available data. Inhalation of vapors in high concentration may

cause irritation of respiratory system.

Ingestion Not classified based on available data. Ingestion may cause gastrointestinal irritation,

nausea, vomiting and diarrhea.

No information available. **Symptoms**

Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically. Notes to physician

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Foam. Carbon dioxide (CO₂). ABC powder.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

Incomplete combustion and thermolysis may produce gases of varying toxicity such as **Special Hazard**

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may

be highly dangerous if inhaled in confined spaces or at high concentration.

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge

None. None.

Special protective equipment for

fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Evacuate non-essential personnel.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Do not touch or walk through spilled material. Contaminated surfaces will be extremely **General Information**

slippery.

See Section 12 for additional information. Other information

Environmental precautions

General Information Do not allow material to contaminate ground water system. Local authorities should be

advised if significant spillages cannot be contained. Try to prevent the material from



Date of the previous version: not applicable Revision Date: 2017-12-29 Version 1

entering drains or water courses.

Methods and material for containment and cleaning up

Methods for cleaning up

Dam up. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.

Hygiene measures

Regular cleaning of equipment, work area and clothing is recommended. Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. When using, do not eat, drink or smoke. Use personal protective equipment as required. Wash hands before breaks and at the end of workday. Wash hands with water as a precaution. Avoid breathing vapors, mist or gas. Do not wash off with:. Fuel. Solvent. Abrasive. Avoid extended and repeated contact with the skin as this may cause skin conditions, which may also be aggravated by minor injuries or by contact with soiled clothing. Avoid prolonged and repeated contact with the skin, especially with used or waste product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture. Store in original container. Keep in properly labeled containers.

Materials to Avoid Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits Mineral oil mist:

USA: OSHA (PEL) TWA 5 mg/m³, NIOSH (REL) TWA 5 mg/m³, STEL 10 mg/m³, ACGIH (TLV) TWA 5 mg/m³ (highly refined).



Date of the previous version: not applicable **Revision Date: 2017-12-29** Version 1

Legend See section 16

Exposure controls

Engineering Measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

General Information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied.

Eye/face protection If splashes are likely to occur, wear safety glasses with side-shields.

Wear suitable protective clothing. Protective shoes or boots. Skin and body protection

Hand Protection Protective gloves. Please observe the instructions regarding permeability and breakthrough

time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts,

abrasion, and the contact time.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved Respiratory protection

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

limpid **Appearance**

No information available Color

Physical State @20°C liquid

Odor Characteristic

Odor Threshold No information available

Property Values Remarks Method

Not applicable Ηq Melting point/range

No information available

Boiling point/boiling range Not applicable



Date of the previous version: not applicable Revision Date: 2017-12-29 Version 1

 Flash point
 220 °C
 ASTM D 93

 428 °F
 ASTM D 93.

Evaporation rateNo information available

Flammability Limits in Air

No information available

upper-No information availableLower-No information availableVapor PressureNo information availableVapor densityNo information available

 Relative density
 0.863
 @ 15 °C
 ISO 3675

 Density
 863 kg/m³
 @ 15 °C
 ISO 3675

Water solubility Not applicable

Solubility in other solvents

logPow

No information available
No information available

Autoignition temperature Not applicable

Decomposition temperatureNo information availableViscosity, kinematic31.0 mm2/s@ 40 °C

Explosive properties
Oxidizing Properties
Possibility of hazardous reactions
Not explosive
Not applicable
Not applicable

Other information

Freezing Point No information available

Pour point -36 °C ASTM D 97

10. STABILITY AND REACTIVITY

Reactivity None under normal processing.

<u>Chemical stability</u> Stable under recommended storage conditions.

<u>Possibility of hazardous reactions</u> None under normal processing.

<u>Conditions to avoid</u> Heat, flames and sparks. Take precautionary measures against static discharges. Heat

(temperatures above flash point), sparks, ignition points, flames, static electricity. Strong

ASTM D 445

oxidizing agents.

<u>Incompatible materials</u> Strong oxidizing agents.

Hazardous Decomposition Products Incomplete combustion and thermolysis may produce gases of varying toxicity such as

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Symptoms No information available.



Date of the previous version: not applicable Revision Date: 2017-12-29 Version 1

Skin contact Not classified based on available data. High pressure injection of the products under the

skin may have very serious consequences even though no symptom or injury may be

apparent.

Eye contact Not classified based on available data.

Inhalation Not classified based on available data. Inhalation of vapors in high concentration may

cause irritation of respiratory system.

Ingestion Not classified based on available data. Ingestion may cause gastrointestinal irritation,

nausea, vomiting and diarrhea.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity - Product Information

OralNot classified based on available data 0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

Dermal Not classified based on available data 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

Inhalation Not classified based on available data

ATEmix (inhalation-dust/mist) 11.34 mg/l

Acute inhalation toxicity 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Distillates (petroleum), solvent-dewaxed heavy paraffinic 64742-65-0	LD50 > 5000 mg/kg bw (rat - OECD 420)	LD50 > 5000 mg/kg bw (rabbit - OECD 402)	LC50 (4h) > 5.53 mg/l (aerosol) (rat - OECD 403)	
Distillates (petroleum), solvent-dewaxed light paraffinic 64742-56-9	LD50 > 5000 mg/kg bw (rat - OECD 401)	LD50 > 2000 mg/kg bw (rat - OECD 402) LD50 > 5000 mg/kg bw (rabbit)	LC50 (4h) 5.53 mg/l (rat) LC50 (4h) 2.18 mg/l (rat-aerosol-OECD 403)	
2,6-di-tert-butylphenol 128-39-2	> 5000 mg/kg (Rat)	LD50 > 2000 mg/kg (Rabbit)		

Skin corrosion/irritationNot classified based on available data. The supplier of one or more of the components

contained within this formulation has indicated that he has data on the components and/or similar mixtures, which confirms that at the concentration used, classification is not

required.

Serious eye damage/eye irritation Not classified based on available data. The supplier of one or more of the components

contained within this formulation has indicated that he has data on the components and/or similar mixtures, which confirms that at the concentration used, classification is not

required.

Respiratory or skin sensitization Germ cell mutagenicity

Carcinogenicity

Not classified based on available data. Not classified based on available data.

Not classified based on available data.



Date of the previous version: not applicable Revision Date: 2017-12-29 Version 1

Reproductive toxicity
Target Organ Effects (STOT)
STOT - single exposure

STOT - single exposure STOT - repeated exposure Aspiration hazard Not classified based on available data. None known.

Not classified based on available data. Not classified based on available data. Not classified based on available data.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Acute aquatic toxicity - Product Information

No information available

Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates	Toxicity to microorganisms
Distillates (petroleum), solvent-dewaxed heavy paraffinic 64742-65-0		LL50 (96h) > 100 mg/l (Oncorhynchus mykiss - OECD 203)	EL50 (48h) > 10000 mg/l (Daphnia magna - OECD 202)	
Distillates (petroleum), solvent-dewaxed light paraffinic 64742-56-9		LC50 (96h) > 5000 mg/l (Oncorhynchus mykiss) LL50 (96h) > 100 mg/l (Pimephales promelas - OECD 203)	EC50 (48h) > 1000 mg/l (Daphnia magna) LL50 (24h) > 10000 mg/l (Gammarus pulex - OECD 202)	
2,6-di-tert-butylphenol 128-39-2	EC50 (72h) 1.2 mg/l	LC50(96h) 1 mg/l (fish)	EC50 (48h) = 0.45 mg/L Daphnia magna	

Chronic aquatic toxicity - Product Information

No information available

Chronic aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and	Toxicity to fish	Toxicity to
		other aquatic invertebrates		microorganisms
Distillates (petroleum),		NOEL (21d) 10 mg/l	NOEL (14/28d) > 1000 mg/l	
solvent-dewaxed heavy		(Daphnia magna - OECD	(Oncorhynchus mykiss -	
paraffinic		211)	QSAR Petrotox)	
64742-65-0		'	ŕ	
Distillates (petroleum),	NOEL (72h) >= 100 mg/l	NOEL (21d) 10 mg/l	NOEL (96h) >= 100 mg/l	
solvent-dewaxed light	(Pseudokirchnerella	(Daphnia magna - OECD	(Pimephales promelas -	
paraffinic	subcapitata - OECD 201)	211)	OECD 203)	



Date of the previous version: not applicable Revision Date: 2017-12-29 Version 1

64742-56-9	NOEL (96h) >= 10000 mg/l (Gammarus pulex - OECD 202)		
2,6-di-tert-butylphenol 128-39-2		NOEC (28d) 0.3 mg/l (fish)	

Effects on terrestrial organisms

No information available.

Persistence and degradability

No information available

Bioaccumulative potential

Product Information No information available.

logPow No information available

Component Information

Chemical Name	log Pow
Distillates (petroleum), solvent-dewaxed light paraffinic 64742-56-9	3.1
2,6-di-tert-butylphenol 128-39-2	4.48

Mobility

Soil Given its physical and chemical characteristics, the product generally shows low soil

mobility

Air Loss by evaporation is limited

Water The product is insoluble and floats on water

Other adverse effects

General Information No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste from residues/unused products

Should not be released into the environment. Do not empty into drains. Dispose of in accordance with all applicable national environmental laws and regulations. Where possible recycling is preferred to disposal or incineration. Other Regulatory Status: No Canadian federal standard; however, for general discharge guidance, federal installations limited to 15 mg/L for total oil and grease. Provincial criteria are likely and should be requested when notifying provincial authorities.



Date of the previous version: not applicable Revision Date: 2017-12-29 Version 1

Contaminated packaging Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

TDG Not regulated

DOT Not regulated

MEX Not regulated

ICAO/IATA Not regulated

IMDG/IMO Not regulated

ADR/RID Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) (SOR/2015/17) and the Safety Data Sheet (SDS) contains all the information required by the HPR

International Inventories All the substances contained in this product are listed or exempted from listing in the

following inventories: Canada (DSL/NDSL)

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPAHealth Hazard0Flammability1Instability0Special hazards -HMISHealth Hazard0Flammability1Physical Hazard0Personal protectionX

Revision Date: 2017-12-29
Revision Note Initial Release

Abbreviations, acronyms

ACGIH = American Conference of Governmental Industrial Hygienists

bw = body weight

bw/day = body weight/day

EC x = Effect Concentration associated with x% response

GLP = Good Laboratory Practice



Date of the previous version: not applicable Revision Date: 2017-12-29 Version 1

IARC = International Agency for Research of Cancer

LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals

LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals LL = Lethal Loading

NIOSH = National Institute of Occupational Safety and Health

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

NOEL = No Observed Effect Level

OECD = Organization for Economic Co-operation and Development

OSHA = Occupational Safety and Health Administration

UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material

NTP = National Toxicology Program

Section 8

TWA - Time Weight Average

STEL - Short Term Exposure Limits

+ Sensitizer * Skin designation
C: Carcinogen R: Toxic to reproduction

Ceiling: Ceiling Limit Value

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the Safety Data Sheet